


TEAM ID : PNT2022TMID24517

Prepare The Datasets


Once you load the data, we need to Prepare the data.


- Prepare Calculations of Year, Month, Day fields and also the related Navigation path
- Create a Few more Calculations – Target Sales, Min Sales, Max Sales, Middle Range Sales.



The screenshot shows the IBM Cognos Analytics interface with the 'Grid' view selected. The data table contains the following information:

Row Id	Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID
1	32298	CA-2012-124891	2012-07-31	2012-07-31	Same Day	RH-19495
2	26341	IN-2013-77878	2013-02-05	2013-02-07	Second Class	JR-16210
3	25330	IN-2013-71249	2013-10-17	2013-10-18	First Class	CR-12730
4	13524	ES-2013-1579342	2013-01-28	2013-01-30	First Class	KM-16375
5	47221	SG-2013-4320	2013-11-05	2013-11-06	Same Day	RH-9495
6	22732	IN-2013-42360	2013-06-28	2013-07-01	Second Class	JM-15655
7	30570	IN-2011-81826	2011-11-07	2011-11-09	First Class	TS-21340
8	31192	IN-2012-86369	2012-04-14	2012-04-18	Standard Class	MB-18085
9	40155	CA-2014-135909	2014-10-14	2014-10-21	Standard Class	JW-15220
10	40936	CA-2012-116638	2012-01-28	2012-01-31	Second Class	JH-15985





Calculation:

IBM Cognos Analytics with Watson | * New dashboard

Search content

Create calculation

Name

order_year

Components

Search

- Global_Sup...tore2.csv
 - Row ID
 - Order ID
 - Order Date
 - Ship Date
 - Ship Mode
 - Customer ID
 - Custo... Name
 - Segment
 - City
 - State

Expression

1 year(Order Date)

Validation Results

The expression is valid.

☐ Calculate after aggregation

Cancel OK

Show footer

