

Personal Assistant For Seniors Who Are Self-reliant Using IoT

A Project report submitted in partial fulfilment of 7th semester in degree of

BACHELOR OF ENGINEERING

IN

COMPUTER SCIENCE AND ENGINEERING

Submitted By

Team ID : PNT2022TMID24400

SHAHITHYA Y (113319104077)(Team Leader)

FAIZA FATHIMA (113319104021)(Member)

HARINI K (113319104028)(Member)

RAJESHWARI G (113319104067)(Member)

PUNDI VAISHNAVI (113319104063)(Member)

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

VELAMMAL INSTITUTE OF TECHNOLOGY

TIRUVALLUR-601 204

BONAFIDE CERTIFICATE

Certified this Report “**Personal Assistant For Seniors Who Are Self Reliant(Medicine Reminder)**”, for the project, is the Bonafide work of “**SHAHITHYA Y (113319104067)(Team Leader)**” , “**FAIZA FATHIMA (113319104021) (Member)**”, “ **HARINI K (1133191028)(Member)** “ , “ **RAJESHWARI G (113319104067)(Member)**”, “**PUNDI VAISHNAVI (113319104063)(Member)** “ “ who carried out the project work under my supervision. Certified further that to the best of my knowledge the work reported here in does not form part of any other thesis or dissertation on the basis of which a degree or award was co-offered on the earlier occasion on this or any other candidate.

SIGNATURE

GLADIS PUSHPA

HEAD OF THE DEPARTMENT

COMPUTER SCIENCE AND ENGINEERING

VELAMMAL INSTITUTE OF TECHNOLOGY

THIRUVALLUR-601 204

SIGNATURE

CHITRA P

MENTOR

COMPUTER SCIENCE AND ENGINEERING

VELAMMAL INSTITUTE OF TECHNOLOGY

THIRUVALLUR-601 204

ABSTRACT

In the contemporary day life style people have no time to spend with their family. In such a busy life it's difficult to keep an isolated day out of their busy schedule for the doctor for consistent medical checkup and taking medicines at time. There is a necessity for new idea and technology which helps in saving their time. The proposed model enables users to improve health related risks and reduce healthcare costs by reminding to take medicines at time, collecting, recording and analyzing data in real time efficiently. With the help of this proposal the time of both patients and doctors are saved and doctors can also help in emergency scenario as much as possible. The proposed outcome of the project is to give proper and efficient medical services to patients by reminding them when to take medicines and collecting data information

TABLE OF CONTENTS

Chapter No	Title	Page No
1.	INTRODUCTION	7
1.1	Project Overview	7
1.2	Purpose	9
2.	LITERATURE SURVEY	10
2.1	Existing problem	10
2.2	References	11
2.3	Problem Statement Definition	12
3.	IDEATION & PROPOSED SOLUTION	13
3.1	Empathy Map Canvas	13
3.2	Ideation & Brainstorming	14
3.3	Proposed Solution	16
3.4	Problem Solution fit	17
4.	REQUIREMENT ANALYSIS	18
4.1	Functional requirement	18
4.2	Non-Functional requirements	18
5	PROJECT DESIGN	22
5.1	Data Flow Diagrams	22
5.2	Solution & Technical Architecture	23

5.3	User Stories	24
6	PROJECT PLANNING & SCHEDULING	25
6.1	Sprint Planning & Estimation	25
6.2	Sprint Delivery Schedule	26
6.3	Burndown Char	26
7	CODING & SOLUTIONING	28
7.1	Feature 1	28
7.2	Feature 2	28
8.	TESTING	29
8.1	Test Cases	29
8.2	User Acceptance Testing	31
9.	RESULTS	33
9.1	Performance Metrics	33
10.	ADVANTAGES & DISADVANTAGES	35
11.	CONCLUSION	36
12.	FUTURE SCOPE	37
13.	APPENDIX	38
	Source Code	38
	GitHub & Project Demo Link	44

LIST OF FIGURES

FIG.NO	FIG.NAME.	PAGE.NO
3.1.1	Empathy map canvas	13
3.2.1.	Brain Storming	14
4.2.1	Arduino Uno R3.	19
4.2.2	LED.	19
4.2.3	Resistor.	20
4.2.4	LCD 16x2.	20
4.2.5.	Piezo.	21
4.2.6	Positional Micro Servo.	21
5.1.1	Data flow diagrams	22
5.2.1	Technical Architecture.	23
5.3.1	User Stories	24
6.1.1.	Sprint Planning & Estimation.	26
6.2.1	Sprint Delivery Schedule.	26
6.3.1	Burndown Chart.	27

CHAPTER 1


INTRODUCTION

Patient monitoring and management in critical care environments such as the ICU's ,. SICU's and ANCU's involve estimating the status of the patient and reacting to events that may be life threatening. It is impossible to keep a tab on every patient throughout the day. New solutions are needed in this field to help the doctors and the nursing staff to monitor the patients. A critical element of this is the medicine administration and monitoring. This has been achieved by the patient medicine reminder system. This system consists of Arduino, GSM Module, RTC Module. This system is driven by an program that inputs predefined parameters which is processed based on the input variables entered via a user interface device such as the PC. The logic for the processing Is built into the embedded program to initiate the alert through an audio alarm. Not only does it have an alarm system, but also gives indication when medicine is not taken at the reminder time.

1.1 Project Overview

Sometimes patients forget to take the medicine at the required time of medicines. And sometimes patient also forgets which medicine He/She have to take at required time. And it is difficult for Doctor/Compounder to monitor patients around the clock. To avoid this problem, we have made this **medicine reminder system for patients using Arduino**. In this system we have used Arduino for controlling the whole system. Working of this project is very simple. In this system **ds1307**

real time clock chip is used for running the time accurate and to prevent the time after light failure by using **3 volt li-on battery** connected with this real time clock chip at pin number 3. **SDA** and **SCK** pin of real time clock chip is directly connected with **SDA** and **SCK** pin of Arduino (**A5** and **A4**) respectively. These two pins should be pull-up using 10K resistor. When we start this system real time clock runs the time on 16×2 LCD. And if we want to set alarm time for medication we have to press **set_mad** buttons which is connected with pin number 8 of arduino. After pressing this button LCD shows **Set Time 1**. And then we can select the time as we want



to set for medication by using **INC** and **Next** button which is connected to pin 9 and 10

respectively of arduino. After set time 1, LCD shows **set Time 2**. Now using previous process set the time again. And after second time set, LCD shows again **set time 3**. And set this time like previous. In this system “Group medicine” indication (**take group 1 medicine, take group 2 medicine and take group 3 medicine**) is used instead of medicine name. When any alarm occurs

LCD indicates **Group medicine 1, Group medicine 2, Group medicine 3.** Medication Medication alarm time is also feed in **Arduino's internal eeprom** to save from lose data after light failure. And real time is continuously checked with saved **Arduino's internal eeprom** time. If any match occurs. LCD shows medication group name and buzzer starts beeping continuously. Buzzer is directly connected with pin number 13 of arduino for medication time indication. **16×2 LCD's data pin D4, D3, D2, D2** are connected with **pin5, 4, 3, 2 of arduino**. And **command pin RS** and **EN** is directly connected with **pin 7, 6 of arduino**. **RW**pin of LCD is directly connected with ground.

1.2 Purpose

In modern society, most of the time people remain busy in their daily life schedule. It is true that they give more preference to their work than taking care of their health. Several diseases like diabetes, blood pressure is nowadays very common. Maintaining daily medication become very difficult for old people. Sometimes younger is faced with the same problem. There are many people in our family who need constant help may it be our elderly people, younger or others. But it is not always possible for us to remind them of their medicine's dosages every time. For this purpose, there needs to be some facility for us which monitoring patient and take care. Nowadays we are all used to living technology-based life. We can use this technology in a way that will be beneficial for us. Cell phones aren't best utilized for calling but now maybe used as an ensemble of embedded sensors that together allow new packages including human services, healthcare, social networks, environmental tracking etc. Today in medical services frameworks, the usage of cell phones is turning into an expanding number of values [1]. IoT may be helpful to monitor realtime condition and IoT can be a powerful and effective paradigm to store data collected by sensors devices to the cloud. In our project, the IoT enabled device will control the overall monitoring system. And developed an android application which help patients by reminding medicine in take time and so on

CHAPTER 2

LITERATURE SURVEY

2.1 Existing problem

Patients may often fail to comply with their medication whether it was from forgetting to take the medicine, from taking medicine at the wrong time or even from taking too much medicine. Sometimes elderly people forget to take their medicine at the correct time. They also forget which medicine He / She should take at that particular time. And it is difficult for doctors/caretakers to monitor the patients around the clock. To avoid this problem, this medicine reminder system is developed. Although the Internet of Things can be of great benefit to healthcare, there are still major challenges to address before full-scale implementation. The threats and disadvantages of using connected devices in healthcare are as follows:

1. **Security and privacy:** Security and privacy remain a major concern deterring users from using IoT technology for medical purposes, as [healthcare monitoring solutions](#) have the potential to be breached or hacked. The leak of sensitive information about the patient's health and location and meddling with sensor data can have grave consequences, which would counter the benefits of IoT.
2. **Risk of failure:** Failure or bugs in the hardware or even power failure can impact the performance of sensors and connected equipment placing healthcare operations at risk. In addition, skipping a scheduled software update may be even more hazardous than skipping a doctor checkup.
3. **Integration:** There's no consensus regarding IoT protocols and standards, so devices produced by different manufacturers may not work well together. The lack of uniformity prevents full-scale integration of IoT, therefore limiting its potential effectiveness.
4. **Cost:** While IoT promises to reduce the cost of healthcare in the long-term, the cost of its implementation in hospitals and staff training is quite high.

2.2 References

1. A. Sawand, S. Djahel, Z. Zhang, and F. Na. Multidisciplinary Approaches to Achieving Efficient and Trustworthy e Health Monitoring Systems. Commun. China (ICCC), 2014 IEEE/CIC Int. Conf., pp. 187–192, 2014.
2. D. a. Clifton, D. Wong, L. Clifton, S. Wilson, R. Way, R. Pullinger, and L. Tarassenko. A largescale clinical validation of an integrated monitoring system in the Emergency Department. IEEE J. Biomed. Heal. Informatics vol. 17, no. 4, pp. 835–842, 2013.
3. M. Parida, H.-C. Yang, S.-W. Jheng, and C.-J. Kuo. Application of RFID Technology for InHouse Drug Management System. 15th Int. Conf. Network-Based Inf. Syst., pp. 577–581, 2012.
4. L. Ilkko and J. Karppinen. UbiPILL A Medicine Dose Controller of Ubiquitous Home Environment. 2009 Third Int. Conf. Mob. Ubiquitous Comput. Syst. Serv. Technol., pp. 329–333, 2009.
5. A. Kliem, M. Hovestadt, and O. Kao. Security and Communication Architecture for Networked Medical Devices in Mobility-Aware e Health Environments,” 2012 IEEE First Int. Conf. Mob. Serv., pp. 112–114, 2012.
6. S. T.-B. Hamida, E. Ben Hamida, B. Ahmed, and A. Abu-Dayya. Towards efficient and secure in-home wearable insomnia monitoring and diagnosis system. 13th IEEE Int. Conf. Bioinforma. Bioeng., pp. 1–6, 2013.
7. P. Ray. Home Health Hub Internet of Things (H 3 IoT): An architectural framework for monitoring health of elderly people. Sci. Eng. Manag. Res, pp. 3–5, 2014.
8. S. Huang, H. Chang, Y. Jhu, and G. Chen. The Intelligent Pill Box - Design and Implementation. pp. 235–236, 2014.
9. F.-T. Lin, Y.-C. Kuo, J.-C. Hsieh, H.-Y. Tsai, Y.-T. Liao, and H. C. Lee. A Self-powering Wireless Environment Monitoring System Using Soil Energy. IEEE Sens. J., vol. 15, no. c, pp. 1–1, 2015.

10. S. S. Al-majeed.HomeTelehealth by Internet of Things (IoT).pp. 609–613, 2015.

2.3 Problem Statement Definition

Patients may often fail to comply with their medication whether it was from forgetting to take the medicine, from taking medicine at the wrong time or even from taking too much medicine. Therefore, there are many systems such as reminder, alarm, and so on to remind patient. We have focus on those patients who having difficulty to take medication on time, we tried to design and to aid patients with managing their medical prescriptions, through a reminder app they will use to look at and manage their medications. The Pill Reminder will facilitate users to require the right medication on time. This system provides a real time monitoring system that allow related people to monitor the patient's activity remotely.

CHAPTER 3

IDEATION & PROPOSED SOLUTION

3.1 Empathy Map Canvas



Fig 3.1.1 Empathy Map Canvas

3.2 Ideation & Brainstorming



Brainstorm & idea prioritization

Use this template in your own brainstorming sessions so your team can unleash their imagination and start shaping concepts even if you're not sitting in the same room.

🕒 10 minutes to prepare
🕒 1 hour to collaborate
👤 2-8 people recommended



Before you collaborate

A little bit of preparation goes a long way with this session. Here's what you need to do to get going.

🕒 10 minutes



Team gathering

Define who should participate in the session and send an invite. Share relevant information or pre-work ahead.



Set the goal

Think about the problem you'll be focusing on solving in the brainstorming session.



Learn how to use the facilitation tools

Use the Facilitation Superpowers to run a happy and productive session.

[Open article](#) →



Define your problem statement

What problem are you trying to solve? Frame your problem as a How Might We statement. This will be the focus of your brainstorm.

🕒 5 minutes

PROBLEM
**Old people who are need
pill reminder and self-
assistance because they
don't want to skip their
medicines**



Key rules of brainstorming

To run an smooth and productive session



Stay in topic.



Encourage wild ideas.



Defer judgment.



Listen to others.



Go for volume.



If possible, be visual.

Brainstorm

Write down any ideas that come to mind that address your problem statement.

Ⓢ 10 minutes

TIP You can select a sticky note and hit the pencil (switch to sketch) icon to start drawing!

Faiza Fathima

Rithick

Income Tax	Year 6 Apr 2000 to 2001	£
Other Spendings	Web Apr 2000 to 2001	£
Net Profit	Web Apr 2000 to 2001	£

Vaishnavi P

Dhivakar

Age 9 Shedding	Shed skin was cut out and sent to a technician
I will make sure that the health technician	Health technician of the clinic

Harini K

Pauline

7 (coding) 1007-101 517-603	Source: GenBank
8 (coding) 1017-1024 527-534	

Rajeshwari G

Sibichakra

Page Counter	Impression Counter
There nothing to worry about	

3

Group ideas

Take turns sharing your ideas while clustering similar or related notes as you go. In the last 10 minutes, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you can break it up into smaller sub-groups.

20 minutes

TIP
Add customizable tags to sticky notes to make it easier to find, browse, organize, and categorize important ideas. Themes color your mind.

Monitoring devices

Smart Assistants

Hardware devices

Health checkers

Smart hand bag

 **Importance**
If each of these tasks could get done without any difficulty or cost, which would have the most positive impact?

TIP
Participants can use their cursors to point at where sticky notes should go on the grid. The facilitator can confirm the spot by using the laser pointer holding the **H** key on the keyboard.

Fig 3.2.1 Ideation & Brainstorm

3.3 Proposed Solution

Here we introduce a smart medicine reminder system based on IoT. The proposed scheme was particularly created for the Android platform. For our system, we implement a reminder system which provides an alarm when it is time for taking medicine. Along with that, there is an android application where the user can set their medicine time. In the application, there will some feature that help the user to know more details about their medicine. It keeps track for the medicine which means how much medicine they have to take they can be fixed in the application. The device setup consists of an IoT enabled pill box having multiple compartments, each having a lid to open, and an IR sensor attached to it. The system of pill box includes of IR sensors for observance and reported the state of medication, that frequently checks whether the medicine is taken or not.

Whenever the medication is loaded into the pillbox it'll be updated the medicine data and saved in database. The Arduino device fetching real time data and send it to the application.

3.4 Problem Solution fit

Define CS, fit into CC	<p>1. CUSTOMER SEGMENT(S) CS</p> <p>Caretakers Persons, who need to help their closed one</p>	<p>6. CUSTOMER CONSTRAINTS CC</p> <p>Low power Budget Friendly No cash</p>	<p>5. AVAILABLE SOLUTIONS AS</p> <ul style="list-style-type: none"> Medicine Reminder and Alert App e-pill Time & Opened Time Stamp with Reminder 	Explore AS, differentiate
Focus on J&P, tap into BE, understand RC	<p>2. JOBSTO-BE-DONE / PROBLEMS J&P</p> <ul style="list-style-type: none"> Forget to give medication on time. Can't keep remember the amount of medicine remains. 	<p>9. PROBLEM ROOT CAUSE RC</p> <ul style="list-style-type: none"> If there is no internet connection, there would be no sharing of data between Cloud and device . So, we need proper net connection. 	<p>7. BEHAVIOUR BE</p> <p>What does your customer do to address the problem and get the job done ?</p> <ul style="list-style-type: none"> The Customer first update the system with medicine name, Time to take and amount of medicine in pack into the device. The Device will take care of the remaining things like remainder and notify when the medicine get over. 	Focus on J&P, tap into BE, understand RC
	<p>3. TRIGGERS TR</p> <ul style="list-style-type: none"> Unable to give or take medicine on time and can't remember the amount of medicine remains triggers the customer to act like this <p>4. EMOTIONS: BEFORE EM</p> <ul style="list-style-type: none"> Caretakers feels guilty and feel sadly 	<p>10. YOUR SOLUTION SL</p> <p>We introduce a smart medicine reminder system based on IOT. The proposed scheme was particularly created for the Android platform. For our system.</p> <ul style="list-style-type: none"> We implement Medicine amount tack to be notified by the caretakers when the medicine get over. 	<p>8. CHANNELS of BEHAVIOUR CH</p> <p>8.1 ONLINE</p> <p>If it is in online mode, the patients can directly send a feed a mail or message to the receiver.</p>	

CHAPTER 4

REQUIREMENT ANALYSIS

In modern society, busy life has made people forget many things in day to day life. The elderly people and the people victims of chronicle diseases who need to take the medicines timely without missing are suffering from dementia, which is forgetting things in their daily routine. Considering this situation study has been done in this. Paper reviewing the technologies of home health care which are currently used for improving this situation by reminding the scheduled of medicine, remote monitoring and update new medicine data of patients, which can be done by prescriber through web.

4.1 Functional requirement

1. Tinkercat
2. Python IDLE
3. IBM Watson IoT Platform
4. Node-RED Service
5. Cloudant DB

4.2 Non-Functional requirements

1. Arduino Uno R3
2. LED(Green,Red,Blue)
3. 220Q Resistor
4. LCD 16x2
5. Piezo
6. 1 k ome Resistor
7. Positional Micro Servo

Arduino Uno R3

Arduino is an open source computer hardware and software company, project, and user community that designs and manufactures single-board microcontrollers and microcontroller kits for building digital devices and interactive objects that can sense and control objects in the physical and digital world.



Fig 4.2.1 Arduino Uno R3

LED(Green,Red,Blue)



Fig 4.2.2 LED

LEDs (light-emitting diodes) are small, bright, power-efficient lights commonly used in electronic products. An LED light is a polarized part, meaning it has to be connected to a circuit in a certain way to work properly

Resistor



Fig 4.2.3 Resistor

resistor is a two-terminal electrical component that provides electrical resistance. In electronic circuits, resistors are predominantly used to lower the flow of current, divide voltages, block transmission signals, and bias active elements



LCD 16x2

Fig 4.2.4 LCD 16x2

16x2 LCD means it can display 16 characters per line and there are 2 such lines. In this LCD each character is displayed in 5x7 pixel matrix. The 16 x 2 intelligent alphanumeric dot matrix display is capable of displaying 224 different characters and symbols. This LCD has two registers, namely, Command and Data.

Piezo



Fig 4.2.5 Piezo

Piezoelectric effect is extensively used to convert the electric energy into mechanical energy and vice-versa i.e. the piezoelectric substances are used as electromechanical transducers.

Positional Micro Servo



Fig 4.2.6 Positional Micro Servo

Servo motors or “servos”, as they are known, are electronic devices and rotary or linear actuators that rotate and push parts of a machine with precision. Servos are mainly used on angular or linear position and for specific velocity, and acceleration.

CHAPTER 5

PROJECT DESIGN

5.1 Data Flow Diagrams

Architecture:




Fig 5.1.1 Data Flow Diagram

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.

5.2 Solution & Technical Architecture




Fig 5.2.1 Technical Architecture

Technology architecture provides a more concrete view of the way in which application components will be realized and deployed. It enables the migration problems that can arise between the different steps of the IS evolution path to be studied earlier.

5.3 User Stories

User Type	Functional Requirement(Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	
Customer (Senior citizen)	Caretaker	USN-1	As a user, I want to take Medicines on time and monitor my health	I want to Take Medicines On time	High	S
Customer (Alzheimer patient)	Smart medicine box	USN-2	As a user, I want to take my tablets on time by voice command	I want to take my tablets on time by voice command	High	S
Customer (Mentally ill patient)	Caretaker	USN-3	As a user, my patient needs to take medicines on time and monitoring the activity	My patient needs to take medicines on time	Medium	S
Customer (Coma patient)	Caretaker	USN-4	As a user, my patient medication time and prescription should load in database for upcoming week	My patient medication time and prescription should be in database list	Low	S
Customer (Disabled people's)	Smart medicine box	USN-5	As a user, I need to take my medicine in nearby places with light notification	I need to take my medicine in nearby places with light notification	Medium	S

Fig 5.3.1 User Stores

CHAPTER 6

PROJECT DESIGN

6.1 Sprint Planning & Estimation

PROJECT PLANNING & SCHEDULING

S.NO	ACTIVITY TITLE	ACTIVITY DESCRIPTION	DURATION
1	Project preparation	Assign team members, Create repository in the Github, download rocket-chat essentials and join respective project channel.	1 WEEK
2	Attend class	Attend sessions on IBM , team leader assign task to each member of the project, attend quiz , submit assignment .	1 WEEK
3	Working on different phases of project	Ideation phase-literature survey, Project design phase I-proposed solution, solution architecture, project design phase II-customer journey , data flow, technical architecture, planning phase-milestones, tasks, sprint schedule.	4 WEEK
4	Developing project	Develop the code, test and push it to GitHub, clarify queries.	2 WEEK

5	Budget and scope of project	Analyze and making the project budget and discuss with team for budget prediction .	1 WEEK
---	-----------------------------	---	--------

Fig 6.1.1 Table Sprint Planning And Estimation

6.2 Sprint Delivery Schedule

Project Tracker, Velocity & Burndown Chart: (4 Marks)

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	19 Oct 2022	25 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	30 Oct 2022	04 Nov 2022	20	31 Oct 2022
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022	20	07 Nov 2022
Sprint-4	20	6 Days	13 Nov 2022	18 Nov 2022	20	14 Nov 2022

Fig 6.2.1 Sprint Delivery Schedule

6.3 Burndown Char

$$\begin{aligned}AV &= \text{Velocity} / \text{Sprint Duration} \\ &= 20 / 8 \\ &= 2.5\end{aligned}$$

$$\begin{aligned}AV &= 10 / 8 \\ &= 1.25\end{aligned}$$

Burndown Chart :




Fig 6.3.1 table sprint planning and estimation

CHAPTER 7

CODING & SOLUTIONING

7.1 Feature 1

In the feasibility study, not all of reminders were effective for patients to take their medication in case they were away from the smartphone or they did not notice the small sound of reminders. We would design and improve reminders to repeat second or third time in user's favorite interval, to display some messages about reminders on the smartphone until the patient inputs records of medication-taking, or to send a reminder to their home phone. If someone else is taking an active part in helping to manage user's medications, then they prefer an app with a number of collaboration features. MyTherapy measures and stores vitals, keeps medication usage history with the ability to print personal health report and share results with a doctor or family members. Care Zone uses the camera to take pictures of important documents and save them. The app helps to organize key contacts including doctors, pharmacies, insurance, and family members to safely share access to coordinate care.

7.2 Feature 2

One of the wonders of modern medicine are the wide variety of medications that enhance both the quality and length of our lives. Today medicine is used to control blood pressure, insulin, cholesterol and even the rate at which our hearts beat. Yet medicines are both a godsend and a curse. If prescribed and managed properly they work. If not, then they are not effective and can even result in hospitalization or death. This is why having a medication reminder system that works is very important to your health. It is also important to "brown bag" your medications from time to time as part of good medication management practices. Medication reminder systems must include more than a nudge to take the medication at the right time. They must also include knowledge of how you need to take the medication. Does it need to be taken with food or on an empty stomach? Do you need to avoid certain foods or drinks while taking it? For instance, many medications require that you avoid drinking

grapefruit juice. Other medication may require you to abstain from drinking alcohol. Some work better if you take them before you go to bed, and so on. Your medication reminder system must include this information. If you are taking fewer than six medications daily, you may be able to commit information on how to take your medication to memory, such as remembering to take Metformin with every meal. However, no matter how many medications you take nearly everyone can benefit from a medication reminder system.


CHAPTER 8

TESTING

8.1 TEST CASES


Software testing follows a common process. Tasks or steps include defining the test environment, developing test cases, writing scripts, analyzing test results and submitting defect reports. Testing can be time-consuming. Manual testing or ad-hoc testing may be enough for small builds. However, for larger systems, tools are frequently used to automate tasks. Automated testing helps teams implement different scenarios, test differentiators (such as moving components into a cloud environment), and quickly get feedback on what works and what doesn't. A good testing approach encompasses the application programming interface (API), user interface and system levels. As well, the more tests that are automated, and run early, the better. Some teams build in-house test automation tools

A test case is a defined format for software testing required to check if a particular application/software is working or not. A test case consists of a certain set of conditions that need to be checked to test an application or software i.e. in more simple terms when conditions are checked it checks if the resultant output meets with the expected output or not. A test case consists of various parameters such as Id, condition, steps, input, expected result, result, status, and remarks.




8.2 User Acceptance Testing

once software has undergone Unit, Integration and System testing because developers might have built software based on requirements document by their own understanding and further required changes during development may not be effectively communicated to them, so for testing whether the final product is accepted by client/end-user, user acceptance testing is needed.



- Developers code software based on requirements document which is their “own” understanding of the requirements and **may not actually be what the client needs from the software.**
- Requirements changes during the course of the project may not be communicated effectively to the developers

User Acceptance Testing (UAT), which is performed on most UIT projects, sometimes called beta testing or end-user testing, is a phase of software development in which the software is tested in the "real world" by the intended audience or business representative.






CHAPTER 9

RESULT

9.1 Performance Metrics

Performance metrics are data used to track processes within a business. This is achieved using activities, employee behavior, and productivity as key metrics. These metrics are then used by employers to evaluate performance. This is in relation to an established goal such as employee productivity or sales objectives





CHAPTER 10

ADVANTAGES & DISADVANTAGES

ADVANTAGES

- medication reminder and organizer can help to prevent these life-threatening mistakes. They remind your loved one to take the right medication at the right time. Medication reminders are an important piece of any aging in place plan
- Reminds Your Senior to Take Their Medication
- Prevent Errors

It is easy for seniors to take the wrong meds or even skip doses. Medication reminders prevent this from happening. There is nothing your senior has to read or figure out. They simply need to take the pills in the compartment after the reminder beeps.

- Easy to Use
- Be Proactive

By giving your loved one a medication reminder, you are also giving them greater health and independence. Help them age in place with the right tools to help them stay safe a healthy

DISADVANTAGES

- Cost Efficient
- Power supply problems
- Circuit Cost High
- Maintenance Cost High

CHAPTER 11

CONCLUSION

CONCLUSION

Hence an attempt was made to build a medicine reminder kit which gives indication at proper time and also an alert to pre-guardian about tablet consumption status.

Medicine reminder apps and devices which are a part of IoT, increases adherence to treatment thus achieves better control of disease and reduces complications. Wearable devices can monitor parameters of a person like heart rate, blood oxygen, body temperature, blood pressure, ECG. These parameters are crucial for maintaining health of the individual. Shortage of skilled human resources in health sector can be addressed by this technology. Best of health services with more precision can be provided in remote areas of country. Hence use of IoT in medical field is a boon.

CHAPTER 12

FUTURE SCOPE

Future Scope

There are several aspects we need to work on our device in the future to meet the user needs.

Firstly, we should develop strategies and modify the device based on the user evaluation results.

This includes creating a user manual; choosing a larger lcd display; using a metal or plastic box to cover the entire circuitry; placing the switch and led displays on the surface of the box and using larger pill boxes. We should also follow the risk analysis structure to analyze the potential risks and hazards as well as develop strategies to mitigate the risks.

CHAPTER 12

APPENDIX

Source Code

```
#include<LiquidCrystal.h>

#include <Servo.h>

LiquidCrystal lcd(9, 8, 5, 4, 3, 2);

Servo servo_7;

Servo servo_6; Servo servo_1; const int buzzer
= 10; //buzzer to arduino pin 10

void setup()

{ lcd.begin(16,2); pinMode(buzzer, OUTPUT); // Set buzzer -
pin 10 as an output  pinMode(11, OUTPUT); pinMode(12,
OUTPUT); pinMode(13, OUTPUT);

servo_7.attach(7);
servo_6.attach(6); servo_1.attach(1);

} void

loop()

{

servo_7.write(0); servo_6.write(0);

servo_1.write(0); lcd.setCursor(0,0);
```

```

lcd.print("Medicine");

lcd.setCursor(2,1);

lcd.print("Reminder"); delay(200);

lcd.clear(); delay(400); //

lcd.print("NextCycle = 8AM");

delay(500); // Wait for 500 millisecond(s)

lcd.clear();


// FIRST CYCLE
digitalWrite(13, HIGH); //Green Light On

lcd.setCursor(0,0); lcd.print("8:00 AM");

lcd.setCursor(2,1);

lcd.print("MORNING MED");

servo_7.write(90); servo_6.write(0);

servo_1.write(0); tone(buzzer, 500); // Send
1KHz sound signal...

delay(400); noTone(buzzer);

// Stop sound...

delay(200); tone(buzzer, 500); // Send
1KHz sound signal...

```

```

    delay(300);      noTone(buzzer);

// Stop sound...

    digitalWrite(13, LOW); //Green Light Off

    lcd.clear();

servo_7.write(0);

servo_6.write(0);

servo_1.write(0);

    lcd.print("NextCycle =

3PM"); delay(500); // Wait

for 500 millisecond(s)

    lcd.clear();


// SECOND CYCLE

    digitalWrite(12, HIGH); //Blue Light On

    lcd.setCursor(0,0);  lcd.print("3:00

PM");  lcd.setCursor(2,1);

    lcd.print("AFTERNOON MED");


servo_7.write(0);      //TEST

```



```

servo_6.write(90); servo_1.write(0);

tone(buzzer, 500); // Send 1KHz sound signal...

delay(300);    noTone(buzzer);

// Stop sound...

delay(200);    tone(buzzer, 500); // Send

1KHz sound signal...

delay(400);
noTone(buzzer); // Stop sound...


digitalWrite(12, LOW); //Blue Light Off

lcd.clear();

servo_7.write(0);

servo_6.write(0);

servo_1.write(0);


lcd.print("NextCycle = 10PM");

delay(1000); lcd.clear();


// THIRD CYCLE digitalWrite(11,

HIGH); //Red Light On

```

```

    lcd.setCursor(0,0);

    lcd.print("10:00 PM");

    lcd.setCursor(2,1);

    lcd.print("NIGHT MED");

    servo_7.write(0); //TEST


    servo_6.write(0); servo_1.write(90);

    tone(buzzer, 500); // Send 1KHz sound signal...

    //delay(1000);    //

    noTone(buzzer);    // Stop sound...

    delay(200);    // tone(buzzer, 500); // Send
    1KHz sound signal..

    delay(300);    noTone(buzzer);

    // Stop sound...


    digitalWrite(11, LOW); //Red Light Off

    lcd.clear(); servo_7.write(0);

    servo_6.write(0); servo_1.write(0);

    delay(200);

}

```

GitHub & Project Demo Link

GitHub Link : <https://github.com/IBM-EPBL/IBM-Project-54011-1661587473>

Project Demo Link: (Drive Link)

https://drive.google.com/file/d/1kIkYrawS2c3VtZ7AzS-uOSx-TBr7_b1V/view