


## Containerize the App

Date	19 November 2022
Team ID	PNT2022TMID24391
Project Name	Plasma Donor Application

### Containerize your Flask application

- In your project directory, create a file named "Dockerfile." *Suggestion: Name your file exactly "Dockerfile," nothing else.*

```
FROM python:2.7
LABEL maintainer="Raj kumar, rajkumar@ibm.com"
```



A "Dockerfile" is used to indicate to Docker a base image, the Docker settings you need, and a list of commands you would like to have executed to prepare and start your new container.

```
□ In the file, paste this code:
□ RUN apt-get update
□ RUN mkdir /app
□ WORKDIR /app
□ COPY . /app
□ RUN pip install -r requirements.txt
□ EXPOSE 5000
□ ENTRYPOINT [ "python" ]
□ CMD["app.py" ]
□
```

## Explanation and breakdown of the above Dockerfile code

1.

The `FROM python:2.7`  
first

part of the code above is:

2.

Show more

Because this Flask application uses Python 2.7, we want an environment that supports it and already has it installed. Fortunately, DockerHub has an official image that's installed on top of Ubuntu. In one line, we will have a base Ubuntu image with Python 2.7, virtualenv, and pip. There are tons of images on DockerHub, but if you would like to start off with a fresh Ubuntu image and build on top of it, you could do that.

3. Let's look at the next part of the code:

4. `LABEL maintainer="Raj kumar, rajkumar@ibm.com"`

5. `RUN apt-get update`

Show more

6. Note the maintainer and update the Ubuntu package index. The command is `RUN`, which is a function that runs the command after it.

7. `RUN mkdir /app`

8. `WORKDIR /app`

9. `COPY . /app`

Show more

10. Now it's time to add the Flask application to the image. For simplicity, copy the application under the `/app` directory on our Docker Image.

`WORKDIR` is essentially a `cd` in bash, and `COPY` copies a certain directory to the provided directory in an image. `ADD` is another command that does the same thing as `COPY`, but it also allows you to add a repository from a URL. Thus, if you want to clone your git repository instead of copying it from your local repository (for staging and production purposes), you can use that. `COPY`, however, should be used most of the time unless you have a URL.

11. Now that we have our repository copied to the image, we will install all of our dependencies,

```
RUN pip install --no-cache-dir -r requirements.txt
```

which is defined in the `requirements.txt` part of the code.

12.

Show more

We want EXPOSE 5000

EXPOSE.

Show more

```
16. ENTRYPOINT [ "python" ]
```

Show more

Open the terminal and type this command to build an image from your Dockerfile:

`docker build -t <image_name>:<tag> .` (note the period to indicate we're in our apps top level directory). For example: `docker build -t app:latest .`

## Run your container locally and test

After you build your image successfully, type: `docker run -d -p 5000:5000 app`

This command will create a container that contains all the application code and dependencies from the image and runs it locally.

