

# Literature Review for Smart Fashion Recommender Application

Year	Recommendation System Approach	Properties
Before 1992	Mafia ,developed in 1990	<ul style="list-style-type: none"> <li>* content filtering</li> <li>*Mail filtering agent for providing a cognitive intelligence based service for document processing</li> <li>*Collaborative filtering</li> <li>*Developed by Palo Alto</li> </ul>
	Tapestry,developed in 1992	<ul style="list-style-type: none"> <li>*Allowed users only to rate messages as either good or bad products and service</li> </ul>
1992 to 1998	Grouplens ,first used in1994	
	Movielns,prosed in1997 recommendation	<ul style="list-style-type: none"> <li>*Rate data to form the</li> <li>*Useful to construct</li> </ul>

1999 to 2005	PLSA(Probabilistic	•	latent Semantic	Developed by
Analysis),proposed in	1999,			Thomas
	Several latent factor	•		Hofmann
	models such as	•		Collaborative
	SingularDecomposition			filtering
	(SVD), Robust Singular			approach
	Value Decomposition	•		Collaborative
	(RSVD), ), Normalised			filtering
	Singular Value			approac
	Decomposition(RSVD)			h Find
				out
				factors
				from
				rating
				patterns
				Combined
				technique of
				context and
				collaborative
				approach
2010 to on wards	Contextawarebased,			
	instantpersonalizationbase			
	d			

## Reference

1. McAuley et al. [1] devised a parametric distance transformation that assigns a lower distance to garment pairings that fit well than to those that do not. And provided Image-based recommendations on styles and substitutes.
2. Hu et al. [2] conducted a preliminary investigation into personalised outfit recommendation. To describe the user-item and item-item interactions, a functional tensor factorization method was presented. They proposed A functional tensor factorization approach.

3. Veit et al. [4] learned feature transformation for a compatibility measure between pairs of objects using a Siamese CNN architecture. All of these works focused solely on the compatibility of two things. Furthermore, they simply modelled broad matching criteria and ignored the issue of personalisation.
4. Thombre in [3] used image segmentation and Kalman filter to realize Human detection and tracking. Orrite-Urunuela proposed a statistical model for detection and tracking of human silhouette and the corresponding 3D skeletal structure in gait sequences [5]. How-Lung [6] provided an outdoor aquatic surveillance system for human motion tracking and detection.
5. Ajmani et al. [7] present a novel method for content-based recommendation of mediarrich commodities with the use of probabilistic multimedia ontology. Proposed an ontology based personalized garment recommendation system.
6. Li et al. [8] utilized the HMM of recommended items to match customers' model according to customer data. The second method is the collaborative filtering-based recommendations algorithm. Proposed Content-Based Filtering Recommendation Algorithm.
7. For instance, Nogueira et al. [9] presented a new collaborative filtering strategy that utilizes the visual attention to characterize images and alleviate the new item cold-start problem. The rule-based recommendation algorithm is the third method.
8. Hwang et al. [10] put forward a method to generate the automatic rules with the user's items and made a suggestion on the best rule. The fourth method is the utilitybased recommendation. For instance,
9. Scholz et al. [11] found that exponential utility functions are better geared to predicting optimal recommendation ranks for products, and linear utility functions perform much better in estimating customers' willingness.
10. Koenig in [12] developed a system toward real-time human detection and tracking in diverse environments. However, mostly the researchers focus on the point of human detection and tracking in complex scene, while refined contour extraction of human in dynamic scene is still an open question.

GITHUB PROJECT ID : [IBM-Project-54070-1661588718](https://github.com/IBM-Project-54070-1661588718)

TEAM DETAILS :

1. GEETH AKSHAY KUMAR M
2. THIYAGARAJAN P G
3. SANJAY M
4. UDHAYA KUMAR B