ASSIGNMENT DATE	12-SEPTEMBER-2022
STUDENT NAME	MADALA MANU VARDHAN
STUDENT ROLL NUMBER	110719104029
MAXIMUM MARKS	2 MARKS

ASSIGNMENT:1

IPYNB.JSON

import numpy as np

import pandas as pd

import seaborn as sns

from matplotlib import pyplot as plt

from matplotlib import pyplot as plt

import warnings

warnings.filterwarnings("ignore")

from sklearn.model_selection import train_test_split

from sklearn.model_selection import GridSearchCV

from sklearn.linear_model import LogisticRegression

from sklearn.metrics import roc_curve, auc, roc_auc_score, confusion_matrix from sklearn.metrics import accuracy_score

#Importing data set from local drive of system

Liver_data = pd.read_csv('E:\liver_disease_1.csv')

#Checking dimensions of Data Set

Liver_data.shape

#5 rows of data set

Liver_data.head()

def partition(x):

```
return 0
  return 1
Liver_data['Dataset'] = Liver_data['Dataset'].map(partition)
# Plot histogram grid
Liver_data.hist(figsize=(15,15), xrot=-45, bins=10) ## Display the labels
rotated by 45 degress
# Clear the text "residue"
plt.show()
#Calculating Statics od dataset
Liver_data.describe()
#calculating stats for object datatype
#Liver_data.describe(include=['object'])
#checking correlation among the variables
Liver_data.corr()
#Drawing heatmap
plt.figure(figsize=(10,10))
sns.heatmap(Liver_data.corr())
#Data Cleaning
```

if x == 'No':

```
#Removing duplicates
Liver_data = Liver_data.drop_duplicates()
print( Liver_data.shape )
#Removing Outliers
sns.boxplot(Liver_data.Aspartate_Aminotransferase)
Liver_data.Aspartate_Aminotransferase.sort_values(ascending=False).head()
Liver_data = Liver_data[Liver_data.Aspartate_Aminotransferase <= 2500]
Liver_data.isnull().values.any()
Liver_data=Liver_data.dropna(how='any')
Liver_data.shape
Liver_data.head()
#Data Standardization
Y = Liver_data.Dataset
X = Liver\_data.drop('Dataset', axis=1)
X_train, X_test, Y_train, Y_test = train_test_split(X,
Y,test_size=0.2,random_state=1234,stratify=Liver_data.Dataset)
train_mean = X_train.mean()
train_std = X_train.std()
X_train = (X_train - train_mean) / train_std
X_train.describe()
X_{test} = (X_{test} - train_{mean}) / train_{std}
```

```
X_test.describe()
#Logistic Regression
'penalty': ['11', '12']}
model = GridSearchCV(LogisticRegression(), tuned_params, scoring =
'roc_auc', n_jobs=-1)
model.fit(X_train, Y_train)
#Predicting model Train and Test results
Y_train_pred = model.predict(X_train)
Y_pred = model.predict(X_test)
Y_pred = model.predict(X_test)
#Caluclating probabilites
Y_pred_proba = model.predict_proba(X_test)[:,1]
Y_pred_proba[:10]
#Calculating Confusion Matrix
confusion_matrix(Y_test, Y_pred).T
# Calculate ROC curve from y_test and pred
fpr, tpr, thresholds = roc_curve(Y_test, Y_pred_proba)
# Calculate AUC for Train set
print('Logistic Regression Training Score: \n',roc_auc_score(Y_train,
Y_train_pred))
```

```
#Calculating accuracy
print('Logistic Regression Accuracy: \n', accuracy_score(Y_test,Y_pred))
#Gaussian Naives Bayes Implementation
from sklearn.naive_bayes import GaussianNB
gaussian = GaussianNB()
gaussian.fit(X_train, Y_train)
gauss_predicted = gaussian.predict(X_test)
print('Guassian Naives Bayes Traning Score:
\n',gaussian.score(X_train,Y_train))
print('Guassian Naives Bayes Test Score: \n',gaussian.score(X_test,Y_test))
print('Guassian Naives Bayes Accuracy: \n',
accuracy_score(Y_test,gauss_predicted))
#Bernoulli Naives Bayes Implementation
from sklearn.naive_bayes import BernoulliNB
Bernoulli = BernoulliNB(binarize=0.0)
Bernoulli.fit(X_train,Y_train)
Bernoulli_predicted = Bernoulli.predict(X_test)
print('Bernoulli Naives Bayes Traning Score:
\n',Bernoulli.score(X_train,Y_train))
print('Bernoulli Naive Bayes Test Score: \n',Bernoulli.score(X_test,Y_test))
print('Bernoulli Naive Bayes Accuracy: \n',
accuracy_score(Y_test,Bernoulli_predicted))
#Model Comparision
```

model_performance = [['Logistic Regression Accuracy',accuracy_score(Y_test,Y_pred)*100],

['Guassian Naives Bayes Accuracy',accuracy_score(Y_test,gauss_predicted)*100],

['Bernoulli Naives
Bayes',accuracy_score(Y_test,Bernoulli_predicted)*100]]

 $model_predict_df = pd.DataFrame(model_performance,columns = ['Model', '%Accuracy'])$

 $model_predict_df$