

<h1>IBM Object Storage and IBM Watson Assistant</h1>

<br><hr>

{% block head %}

<!-- CSS -->

<link rel="stylesheet" href="{{ url\_for('static',filename='css/Styles.css') }}" />

{% endblock %}

<script>

  window.watsonAssistantChatOptions = {

    integrationID: "8abe6aef-f2bb-4376-be93-7fda1857ec36", // The ID of this integration.

    region: "jp-tok", // The region your integration is hosted in.

    serviceInstanceID: "440aaee1-fbb4-4c2b-8604-cb5d605fa157", // The ID of your service instance.

    onLoad: function(instance) { instance.render(); }

  };

  setTimeout(function(){

    const t=document.createElement('script');

    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +

(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";

    document.head.appendChild(t);

  });

</script>

<!doctype html>

<html>

  <body>

    {% for row in files %}

      <div style="border: 1px solid #EFEFEF;margin:10px;">

        <h3>Filename : {{row}} </h3>

        </td>

      </div>

```
{% endfor %}
```

```
</body>
```

```
</html>
```