

Classification of Arrhythmia by Using Deep Learning with 2-D ECG Spectral Image Representation

A.R ENGINEERING COLLEGE

DONE BY

CHANDRU.M (420319104002)

GOPINATH.K (420319104002)

REVATHY.E(420319104002)

IYAPPAN.B(420319104701)

TABLE OF CONTENTS

1. INTRODUCTION

1. Project Overview
2. Purpose

2. LITERATURE SURVEY

1. Existing problem
2. References
3. Problem Statement Definition

3. IDEATION & PROPOSED SOLUTION

1. Empathy Map Canvas
2. Ideation & Brainstorming
3. Proposed Solution
4. Problem Solution fit

4. REQUIREMENT ANALYSIS

1. Functional requirement
2. Non-Functional requirements

5. PROJECT DESIGN

1. Data Flow Diagrams
2. Solution & Technical Architecture
3. User Stories

6. PROJECT PLANNING & SCHEDULING

1. Sprint Planning & Estimation
2. Sprint Delivery Schedule
3. Reports from JIRA

7. CODING & SOLUTIONING (Explain the features added in the project along with code)

1. Feature 1
2. Feature 2
3. Database Schema (if Applicable)

8. TESTING

1. Test Cases
2. User Acceptance Testing

9. RESULTS

1. Performance Metrics

10. ADVANTAGES & DISADVANTAGES

11. CONCLUSION

12. FUTURE SCOPE

13. APPENDIX

Source Code

GitHub & Project Demo Link

1.Introduction:

1.1 Overview:

According to the World Health Organization (WHO), cardiovascular diseases (CVDs) are the number one cause of death today. Over 17.7 million people died from CVDs in the year 2017 all over the world which is about 31% of all deaths, and over 75% of these deaths occur in low and middle-income countries. Arrhythmia is a representative type of CVD that refers to any irregular change from the normal heart rhythms. There are several types of arrhythmia including atrial fibrillation, premature contraction, ventricular fibrillation, and tachycardia. Although a single arrhythmia heartbeat may not have a serious impact on life, continuous arrhythmia beats can result in fatal circumstances. In this project, we build an effective electrocardiogram (ECG) arrhythmia classification method using a convolutional neural network (CNN), in which we classify ECG into seven categories, one being normal and the other six being different types of arrhythmia using deep two-dimensional CNN with grayscale ECG images. We are creating a web application where the user selects the image which is to be classified. The image is fed into the model that is trained and the cited class will be displayed on the webpage.

1.2 Purpose:

In the past few decades, Deep Learning has proved to be a compelling tool because of its ability to handle large amounts of data. The interest to use hidden layers has surpassed traditional techniques, especially in pattern recognition. One of the most popular deep neural networks is Convolutional Neural Networks.

In deep learning, a convolutional neural network (CNN/ConvNet) is a class of deep neural networks, most commonly applied to analyze visual imagery. Now when we think of a neural network we think about matrix multiplications but that is not the case with ConvNet.

It uses a special technique called Convolution. Now in mathematics convolution is a mathematical operation on two functions that produces a third function that expresses how the shape of one is modified by the other.

2. Literature Survey:

2.1 Existing Problem:

Cardiovascular diseases (CVDs) are the number one cause of death today. Over 17.7 million people died from CVDs in the year 2017 all over the world which is about 31% of all deaths, and over 75% of these deaths occur in low and middle-income countries. Arrhythmia is a representative type of CVD that refers to any irregular change from the normal heart rhythms. There are several types of arrhythmia including atrial fibrillation, premature contraction, ventricular fibrillation, and tachycardia.

2.2 Problem Statement:


2.2.1 Patient Problem Statement:

Mr .Bhargav has affect by heart disease he can't identify his disease and what type his have. After he taking ECG report but he cannot identify his problem was severely affecting some heart problems and types.




2.2.2 Doctor Problem Statement:

Doctors may not assume the perfect solution for the patient. They did not identify the solution and the have lots of work so there will be not doing some of the small times. And its gives frustrated mental pressure. It takes lot of time to find accurate solution. But doctors face issues on more patient in emergency situation occurs regarding patient count , they are confusing which one to give the first preference.



3. Ideation & proposed solution:

3.1 Empathy Map Canvas:



3.2 Ideation & Brainstorming :

We connecting with each other, consult and take decision for which kind of data types , and input process types we doing and selecting method. Our team members shared their own points and ideas we take his ideas and fixed this .

we four are comparing together and consulting there own individual opinion and we gave the performance to own team members to taking deision.

Revathy

we will use python coding because it is easy to understand
okay now how can we built it.
yes your right, deep learning is very convinient.
okay how can we use input process
okay after we collecting data set input, and then?
we will use CNN algorithm

Gopinath

python not only easy language, it also used AI and machine learning technologies.
we use deeplearning.
okay first we gather the information about all the language.
yes our first is work is search the data set
chandru and iyyapan first collect the data set.
okay which algorithm we will use

chandru

we will use java coding for this problem
why we will use dep learning.
yes gopinath you are right first we gether
okay sure we will collect the data set, and search.
we will use ANN algorithm.

Iyyappan

which language wi use this?
Because deep learning is very convinient to handle the large amount of data.
collecting data set for input process.
yes will do.
we will use yolo algorithm.

3.2.1 Idea prioritation:

we gave the individual performance to all the team members and take decision each and collaborate with each other . To input process and output process we give the priority to our team members ideas.

3.3 Proposed solution:

S.No	Parameter	Description
1.	Problem Statement (Problem to be solved)	The Patient affect by cardiovascular diseases he can't identify his disease and what type his have. After he taking ECG report but he cannot identify his problem was severely affecting some heart problems and types.
2.	Novelty / Uniqueness	Spectrograms (2-D images) are employed, which are generated from the 1-D ECG signal using STFT. A state-of-the-art performance was achieved in ECG arrhythmia classification by using the proposed CNN-based method with 2-D spectrograms as input.
3.	Social Impact / Customer Satisfaction.	An accurate taxonomy of ECG signals is extremely helpful in the prevention and diagnosis of cardiovascular diseases
4.	. Business Model (Revenue Model)	Patient may need further monitoring of his heart using Classification of Arrhythmia by Using Deep Learning with 2-D ECG Spectral Image Representation
5.	Scalability of the Solution	100% prediction is impossible. But in this system can provide 87% or above accuracy.
6.	Scalability of the Solution	100% prediction is impossible. But in this system can provide 87% or above accuracy.

3.4 Problem Solution fit:

Define CS, fit into CC	<p>1. CUSTOMER SEGMENT(S) CS</p> <ul style="list-style-type: none"> Who affected by cardiovascular diseases he can't identify his disease and what type his have. Who want monitoring heart's rhythmic irregularities. 	<p>6. CUSTOMER CONSTRAINTS</p> <ul style="list-style-type: none"> Patiant's budget Fear about result Fear on deep learning technology 	<p>5. AVAILABLE SOLUTIONS AS</p> <ul style="list-style-type: none"> Patiant can identify his cardiovascular disease and what type his disease. Customer can monitoring heart's rhythmic irregularities. 	Explore AS, differentiate
	Focus on J&P, tap into BE, understand RC	<p>2. JOBS-TO-BE-DONE / PROBLEMS J&P</p> <ul style="list-style-type: none"> To make AI application to find the cardiovascular diseases present or not and it also find cardiovascular diseases type . This application is can be must user friendly and easy to access by any kind of people. 	<p>9. PROBLEM ROOT CAUSE RC</p> <p>A heart arrhythmia is an irregular heartbeat. Heart rhythm problems occur when the electrical signals that coordinate the heart's beats don't work properly. The faulty signaling causes the heart to beat too fast, too slow or irregularly.</p>	<p>7. BEHAVIOUR BE</p> <p>The patient should first take an ECG report in the laboratory.</p> <p>The patient enters our website and uploads his 2-D ECG spectral image representation. Click the submit button. Finally he got his result.</p>


4. Requirement Analysis:

- Install Anaconda python and Jupiter notebook,
- Python Package installations for Machine Learning and Deep Learning
- Anaconda Navigator
- JupyterLab
- Jupyter Notebook
- QtConsole
- Glueviz
- Orange
- Rstudio
- Visual Studio Code .


5. Project design:

5.1 Data flow diagram:

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.



5.2 Solution & Technical Architecture:



5.3 User stories:

- As a user, I can enter into the application by click link.
- As a user, I can upload an image by clicking upload button then select my image after clicking submit button.
- As a user, I can predict the result by clicking predict button.

6. Project planning and \scheduling:

6.1 Sprint Delivery Schedule:

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Dataset Collection	NIL	Task : Dataset Collection for Classification of Arrhythmia by Using Deep Learning with 2-DECG Spectral Image Representation	2	High	1
Sprint-1	Image Preprocessing	NIL	Task : Image Preprocessing i.e Configure the Image width,height, horizontal flip,vertical flip,rotates via the rotation range, brightness via the brightness range, zooms via thezoom range.	1	High	1
Sprint-2	Model Building	NIL	Task : the augmented and pre-processed image data, Lets begin our model building.	2	High	2

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-3	Application Building	NIL	Task: building a web application that is integrated into the model we built.	2	Medium	2
Sprint-3	Enter into the application.	USN-1	As a user, I can enter into the application by click link.	1	High	
Sprint-3	upload an image	USN-2	As a user, I can upload an image by clicking upload button then select my image after clicking submit button.	0	High	
Sprint-3	Predict the Result	USN-3	As a user, I can predict the result by clicking predict button.	0	High	
Sprint-3	Train The Model On IBM	NIL	Train The Model On IBM	2	High	3

7. Coding and Sheduling

7.1 Html home page code

```

<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="device-width,initial-scale=1.0">
<link rel="stylesheet" href="/static/home_style.css">
</head>
<body>
<div id="header">
    <ul>

```

```
<li><a href="/">Home</a></form></li>
<li><a href="/info">Info</a></form></li>
<li><a href="/predict">Predict</a></form></li>
</ul>
</div>
```

```
<div id="container">
```

```
<div id="content">
```

```
<h1 class="title">Classification of Arrhythmia by Using Deep Learning with 2-D
ECG Spectral <br>Image Representation</br></h1>
```

```
<p class="para1">According to the World Health Organization (WHO),
cardiovascular diseases (CVDs) are the number one cause of death today. Over 17.7 million
people died from CVDs in the year 2017 all over the world which is about 31% of all deaths,
and over 75% of these deaths occur in low and middle-income countries. Arrhythmia is a
representative type of CVD that refers to any irregular change from the normal heart
rhythms. There are several types of arrhythmia including atrial fibrillation, premature
contraction, ventricular fibrillation, and tachycardia. Although a single arrhythmia
heartbeat may not have a serious impact on life, continuous arrhythmia beats can result in
fatal circumstances. In this project, we build an effective electrocardiogram (ECG)
arrhythmia classification method using a convolutional neural network (CNN), in which we
classify ECG into seven categories, one being normal and the other six being different
types of arrhythmia using deep two-dimensional CNN with grayscale ECG images. We are
creating a web application where the user selects the image which is to be classified. The
image is fed into the model that is trained and the cited class will be displayed on the
webpage.</p>
```

```
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

7.2 Html info page code

```
<!DOCTYPE html>
<html>
<head>
<title>info</title>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="device-width,initial-scale=1.0">
<link rel="stylesheet" href="/static/info_style.css">
</head>
<body>
<div class="header">
<ul>
    <li><a href="/">Home</a></li>
    <li><a href="/info">Info</a></li>
    <li><a href="/predict">Predict</a></li>
</ul>
</div>

<section class="sec1">
    <div class="content">
        <h1>ECG</h1>
        <p>An electrocardiogram (ECG or EKG) records the electrical signal from the heart to check for different heart conditions. </P>
        <p>An electrocardiogram records the electrical signals in the heart. It's a common and painless test used to quickly detect heart problems and monitor the heart's health.

        An electrocardiogram — also called ECG or EKG — is often done in a health care provider's office, a clinic or a hospital room. ECG machines are standard equipment in operating rooms and ambulances.

        Some personal devices, such as smartwatches, offer ECG monitoring.
```

Ask your health care provider if this is an option for you.</p>

</div>

</section>

<section class="sec7">

<div class="content">

<h1>Normal</h1>

<p>Arrhythmia is an abnormal rhythm of the heart. The only normal rhythm of the heart is a normal sinus rhythm. In this rhythm, an impulse is generated in the sinoatrial (SA) node, which is conducted through and slowed down while passing through the atrioventricular node (AV). It is then conducted through the bundle of His, to the left and right bundle branches, and eventually into the Purkinje fibers. Any deviation from this conduction pathway results in arrhythmia. Arrhythmias can be classified based on various criteria. The most common way to categorize them is based on the rate of conduction as bradyarrhythmia with a heart rate of fewer than 60 beats per minute (bpm) and tachyarrhythmia with a heart rate higher than 100 bpm.

</p>

</section>

<section class="sec2">

<div class="content">

<h1>Left Bundle Branch Block</h1>

<p>Left bundle branch block sometimes makes it harder for the heart to pump blood efficiently through the circulatory system.

Most people don't have symptoms. If symptoms occur, they include fainting or a slow heart rate.

If there's an underlying condition, such as heart disease, that condition needs treatment. In patients with heart failure, a pacemaker can also relieve symptoms as well as prevent death.

</p>

</div>

</section>

<section class="sec3">

<div class="content">

<h1>Premature Atrial Contraction</h1>

<p>What are premature atrial contractions? Premature atrial contractions (PACs) are extra heartbeats that start in the upper chambers of your heart. When the premature, or early, signal tells the heart to contract, there may not be much

blood in the heart at that moment. That means there's not much blood to pump out

</p>

</div>

</section>

<section class="sec4">

<div class="content">

<h1>Premature Ventricular Contractions</h1>

Premature ventricular contractions (PVCs) are extra heartbeats that begin in one of the heart's two lower pumping chambers (ventricles). These extra beats disrupt the regular heart rhythm, sometimes causing a sensation of a fluttering or a skipped beat in the chest.

</p>

</div>

</section>

<section class="sec5">

<div class="content">

<h1>Right Bundle Branch Block</h1>

Right bundle branch block is a problem with your right bundle branch that keeps your heart's electrical signal from moving at the same time as the left bundle branch. Instead of moving together on the left and right sides, the signal on the right side is running behind. This creates an irregular heartbeat. Usually, the problem isn't serious.

</p>

</div>

</section>

<section class="sec6">

<div class="content">

<h1>Ventricular Fibrillation</h1>

Ventricular fibrillation is a type of irregular heart rhythm (arrhythmia). During ventricular fibrillation, the lower heart chambers contract in a very rapid and uncoordinated manner. As a result, the heart doesn't pump blood to the rest of the body.

</p>

</div>

</section></body></html>

7.3 Html predict page code

```
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" href="/static/predict_style.css">
</head>
<body>
<div id="bg-image" ></div>

<div id="header">
<ul>
<li><a href="/">Home</a></li>
    <li><a href="/info">Info</a></li>
    <li><a href="/predict">Predict</a></li>
</ul>
</div>
<h1>try to success</h1>
<div id="container">
<form action="/predict" , method="post" enctype="multipart/form-data">
<p><input type="file" id="file_upload" name="imagefile" onchange="loadFile(event)"></p>
<p></p>
<input type="submit" class="predict_bt" value="Predict">
</form></div>
    {% if predition %}
<center><p id="result"> The Result is : <b> {{predition}}</b></p></center>
    {% endif%}
<script>
var loadFile = function(event) {
var image = document.getElementById('output');
image.src = URL.createObjectURL(event.target.files[0]);
};</script></body></html>
```

8. Testing:



8.1 User acceptance testing:

Resolution	Severity1	Severity2	Severity3	Severity4	Subtotal
By Design	10	4	2	3	20
Duplicate	1	0	3	0	4
External	2	3	0	1	6
Fixed	11	2	4	20	37
Not Reproduced	0	0	1	0	1
Skipped	0	0	1	1	2
Won'tFix	0	5	2	1	8
Totals	24	14	13	26	77

Section	TotalCases	Not Tested	Fail	Pass
PrintEngine	7	0	0	7
ClientApplication	51	0	0	51
Security	2	0	0	2
OutsourceShipping	3	0	0	3
ExceptionReporting	9	0	0	9
FinalReportOutput	4	0	0	4
VersionControl	2	0	0	2

9.Results:

Model Performance Testing:

S.No.	Parameter	Values	Screenshot
1.	Model Summary	-	
2.	Accuracy	Training Accuracy - 0.8578 Validation Accuracy -0.7821	

10. Advantages & Disadvantages

10.1 Advantages

- Patient can easily identify his disease and problems.
- It will happened on fraction of seconds.
- They will including a single ecg pic can find the problem easily.
- Low time consumption.
- low cost.

10.2 Disadvantages

- when the patient did not take the ECG report the would not able to check it.
- The prediction accuracy is not possible in 100 percent.

11. Conclusion

In this study, we proposed a 2-D CNN-based classification model for automatic classification of cardiac arrhythmias using ECG signals. An accurate taxonomy of ECG signals is extremely helpful in the prevention and diagnosis of CVDs. Deep CNN has proven useful in enhancing the accuracy of diagnosis algorithms in the fusion of medicine and modern machine learning technologies. The proposed CNN-based classification algorithm, using 2-D images, can classify eight kinds of arrhythmia, namely, NOR, VFW, PVC, VEB, RBB, LBB, PAB, and APC, and it achieved 97.91% average sensitivity, 99.61% specificity, 99.11% average accuracy, and 98.59% positive predictive value (precision). These results indicate that the prediction and classification of arrhythmia with 2-D ECG representation as spectrograms and the CNN model is a reliable operative technique in the diagnosis of CVDs.

12. Future scope

- We will searching about the arrhythmia without using image of ECG report.
- Improve our model without errors and improve accuracy of results

13. APPENDIX

13.1 source code

13.1.1 Python code

```
from flask import Flask,render_template,request
import numpy as np
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image

#import tensorflow

app = Flask(__name__)
model=load_model('model.h5')
@app.route('/',methods=['GET'])
def home():
    return render_template('home.html')
@app.route('/info',methods=['GET'])
def info():
```

```

        returnrender_template('info.html')
@app.route('/predict',methods=['GET'])
defhello_world():
    returnrender_template('predict.html')
@app.route('/predict',methods=['GET','POST'])
def predict():
    ifrequest.method=='POST':
        imagefile=request.files['imagefile']
        image_path="./static/images/" +imagefile.filename
        imagefile.save(image_path)

        img=image.load_img(image_path,target_size=(64,64))
        x=image.img_to_array(img)
        x=np.expand_dims(x,axis=0)

        pred = model.predict(x)
        print("prediction",pred)

        class_name=["Left Bundle Branch Block","Normal","Premature Atrial
Contraction","Premature Ventricular Contractions","Right Bundle Branch
Block","Ventricular Fibrillation"]
        pred_id = pred.argmax(axis=1)[0]
        result = str(class_name[pred_id])
        returnrender_template('predict.html',predition=result,path=image_path)
    returnrender_template('predict.html')

if __name__ == '__main__':
    app.run(debug=True)

```

13.2 GitHub & Project Demo Link

GitHub link : <https://github.com/IBM-EPBL/IBM-Project-54363-1661856185>

Project Demo Link : [Demo video link](#)

Source code link : [final project folder link](#)

AI model link : [AI_model_link](#)