Assignment-III

Fertilizer recommendation system for disease prediction

Date	10 September 2022
Student name	Kavitha.V
Student roll number	112519104006
Maximum marks	2 marks

from tensorflow.keras.preprocessing.image import ImageDataGenerator train datagen = ImageDataGenerator(rescale= 1./255,horizontal flip = True,vertical flip = True, zoom range = 0.2) test datagen = ImageDataGenerator(rescale= 1./255) x train = train_datagen.flow_from_directory(r"C:\Users\maris_q3mm6nk\Desktop\data_for_ibm\FlowersD ataset\flowers",target_size = (64,64), class_mode = "categorical", batch_size = 24) Found 4317 images belonging to 5 classes. x test = test_datagen.flow_from_directory(r"C:\Users\maris_q3mm6nk\Desktop\data_for_ibm\Flowers-Dataset\flowers", target_size = (64,64), class_mode = "categorical",batch_size = 24) Found 4317 images belonging to 5 classes. x_train.class_indices {'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4} from tensorflow.keras.models import Sequential from tensorflow.keras.layers import Dense from tensorflow.keras.layers import Convolution2D, MaxPooling2D, Flatten model=Sequential() model.add(Convolution2D(32,(3,3),input_shape=(64,64,3),activation='relu')) model.add(MaxPooling2D(pool_size=(2,2))) model.add(Flatten()) model.summary() Model: "sequential" Layer (type) Output Shape Param # ------896 conv2d (Conv2D) (None, 62, 62, 32) max_pooling2d (MaxPooling2D (None, 31, 31, 32)

)

```
flatten (Flatten)
                (None, 30752)
______
Total params: 896
Trainable params: 896
Non-trainable params: 0
model.add(Dense(300,activation='relu')) model.add(Dense(150,activation='relu'))
model.add(Dense(5,activation='softmax')) len(x train)
180 model.compile(loss='categorical_crossentropy',optimizer='adam',metrics=['accuracy'])
model.fit(x_train,steps_per_epoch=len(x_train),validation_data=x_test,validation_steps=le
n(x_test),epochs=10)
Epoch 1/10
0.4691 - val_loss: 1.1679 - val_accuracy: 0.5342
Epoch 2/10
0.5812 - val_loss: 1.0829 - val_accuracy: 0.5800
Epoch 3/10
0.6185 - val_loss: 1.1128 - val_accuracy: 0.5821
Epoch 4/10
0.6366 - val_loss: 0.9303 - val_accuracy: 0.6386
Epoch 5/10
0.6583 - val_loss: 0.8627 - val_accuracy: 0.6650
Epoch 6/10
0.6755 - val_loss: 0.8262 - val_accuracy: 0.6880
Epoch 7/10
0.6755 - val_loss: 0.8372 - val_accuracy: 0.6796
Epoch 8/10
0.6965 - val_loss: 0.8437 - val_accuracy: 0.6734
Epoch 9/10
0.7072 - val_loss: 0.6995 - val_accuracy: 0.7306
Epoch 10/10
0.7192 - val_loss: 0.7278 - val_accuracy: 0.7278
<keras.callbacks.History at 0x16061cf68f0>
model.save('IBM_flowers.h5') pwd
'C:\\Users\\maris_q3mm6nk\\Desktop\\data_for_ibm'
```

import numpy as np from tensorflow.keras.models
import load_model from
tensorflow.keras.preprocessing import image
model=load_model('IBM_flowers.h5')

img=image.load_img(r'C:\Users\maris_q3mm6nk\Desktop\data_for_ibm\FlowersDataset\flowers\rose/394990940_7af082cf8d_n.jpg') img



img=image.load_img(r'C:\Users\maris_q3mm6nk\Desktop\data_for_ibm\FlowersD
ataset\flowers\rose/394990940_7af082cf8d_n.jpg',target_size=(64,64)) img



```
x=image.img_to_array(img)
Х
array([[[ 4., 14., 3.],
[ 4., 15., 0.],
7., 10., 3.],
        . . . ,
        [ 1., 1., 1.],
        [ 1., 1., 1.],
        [3., 3., 3.]],
       [[21., 37., 8.],
       [ 7., 18., 1.],
        [5., 11., 1.],
        . . . ,
        [ 1., 1., 3.],
        [ 1., 1., 1.],
        [ 2., 2., 2.]],
```

```
[[15., 34., 4.],
        [5., 18., 0.],
        [ 6., 14.,
                    3.],
        . . . ,
        [ 1., 2.,
                   4.],
        [ 0., 0., 0.],
        [ 1., 1., 1.]],
       . . . ,
       [[ 7., 11., 10.],
       [ 7., 16., 15.],
        [17., 23., 21.],
        ...,
        [1., 1., 1.],
        [ 2., 2., 2.],
        [ 0., 0., 0.]],
       [[ 9., 18., 15.],
       [ 2., 7., 3.],
        [5., 11., 7.],
        . . . ,
        [ 0., 0.,
                    0.],
        [ 1., 1., 1.],
        [ 1., 1.,
                   1.]],
       [[18., 26., 28.],
       [ 0., 10., 2.],
        [ 8., 14., 10.],
        . . . ,
        [ 2., 6., 9.],
                                 [ 1.,
        [ 1., 1., 1.],
1., 1.]]], dtype=float32)
x=np.expand_dims(x,axis=0)
array([[[[ 4., 14.,
                     3.],
[4., 15., 0.],
         [ 7., 10.,
                     3.],
         . . . ,
         [ 1., 1.,
                     1.],
         [ 1.,
                1.,
                     1.],
         [ 3., 3.,
                     3.]],
        [[21., 37.,
                     8.],
         [ 7., 18.,
                     1.],
         [ 5., 11.,
                     1.],
         . . . ,
         [ 1., 1.,
                     3.],
         [ 1., 1.,
                     1.],
```

Х

```
[ 2., 2., 2.]],
       [[15., 34., 4.],
        [ 5., 18., 0.],
        [ 6., 14.,
                   3.],
        . . . ,
        [1., 2., 4.],
        [ 0., 0.,
                   0.],
        [1., 1., 1.]
       ...,
       [[ 7., 11., 10.],
        [ 7., 16., 15.],
        [17., 23., 21.],
        . . . ,
        [1., 1., 1.],
        [ 2., 2., 2.],
        [ 0., 0., 0.]],
       [[ 9., 18., 15.],
        [ 2., 7., 3.],
        [5., 11., 7.],
        [ 0., 0.,
                   0.],
        [ 1., 1.,
                   1.],
        [ 1., 1., 1.]],
       [[18., 26., 28.],
        [ 0., 10., 2.],
        [ 8., 14., 10.],
        . . . ,
        [2., 6., 9.],
        [ 1., 1., 1.],
        [ 1., 1.,
                   1.]]]], dtype=float32)
y=np.argmax(model.predict(x),axis=1)
1/1 [======= ] - 0s 74ms/step
array([2], dtype=int64) x_train.class_indices
{'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower':
                                                                3, 'tulip':
                                                                                4}
index=['daisy','dandelion','rose','sunflower','tulip']index[y[0]]
```

У

'rose'