


# ASSIGNMENT 3

## TEAMID-PNT2022TMI37606

### 1. Create a Bucket in IBM object storage




2. Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images




# HTML Code to display the images in IBM Object Storage

```
File Edit Selection View Go Run Terminal Help index.html - Visual Studio Code
RUN AND DEBUG
  RUN
    Run and Debug
  To customize Run and Debug, open a folder and create a launch.json file.
  Show all automatic debug configurations.
  BROWSER BREAKPOINTS
C: > Users > Usha sree > index.html > html
1 <html lang="en">
2 <head>
3 <meta charset="UTF-8">
4 <meta http-equiv="X-UA-Compatible" content="IE=edge">
5 <meta name="viewport" content="width=device-width,install-scale=1.0">
6 <title>Document</title>
7 </head>
8 <body>
9 <h1>Object storage Images</h1>
10 
11 
12 
13 
14 
15 </body>
16 </html>
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, exclude)
Ln 16, Col 8 Spaces: 4 UTF-8 CRLF HTML
```


output




3. Upload a css page to the object storage and use your HTML code



OUTPUT:





```



1 <html>
2 <head>
3   <title>Home Page</title>
4   <link rel="stylesheet"
5     href="https://assignmentnum3.s3.jp-tok.cloud-object-storage.appdomain.cloud/style.css"
6   />
7 </head>
8 <body>
9   <h1>Hello</h1>
10  <p>Click here to access the CSS file present in IBM cloud storage <a
11    href="https://assignmentnum3.s3.jp-tok.cloud-object-storage.appdomain.cloud/style.css">Click here</a></p>
12 </body>
13 </html>


```

**Hello**


Click here to access the CSS file present in IBM cloud storage [Click here](https://assignmentnum3.s3.jp-tok.cloud-object-storage.appdomain.cloud/style.css)



4. Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment






1. Create Watson assistant service with 10 steps and unconditions in it. Load that script in HTML page









```

1 <html>
2 <head>
3 <title>
4   Hotel Bot
5 </title>
6 </head>
7 <body>
8   <h1> Start Ordering </h1>
9   <script>
10    window.watsonAssistantChatOptions = {
11      integrationID: "e8bf1228-c26e-43c7-9db7-60d3df0c9d6a", // The ID of this integration.
12      region: "us-south", // The region your integration is hosted in.
13      serviceInstanceID: "acb6ba5e-39a4-4e2f-9a8b-77370aa2818f", // The ID of your service instance.
14      onLoad: function(instance) { instance.render(); }
15    };
16    setTimeout(function(){
17      const t=document.createElement('script');
18      t.src="https://web-chat.global/assistant/watson/appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantClient.js";
19      document.head.appendChild(t);
20    });
21  </script>
22 </body>
23 </html>

```

