

## PROJECT DEVELOPMENT PHASE SPRINT-1 SOURCE CODE

Date	01 November 2022
Team ID	PNT2022TMID39141
Project Name	Digital Naturalist – AI Enabled Tools for Biodiversity Researchers.
Maximum Marks	8 Marks

### Index.php

<!-- Code by Brave Coder - <https://youtube.com/BraveCoder> -->

<?php

```
session_start();
```

```
if (isset($_SESSION['SESSION_EMAIL'])) {
```

```
header("Location: welcome.php"); die();
```

```
}
```

```
include 'config.php';
```

```
$msg = "";
```

```
if (isset($_GET['verification'])) {
```

```
if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE  
code='{$_GET['verification']}'")) > 0) {
```

```
$query = mysqli_query($conn, "UPDATE users SET code=" WHERE code='{$_GET['verification']}'");
```

```
if ($query) {
```

```
$msg = "<div class='alert alert-success'>Account verification has been successfully completed.</div>";
```

```
}
```

```
} else {
```

```
header("Location: index.php");
```

```
}
```

```
}
```

```

if (isset($_POST['submit'])) {
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password = mysqli_real_escape_string($conn, md5($_POST['password']));

    $sql = "SELECT * FROM users WHERE email='{ $email}' AND
password='{ $password}'"; $result = mysqli_query($conn, $sql);

    if (mysqli_num_rows($result) === 1) { $row
= mysqli_fetch_assoc($result);

    if (empty($row['code'])) {
        $_SESSION['SESSION_EMAIL'] = $email;
        header("Location: welcome.php");
    } else {
        $msg = "<div class='alert alert-info'>First verify your account and try again.</div>";
    }
    } else {
        $msg = "<div class='alert alert-danger'>Email or password do not match.</div>";
    }
}

?>

<!DOCTYPE html>

<html lang="zxx">

<head>
<title>D-Naturalist</title>
<!-- Meta tag Keywords -->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta charset="UTF-8" />
<meta name="keywords" content="Login Form" />
<!-- //Meta tag Keywords -->

```

```
<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
```

```
<!--/Style-CSS -->
```

```
<link rel="stylesheet" href="css/style.css" type="text/css" media="all" />
```

```
<!--/Style-CSS -->
```

```
<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
```

```
</head>
```

```
<body>
```

```
<!-- form section start -->
```

```
<section class="w3l-mockup-form">
```

```
<div class="container">
```

```
<!-- /form -->
```

```
<div class="workinghny-form-grid">
```

```
<div class="main-mockup">
```

```
<div class="alert-close">
```

```
<span class="fa fa-close"></span>
```

```
</div>
```

```
<div class="w3l_form align-self">
```

```
<div class="left_grid_info">
```

```

```

```
</div>
```

```
</div>
```

```
<div class="content-wthree">
```

```
<h2>Login Now</h2>
```

```
<?php echo $msg; ?>
```

```

<form action="" method="post">

<input type="email" class="email" name="email" placeholder="Enter Your Email"
required>

<input type="password" class="password" name="password" placeholder="Enter Your
Password" style="margin-bottom: 2px;" required>

<p><a href="forgot-password.php" style="margin-bottom: 15px; display: block;
textalign: right;">Forgot Password?</a></p>

<button name="submit" name="submit" class="btn" type="submit">Login</button>

</form>

<div class="social-icons">

<p>Create Account! <a href="register.php">Register</a>.</p>

</div>

</div>

</div>

</div>

</div>

<!-- //form -->

</div>

</section>

<!-- //form section start -->

<script src="js/jquery.min.js"></script>

<script>

$(document).ready(function (c) {

$('.alert-close').on('click', function (c) {

$('.main-mockup').fadeOut('slow', function (c) {

$('.main-
mockup').remove();

});

});

});

});

</script>

</body>

```

</html>

## **logout.php**

<?php

```
session_start(); session_unset(); session_destroy();
```

```
header("Location: index.php");
```

?>

## **Register.php**

<!-- Cod by Brave Coder - <https://youtube.com/BraveCoder> --> <?php

```
//Import PHPMailer classes into the global namespace
```

```
//These must be at the top of your script, not inside a function use PHPMailer\PHPMailer\PHPMailer;
```

```
use PHPMailer\PHPMailer\SMTP; use PHPMailer\PHPMailer\Exception;
```

```
session_start();
```

```
if (isset($_SESSION['SESSION_EMAIL'])) {
```

```
header("Location: welcome.php"); die();
```

```
}
```

```
//Load Composer's autoloader require 'vendor/autoload.php';
```

```
include 'config.php';
```

```
$msg = "";
```

```

if (isset($_POST['submit'])) {
$name = mysqli_real_escape_string($conn, $_POST['name']);
$email = mysqli_real_escape_string($conn, $_POST['email']);
$password = mysqli_real_escape_string($conn, md5($_POST['password']));
$confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
$code = mysqli_real_escape_string($conn, md5(rand()));

if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE email='{ $email}'"))
    > 0) {

$msg = "<div class='alert alert-danger'>{ $email } - This email address has been already exists.</div>"; }
else {

        if ($password === $confirm_password) {

$sql = "INSERT INTO users (name, email, password, code) VALUES ('{ $name}', '{ $email}',
'{ $password}', '{ $code}')";

$result = mysqli_query($conn, $sql);

if ($result) {
echo "<div style='display: none;'>";

//Create an instance; passing `true` enables exceptions
$mail = new PHPMailer(true);

        try {

            //Server settings

            $mail->SMTPDebug = SMTP::DEBUG_SERVER;                //Enable verbose debug
output

            $mail->isSMTP();                //Send using SMTP

            $mail->Host      = 'smtp.gmail.com';                //Set the SMTP server to send through

            $mail->SMTPAuth  = true;                //Enable SMTP authentication

            $mail->Username  = 'biodiversityresearchers@gmail.com';                //SMTP
username

            $mail->Password  = 'bzfbnhugqobvvbcj';                //SMTP password

            $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS; //Enable implicit TLS encryption

```

```
$mail->Port      = 465; //TCP port to connect to; use 587 if you have set `SMTPSecure =  
PHPMailer::ENCRYPTION_STARTTLS`
```

```
//Recipients
```

```
$mail->setFrom('biodiversityresearchers@gmail.com');
```

```
$mail->addAddress($email);
```

```
//Content
```

```
$mail->isHTML(true);           //Set email format to HTML
```

```
$mail->Subject = 'no reply';
```

```
$mail->Body = 'Here is the verification link <b><a  
href="http://localhost/login/?verification='.$code.'"> verification Link</a></b>';
```

```
$mail->send(); echo
```

```
'Message has been sent'; }
```

```
catch (Exception $e) {
```

```
echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
```

```
}      echo
```

```
"</div>";
```

```
$msg = "<div class='alert alert-info'>We've send a verification link on your email  
address.</div>";
```

```
} else {
```

```
$msg = "<div class='alert alert-danger'>Something wrong went.</div>";
```

```
}
```

```
} else {
```

```
$msg = "<div class='alert alert-danger'>Password and Confirm Password do not  
match</div>";
```

```
}
```

```
}
```

```
}
```

```
?>
```

```
<!DOCTYPE html>

<html lang="zxx">


<head>

<title>D-Naturalist</title>

<!-- Meta tag Keywords -->

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta charset="UTF-8" />
<meta name="keywords" content="Login Form" />

<!-- //Meta tag Keywords -->


<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">


<!--/Style-CSS -->

<link rel="stylesheet" href="css/style.css" type="text/css" media="all" />

<!--//Style-CSS -->


<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>


</head>


<body>


<!-- form section start -->

<section class="w3l-mockup-form">

<div class="container">

<!-- /form -->

<div class="workinghny-form-grid">

<div class="main-mockup">
```



```
<div class="alert-close">  
    <span class="fa fa-close"></span>  
</div>  
  
<div class="w3l_form align-self">  
    <div class="left_grid_info">  
          
    </div>  
  
    </div>  
  
    <div class="content-wthree">  
  
        <h2>Register Now</h2>  
  
        <?php echo $msg; ?>  
  
        <form action="" method="post">  
  
            <input type="text" class="name" name="name" placeholder="Enter Your Name"  
            value="<?php if (isset($_POST['submit'])) { echo $name; } ?>" required>  
  
            <input type="email" class="email" name="email" placeholder="Enter Your Email"  
            value="<?php if (isset($_POST['submit'])) { echo $email; } ?>" required>  
  
            <input type="password" class="password" name="password" placeholder="Enter Your  
            Password" required>  
  
            <input type="password" class="confirm-password" name="confirm-password"  
            placeholder="Enter Your Confirm Password" required>  
  
            <button name="submit" class="btn" type="submit">Register</button>  
  
        </form>  
  
        <div class="social-icons">  
  
            <p>Have an account! <a href="index.php">Login</a>.</p>  
  
        </div>  
  
    </div>  
  
    </div>  
  
    </div>  
  
    </div>  
  
    <!-- //form -->  
  
</div>
```

```

</section>

<!-- //form section start -->


<script src="js/jquery.min.js"></script>
<script>
$(document).ready(function (c) {
    $('.alert-close').on('click', function (c) {
    $('.main-mockup').fadeOut('slow', function (c) {
    $('.main-mockup').remove();
    });
    });
    });
</script>

</body>

</html>

```

## Welcome.php

```

<?php
session_start();

if (!isset($_SESSION['SESSION_EMAIL'])) {
    header("Location: index.php"); die();
}

include 'config.php';

```

```
$query = mysqli_query($conn, "SELECT * FROM users WHERE  
email='{$_SESSION['SESSION_EMAIL']}'");
```

```
if (mysqli_num_rows($query) > 0) {  
    $row = mysqli_fetch_assoc($query);  
    echo "Welcome " . $row['name'] . " <a href='logout.php'>Logout</a>";  
}  
?>
```

## Forget Password.php

```
<!-- Code by Brave Coder - https://youtube.com/BraveCoder -->
```

```
<?php session_start();
```

```
if (isset($_SESSION['SESSION_EMAIL'])) {  
    header("Location: welcome.php"); die();  
}
```

```
//Import PHPMailer classes into the global namespace //These  
must be at the top of your script, not inside a function use  
PHPMailer\PHPMailer\PHPMailer; use  
PHPMailer\PHPMailer\SMTP; use  
PHPMailer\PHPMailer\Exception;
```

```
//Load Composer's autoloader require 'vendor/autoload.php';
```

```
include 'config.php';
```

```
$msg = "";
```

```

if (isset($_POST['submit'])) {

$email = mysqli_real_escape_string($conn, $_POST['email']); $code
= mysqli_real_escape_string($conn, md5(rand()));

if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE email='{ $email}'")) > 0)
{
$query = mysqli_query($conn, "UPDATE users SET code='{ $code}' WHERE email='{ $email}'");

if ($query) {
echo "<div style='display: none;'>";

//Create an instance; passing `true` enables exceptions
$mail = new PHPMailer(true);

        try {
            //Server settings

            $mail->SMTPDebug = SMTP::DEBUG_SERVER;           //Enable verbose debug
output
            $mail->isSMTP();                                     //Send using SMTP

            $mail->Host      = 'smtp.gmail.com';                //Set the SMTP server to send through
            $mail->SMTPAuth  = true;                            //Enable SMTP authentication
            $mail->Username  = 'biodiversityresearchers@gmail.com'; //SMTP username
            $mail->Password  = 'bzfbnhugqobvvbcj';              //SMTP password
            $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;      //Enable implicit TLS
encryption
            $mail->Port      = 465; //TCP port to connect to; use 587 if you have set `SMTPSecure =
PHPMailer::ENCRYPTION_STARTTLS`

            //Recipients

            $mail->setFrom('biodiversityresearchers@gmail.com');
            $mail->addAddress($email);

```

```

//Content

$mail->isHTML(true); //Set email format to HTML

$mail->Subject = 'no reply';

$mail->Body = 'Here is the verification link <b><a
href="http://localhost/login/changepassword.php?reset='.$code.'">Reset Password</a></b>';

$mail->send();

echo 'Message has been sent'; }

catch (Exception $e) {

echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";

} echo

"</div>";

$msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";

}

} else {

$msg = "<div class='alert alert-danger'>$email - This email address do not found.</div>";

}

}

?>

<!DOCTYPE html>

<html lang="zxx">

<head>

<title>D-Naturalist</title>

<!-- Meta tag Keywords -->

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta charset="UTF-8" />

<meta name="keywords" content="Login Form" />

```

<!-- //Meta tag Keywords -->

<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap" rel="stylesheet">

<!--/Style-CSS -->

<link rel="stylesheet" href="css/style.css" type="text/css" media="all" />

<!--//Style-CSS -->

<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

<!-- form section start -->

<section class="w3l-mockup-form">

<div class="container">

<!-- /form -->

<div class="workinghny-form-grid">

<div class="main-mockup">

<div class="alert-close">

<span class="fa fa-close"></span>

</div>

<div class="w3l\_form align-self">

<div class="left\_grid\_info">



</div>

</div>

<div class="content-wthree">

<h2>Forgot Password</h2>

<?php echo \$msg; ?>

<form action="" method="post">

required>  
<input type="email" class="email" name="email" placeholder="Enter Your Email"

<button name="submit" class="btn" type="submit">Send Reset Link</button>

</form>

<div class="social-icons">

<p>Back to! <a href="index.php">Login</a>.</p>

</div>

</div>

</div>

</div>

<!-- //form -->

</div>

</section>

<!-- //form section start -->

<script src="js/jquery.min.js"></script>

<script>

\$(document).ready(function (c) {

\$('.alert-close').on('click', function (c) {

\$('.main-mockup').fadeOut('slow', function (c) {

\$('.main-mockup').remove();

});

});

});

</script>

</body>

</html>

## Change password.php

<?php

\$msg = "";

include 'config.php';

if (isset(\$\_GET['reset'])) {

if (mysqli\_num\_rows(mysqli\_query(\$conn, "SELECT \* FROM users WHERE  
code='{\$\_GET['reset']}'")) > 0) { if (isset(\$\_POST['submit'])) {

\$password = mysqli\_real\_escape\_string(\$conn, md5(\$\_POST['password']));

\$confirm\_password = mysqli\_real\_escape\_string(\$conn, md5(\$\_POST['confirm-password']));

if (\$password === \$confirm\_password) {

\$query = mysqli\_query(\$conn, "UPDATE users SET password='{ \$password}', code=" WHERE  
code='{\$\_GET['reset']}'");

if (\$query) {

header("Location: index.php");

}

} else {

\$msg = "<div class='alert alert-danger'>Password and Confirm Password do not match.</div>";



```
}  
}  
} else {  
$msg = "<div class='alert alert-danger'>Reset Link do not match.</div>";  
}  
} else { header("Location: forgot-  
password.php");  
}
```

?>

<!DOCTYPE html>

<html lang="zxx">

<head>

<title>D-Naturalist</title>

<!-- Meta tag Keywords -->

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta charset="UTF-8" />

<meta name="keywords" content="Login Form" />

<!-- //Meta tag Keywords -->

<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"  
rel="stylesheet">

<!--/Style-CSS -->

<link rel="stylesheet" href="css/style.css" type="text/css" media="all" />

<!--//Style-CSS -->

<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

<!-- form section start -->

<section class="w3l-mockup-form">

<div class="container">

<!-- /form -->

<div class="workinghny-form-grid">

<div class="main-mockup">

<div class="alert-close">

<span class="fa fa-close"></span>

</div>

<div class="w3l\_form align-self">

<div class="left\_grid\_info">



</div>

</div>

<div class="content-wthree">

<h2>Change Password</h2>

<p>Lorem ipsum dolor sit amet consectetur adipisicing elit. </p>

<?php echo \$msg; ?>

<form action="" method="post">

<input type="password" class="password" name="password" placeholder="Enter Your Password" required>

<input type="password" class="confirm-password" name="confirm-password" placeholder="Enter Your Confirm Password" required>

<button name="submit" class="btn" type="submit">Change Password</button>

</form>

<div class="social-icons">

<p>Back to! <a href="index.php">Login</a>.</p>

```
</div>

</div>

</div>

</div>

<!-- //form -->

</div>

</section>

<!-- //form section start -->


<script src="js/jquery.min.js"></script>
<script>
$(document).ready(function (c) {
$('.alert-close').on('click', function (c) {
$('.main-mockup').fadeOut('slow', function (c) {
$('.main-mockup').remove();
});
});
});
</script>

</body>

</html>
```

## Style.css

```
html { scroll-behavior:
smooth; }
```

```
body, html { margin: 0; padding:  
0; font-family: 'Poppins', sans-  
serif;  
}
```

```
* { box-sizing: border-  
box;  
}
```

```
.d-grid { display: grid;  
}
```

```
.d-flex { display: flex; display:  
-webkit-flex; }
```

```
.text-center { text-  
align: center;  
}
```

```
.text-left { text-  
align: left;  
}
```

```
.text-right { text-  
align: right;  
}
```

```
button, input, select {
```

```
-webkit-appearance: none; outline:
none; font-family: 'Poppins', sans-
serif;
}
```

```
button, .btn,
select { cursor:
pointer; }
```

```
a { text-decoration:
none; }
```

```
img { max-width:
100%; }
```

```
ul {
margin: 0;
padding: 0
}
```

```
h1, h2, h3,
h4, h5, h6,
p {
margin: 0;
padding: 0
}
```

```
p { color: #666;
font-size: 16px;
```

```
line-height: 25px;
```

```
opacity: .6;
```

```
}
```

```
.p-relative { position: relative;
```

```
}
```

```
.p-absolute { position:
```

```
absolute;
```

```
}
```

```
.p-fixed { position: fixed;
```

```
}
```

```
.p-sticky { position: sticky;
```

```
}
```

```
.btn,      button,
```

```
.actionbg, input {
```

```
border-radius: 4px;
```

```
-webkit-border-radius: 4px;
```

```
-moz-border-radius: 4px;
```

```
-o-border-radius: 4px;
```

```
-ms-border-radius: 4px;
```

```
}
```

```
.btn:hover,      button:hover    {
```

```
transition: 0.5s ease;
```

```
-webkit-transition: 0.5s ease; -o-transition: 0.5s ease;
```

```
-ms-transition: 0.5s ease;  
-moz-transition: 0.5s ease;  
}
```

```
/*-- wrapper start --*/  
.wrapper { width: 100%;  
padding-right: 15px;  
padding-left: 15px;  
margin-right: auto; margin-  
left:  
auto;  
}
```

```
@media (min-width: 576px)  
{  
.wrapper { max-width:  
540px;  
}  
}
```

```
@media (min-width: 768px)  
{  
.wrapper { max-width:  
720px;  
}  
}
```

```
@media (min-width: 992px)  
{  
.wrapper { max-width:  
960px;
```

```
}
```

```
@media (min-width: 1200px) {
```

```
.wrapper { max-width:
```

```
1140px;
```

```
}
```

```
}
```

```
.wrapper-full { width: 100%;
```

```
padding-right: 15px; padding-left:
```

```
15px; margin-right: auto; margin-left:
```

```
auto;
```

```
}
```

```
/*-- //wrapper start --*/
```

```
/*-- form styling --*/ .w3l-mockup-
```

```
form { position: relative; min-height:
```

```
100vh; z-index: 0; background:
```

```
rgba(99, 194, 110, 0.1); padding: 40px
```

```
40px;
```

```
}
```

```
.container { max-width: 890px;
```

```
margin: 0 auto; }
```

```
.w3l_form { padding: 0px; flex-basis: 50%; -
```

```
webkit-flex-basis: 50%; background: #6acdf0;
```

```
padding: 100px 50px; border-top-left-radius: 8px;
```



```
border-bottom-left-radius: 8px; display: flex;
justify-content: center; align-items: center;
}
```

```
.content-wthree { flex-basis: 60%;
-webkit-flex-basis: 60%; box-sizing: border-box;
padding: 3em 3.5em; background: #fff; box-
shadow: 2px 9px 49px -17px rgba(0, 0, 0, 0.1);
border-top-right-radius: 8px; border-bottom-right-
radius: 8px;
}
```

```
.w3l-workinghny-form .logo { text-align: center;
}
```

```
.w3l-mockup-form .main-mockup { position:
relative;
display: -webkit-box; display: moz-
box; display: -ms-flexbox; display:
-webkit-flex; display:
flex; margin:
40px 0;
}
```

```
.w3l-mockup-form .alert-close { cursor:
pointer;
height: 35px; width: 35px; line-
height: 35px; position:
absolute; right: -5px; top: -5px;
background: #6acdf0;
border-radius: 50px; color: #fff;
```

```
text-align: center;
```

```
}
```

```
.w3l-mockup-form form { margintop:
```

```
30px; margin-bottom: 30px;
```

```
}
```

```
.social-icons {
```

```
text-align: center;
```

```
}
```

```
.w3l-mockup-form h1 {
```

```
text-align: center;
```

```
font-size: 40px; font-
```

```
weight: 500; color:
```

```
#3b3663;
```

```
}
```

```
.w3l-mockup-form h2 {
```

```
display: inline-block; font-
```

```
size: 25px; line-height:
```

```
35px; margin-bottom: 5px;
```

```
font-weight: 600; color:
```

```
#3b3663;
```

```
}
```

```
.w3l-mockup-form
```

```
input { outline: none;
```

```
margin-bottom: 15px;
```

```
font-size: 16px; color:
```

```
#999;

text-align: left;

padding: 14px 20px;

width: 100%; display:

inline-block; box-

sizing: border-box;

border: none;

outline: none; background: transparent;

border: 1px solid

#e5e5e5; transition: 0.3s all ease; }
```

```
.w3l-mockup-form input:focus { border-color:

#6acdf0;

}
```

```
.w3l-mockup-form button {

font-size: 18px; color: #fff; width:

100%; background: #6acdf0;

border: none; padding: 14px 15px;

font-weight: 500; transition: .3s

ease;

-webkit-transition: .3s ease;

-moz-transition: .3s ease;

-ms-transition: .3s ease;

-o-transition: .3s ease;

}
```

```
.w3l-mockup-form button:hover { background:

#6acdf0;

}
```

```
.w3l-mockup-form .social-icons ul  
li {  
list-style: none; display: inline-block;  
}
```

```
.w3l-mockup-form .social-icons ul li a { padding:  
8px;  
}
```

```
.w3l-mockup-form .social-icons ul li a:hover {  
opacity: 0.8; transition: 0.5s ease;  
-webkit-transition: 0.5s ease;  
-o-transition: 0.5s ease;  
-ms-transition: 0.5s ease;  
-moz-transition: 0.5s ease;  
}
```

```
.w3l-mockup-form .social-icons ul span.fa { color:  
#696687;  
font-size: 18px; opacity: .8;  
}
```

```
.w3l-mockup-form .social-icons ul li a.facebook span  
{ color: #3b5998;  
}
```

```
.w3l-mockup-form .social-icons ul li a.twitter span { color:  
#1da1f2;  
}
```

```
.w3l-mockup-form .social-icons ul li a.pinterest span { color:
    #e60023;
}
```

```
.copyright p { text-align:
center; font-size:
17px; line-height: 26px; color:
#607863;
opacity: 1;
}
```

```
p.copy-footer-29 a { color:
#517856;
}
```

```
p.copy-footer-29 a:hover {
color: #6acdf0; transition: 0.5s
ease;
-webkit-transition: 0.5s ease;
-o-transition: 0.5s ease;
-ms-transition: 0.5s ease;
-moz-transition: 0.5s ease;
}
```

```
.alert { padding: 1rem; border-
radius:
5px;
    color: white; margin: 1rem 0;
}
```

```
.alert-success { background-color: #6acdf0;
}
```

```
.alert-danger { background-color: #fc5555;
}
```

```
.alert-info {
background-color: #2E9AFE;
}
```

```
.alert-warning { background-color: #ff9966;
}
```

```
/*-- responsive design --*/
```

```
@media (max-width:736px) { .w3l-
mockup-form .main-mockup { flex-
direction: column;
}
```

```
.w3l_form { order: 2; padding:
50px;
border-radius: 0; border-bottom-
left-radius: 8px; border-bottom-
right-radius: 8px;
}
```

```
.content-wthree { order: 1;
border-radius: 0; border-top-
left-radius: 8px; border-top-
right-radius: 8px;
}
}
```

```
@media (max-width:568px) {
.w3l-mockup-form h1 { fontsize:
30px;
}
```

```
.w3l-mockup-form .mainmockup
{ margin: 30px 0;
}
```

```
.content-wthree { padding:
2.5em;
}
}
```

```
@media (max-width: 415px) { .w3l-mockup-form
{ padding:
40px 30px;
}
}
```

```
@media
(maxwidth:384px) {
```

```
.w3l-mockup-form {  
padding: 30px 15px;  
  
}  
  
.content-wthree { padding:  
2em;  
  
}  
  
.w3l-mockup-form h1 { font-size:  
28px;  
  
}  
  
.w3l-mockup-form h2 {  
font-size: 22px; line-  
height: 32px;  
  
}  
  
.copyright p { font-size:  
16px;  
  
}  
  
}
```

```
/*-- //responsive design --*/
```

```
/*-- //form styling --*/
```

## Login.sql

```
-- phpMyAdmin SQL Dump
```

```
-- version 5.1.1
```

```
-- https://www.phpmyadmin.net/
```



--

-- Host: 127.0.0.1

-- Generation Time: Aug 14, 2021 at 07:07 PM

-- Server version: 10.4.20-MariaDB

-- PHP Version: 8.0.9

SET SQL\_MODE = "NO\_AUTO\_VALUE\_ON\_ZERO";

START TRANSACTION;

SET time\_zone = "+00:00";

/\*!40101 SET @OLD\_CHARACTER\_SET\_CLIENT=@@CHARACTER\_SET\_CLIENT \*/;

/\*!40101 SET @OLD\_CHARACTER\_SET\_RESULTS=@@CHARACTER\_SET\_RESULTS \*/;

/\*!40101 SET @OLD\_COLLATION\_CONNECTION=@@COLLATION\_CONNECTION \*/;

/\*!40101 SET NAMES utf8mb4 \*/;

--

-- Database: `login`

--

-----

--

-- Table structure for table `users`

--

CREATE TABLE `users` (

`id` int(11) NOT NULL,

`name` varchar(255) NOT NULL,

`email` varchar(255) NOT NULL,

```
`password` varchar(255) NOT NULL,  
`code` text NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

```
--
```

```
-- Indexes for dumped tables
```

```
--
```

```
--
```

```
-- Indexes for table `users`
```

```
--
```

```
ALTER TABLE `users`  
  ADD PRIMARY KEY (`id`);
```

```
--
```

```
-- AUTO_INCREMENT for dumped tables
```

```
--
```

```
--
```

```
-- AUTO_INCREMENT for table `users`
```

```
--
```

```
ALTER TABLE `users`  
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT; COMMIT;
```

```
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
```

```
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
```

```
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```