

Understanding the Data

```
#importing the required libraries
import numpy as np
import tensorflow
from tensorflow.keras.datasets import mnist
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Dense, Flatten
from tensorflow.keras.layers import Conv2D
from keras.optimizers import Adam
from keras.utils import np_utils

#loading data
(X_train,y_train) , (X_test,y_test)=mnist.load_data()

Downloading data from https://storage.googleapis.com/tensorflow/tf-keras-
datasets/mnist.npz
11490434/11490434 [=====] - 0s 0us/step
```

Analyzing the data

Understanding the Data

```
X_train[0]
array([[ 0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
        0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
        0,  0],
       [ 0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
        0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
        0,  0],
       [ 0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
        0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
        0,  0],
       [ 0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
        0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
        0,  0],
       [ 0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
        0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
        0,  0],
       [ 0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  3,
        18, 18, 18, 126, 136, 175, 26, 166, 255, 247, 127, 0, 0,
        0,  0],
       [ 0,  0,  0,  0,  0,  0,  0,  0, 30, 36, 94, 154, 170,
        253, 253, 253, 253, 253, 225, 172, 253, 242, 195, 64, 0, 0,
        0,  0],
       [ 0,  0,  0,  0,  0,  0,  0, 49, 238, 253, 253, 253, 253,
        253, 253, 253, 253, 251, 93, 82, 82, 56, 39, 0, 0, 0,
        0,  0],
       [ 0,  0,  0,  0,  0,  0,  0, 18, 219, 253, 253, 253, 253,
        253, 198, 182, 247, 241, 0, 0, 0, 0, 0, 0, 0, 0,
        0,  0],
       [ 0,  0,  0,  0,  0,  0,  0,  0, 80, 156, 107, 253, 253,
        205, 11, 0, 43, 154, 0, 0, 0, 0, 0, 0, 0, 0,
        0,  0]
```



```
5
import matplotlib.pyplot as plt
plt.imshow(X_train[0])
```

```
plt.imshow(X_train[12])
```

Reshaping the data

```
X_train = X_train.reshape(60000, 28, 28, 1).astype('float32')
X_test = X_test.reshape(10000, 28, 28, 1).astype('float32')
```

Apply one-Hot Encoding

```
number_of_classes = 10
y_train = np_utils.to_categorical(y_train, number_of_classes)
y_test = np_utils.to_categorical(y_test, number_of_classes)

y_train[0]
array([0., 0., 0., 0., 0., 1., 0., 0., 0., 0.], dtype=float32)
```