



Assignment -3

| | |
|---------------------|----------------|
| Assignment Date | 04-11-2022 |
| Student Name | Delvyn Jones M |
| Student Roll Number | 311119104017 |
| Maximum Marks | 2 Marks |

Question-1:

- 1.Create a Bucket in IBM object storage.
- 2.Upload an 5 image to IBM object storage and make it public. write html code to displaying all the 5 images.
- 3.Upload a CSS page to the object storage and use the same page in your HTML code.
- 4.Design a chat bot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignement.
- 5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page





```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8" />
```

```
<meta name="viewport" content="width=device-width, initial-scale=1" />
```

```
<title>IBM Assignment3</title>
```

```
<link
```

```
  rel="stylesheet"
```

```
  href="https://hareesh.s3.jp-tok.cloud-object-storage.appdomain.cloud/style.css"
```

```
/>
```

```
<link
```

```
  href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.css"
```

```
  rel="stylesheet"
```

```
integrity="sha384-Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeuOxjzrPF/et3URy9Bv1
WTRI"
```

```
  crossorigin="anonymous"
```

```
/>
```

```
<script>
```

```
  window.watsonAssistantChatOptions = {
```

```
    integrationID: "be7b9dd2-718f-4776-83c9-189b6a8fff4", // The ID of this integration.
```

```
    region: "au-syd", // The region your integration is hosted in.
```

```
    serviceInstanceID: "474da4b6-d450-4f6b-a9b9-f7e61a828ef2", // The ID of your service
instance.
```

```
    onLoad: function (instance) {
```

```
      instance.render();
```

```
    },
```

```
  };
```

```
  setTimeout(function () {
```

```
    const t = document.createElement("script");
```

```
    t.src =
```

```
      "https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
```

```
      (window.watsonAssistantChatOptions.clientVersion || "latest") +
```

```
      "/WatsonAssistantChatEntry.js";
```

```
    document.head.appendChild(t);
```

```

});
</script>
</head>
<body>
<nav class="navbar navbar-expand-lg bg-light">
  <div class="container-fluid">
    <a class="navbar-brand" href="#">IBM HOSPITAL</a>
    <button
      class="navbar-toggler"
      type="button"
      data-bs-toggle="collapse"
      data-bs-target="#navbarSupportedContent"
      aria-controls="navbarSupportedContent"
      aria-expanded="false"
      aria-label="Toggle navigation"
    >
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
          <a class="nav-link active" aria-current="page" href="#">Home</a>
        </li>
      </ul>
      <span class="d-flex"> Chennai </span>
    </div>
  </div>
</nav>

<div
  class="d-flex justify-content-center align-items-center"
  style="height: 50vh"
>
  <div class="card">
    <div class="card-body">
      
      <h4 class="card-title text-style">Hospital Ward</h4>
    </div>
  </div>
  <div class="card">
    <div class="card-body">
      
    <h4 class="card-title text-style">Reception Services</h4>
</div>
</div>
</div>
<div
    class="d-flex justify-content-center align-items-center"
    style="height: 50vh"
>
    <div class="card p-2">
        <div class="card-body">
            
            <h4 class="card-title text-style">Ambulance Services</h4>
        </div>
    </div>
    <div class="card p-2">
        <div class="card-body">
            
            <h4 class="card-title text-style">Food Services</h4>
        </div>
    </div>
    <div class="card p-2">
        <div class="card-body">
            
            <h4 class="card-title text-style">Pharmacy Services</h4>
        </div>
    </div>
</div>

<script
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js"

```

integrity="sha384-OERcA2EqJCMa+/3y+gxIOqMEjwtxJY7qPCqsdltbNJuaOe923+mo//f6V8Q

```
bsw3"
  crossorigin="anonymous"
></script>
</body>
</html>
```

Upload an 5 image to IBM object storage and make it public. write html code to displaying all the 5 images.

