Project Design Phase-II Solution Requirements (Functional & Non-functional)

Date	23 October 2022
Project Name	Web Phishing Detection
Team ID	PNT2022TMID36919
Maximum Marks	4 Marks

Functional Requirements:

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)	
FR-1	User Registration	Registration through Gmail	
		Registration by creating a new user name and password	
FR-2	User Confirmation	Confirmation via Email	
		Confirmation via OTP	
FR-3	User login	Login creates a user account.	
		Should have two text field(LOGIN NAME,PASSWORD)	
FR-4	User permission	Permissions allow a user to view information related	
		to a function, or view and change information related	
		to a function. Roles are named groups of permissions	
		that can be assigned to users.	
FR-5	Using the intelligent system	User will use the intelligent system to detect phishing	
		websites and save himself from his money being looted	

Non-functional Requirements:

Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description	
NFR-1	Usability	It is very user friendly, any people with less knowledge also can easily understand that they ar using the fake website through our alert message.	
NFR-2	Security	It is very secured as one cannot hack our detection website so one can easily trust our detection website and they will be saved from financial and information loss.	
NFR-3	Reliability	a phishing detection system, which provided recommendations to users as to whether an email was legitimate or phishing, was used as the automation system. The reliability of this system was defined as the percentage of times when the system was correct identifying the emails (60%, 70%, 80%, 90%).	
NFR-4	Performance	The performance of web phishing detection is high and it is very efficient and scalable	

NFR-5	Availability	This detection website is available at any system like	
		laptop , mobile phone , desktop and user friendly	

NFR-6	Scalability	The total execution time of our approach in phishing webpage detection is around 2-3 sec, which is quite less and acceptable environment.
		As input size increases the execution time increases
		and this makes the system difficult to handle
		increases the stress.