
Assignment -3

Cloud object storage and Watson assistant

Assignment Date	30 September 2022
Team ID	PNT2022TMID36936
Maximum Marks	2 Marks

Question-1:

Create a Bucket in IBM object storage



Question-2:

Upload an 5 images to ibm object storage and make it public. Write html code to displaying all the 5 images.

Solution:

Html code:

<html>

<head>


<link rel="stylesheet" href="https://vijayb.s3.jp-tok.cloud-objectstorage.appdomain.cloud/stylesheet.css">

</head>

<body>


<img src="https://vijayb.s3.jp-tok.cloud-object-storage.appdomain.cloud/food1.jfif""</pre>

```
alt="loading"/>
<img src="https://vijayb.s3.jp-tok.cloud-object-storage.appdomain.cloud/food2.jfif"</pre>
alt="loading"/>
<img src="https://vijayb.s3.jp-tok.cloud-object-storage.appdomain.cloud/food3.jfif"</pre>
alt="loading"/>
<img src="https://vijayb.s3.jp-tok.cloud-object-storage.appdomain.cloud/food4.jfif"</pre>
alt="loading"/>
<img src="https://vijayb.s3.jp-tok.cloud-object-storage.appdomain.cloud/food5.jfif"</pre>
alt="loading"/>
<script>
 window.watsonAssistantChatOptions = {
  integrationID: "8fbc9cba-b98e-4676-8f66-643ee3dfd3b6", // The ID of this integration.
  region: "au-syd", // The region your integration is hosted in.
  serviceInstanceID: "22f6e3cb-9fac-4df0-beb7-7967f433dc8c", // The ID of your service instance.
  onLoad: function(instance) { instance.render(); }
};
 setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | | 'latest') + "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
});
</script>
</body>
</html>
```



Question-3:

Upload a css page to the object storage and use the same page in your html code. Solution:




CSS Code:

```
img {
display: block;
margin-left: auto;
margin-right: auto;
width: 50%;
}
```

Question-4:

Design a Chabot using IBM Watson assistant for hospital. Ex: User come the query to know the braches for that hospital in your city.



Question-5:

Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in html page Solution:

```
<html>
<head>
kead>
link rel="stylesheet" href="https://vijayb.s3.jp-tok.cloud-object-storage.appdomain.cloud/stylesheet.css">
</head>
<body>
<img src="https://vijayb.s3.jp-tok.cloud-object-storage.appdomain.cloud/food1.jfif""
alt="loading"/>
<img src="https://vijayb.s3.jp-tok.cloud-object-storage.appdomain.cloud/food2.jfif"
alt="loading"/>
<img src="https://vijayb.s3.jp-tok.cloud-object-storage.appdomain.cloud/food3.jfif"
alt="loading"/>
<img src="https://vijayb.s3.jp-tok.cloud-object-storage.appdomain.cloud/food3.jfif"
alt="loading"/>
```

<img src="https://vijayb.s3.jp-tok.cloud-object-storage.appdomain.cloud/food4.jfif"

```
alt="loading"/>
<img src="https://vijayb.s3.jp-tok.cloud-object-storage.appdomain.cloud/food5.jfif"</pre>
alt="loading"/>
<script>
 window.watsonAssistantChatOptions = {
  integrationID: "8fbc9cba-b98e-4676-8f66-643ee3dfd3b6", // The ID of this integration.
  region: "au-syd", // The region your integration is hosted in.
  serviceInstanceID: "22f6e3cb-9fac-4df0-beb7-7967f433dc8c", // The ID of your service instance.
  onLoad: function(instance) { instance.render(); }
 };
 setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | | 'latest') + "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
 });
</script>
</body>
```

</html>

