

## Project Development Phase SPRINT-2


Date	07 November 2022
Team ID	PNT2022TMID01887
Project Name	IoT Based Safety Gadget for Child Safety Monitoring & Notification
Maximum Marks	20 marks

Sprint-2	US-1	Configuration the connection security and create API keys that are used in the Node-RED	10
Sprint-2	US-2	Service for accessing the IBM IoT platform. Create a Node-RED service.	10

### The API key has been added.

Authentication tokens are non-recoverable. If you misplace this token, you will need to re-register the API key to generate a new authentication token.

#### Generated Details

API Key a-cci0bq-mnyawbswml 

Authentication Token YrFLGag2gUDd7@j6YP 



Make a note of the generated authentication token.  
Lost authentication tokens cannot be recovered. If you lose the token, you must reregister the API to generate a new token.

#### API Key Information

Description -

Role Standard Application

Expires Never

Node-RED interface showing a flow named "Flow 1" with two nodes: "IBM IoT" (connected) and "msg payload". The "debug" console displays a series of messages received from the IoT device, each containing a timestamp, node name, and a JSON payload with Latitude and Longitude coordinates.

```
04/11/2022, 02:16:25 node: msg payload
iot-2/type/LocationId/PNT2022TMID47484/evt/event_1/fmt/json : msg payload : Object
  > { Latitude: -36, Longitude: 108 }

04/11/2022, 02:16:28 node: msg payload
iot-2/type/LocationId/PNT2022TMID47484/evt/event_1/fmt/json : msg payload : Object
  > { Latitude: 80, Longitude: 43 }


04/11/2022, 02:16:31 node: msg payload
iot-2/type/LocationId/PNT2022TMID47484/evt/event_1/fmt/json : msg payload : Object
  > { Latitude: -28, Longitude: 141 }



04/11/2022, 02:16:34 node: msg payload
iot-2/type/LocationId/PNT2022TMID47484/evt/event_1/fmt/json : msg payload : Object
  > { Latitude: 58, Longitude: -58 }

04/11/2022, 02:16:37 node: msg payload
iot-2/type/LocationId/PNT2022TMID47484/evt/event_1/fmt/json : msg payload : Object
  > { Latitude: -7, Longitude: 124 }

04/11/2022, 02:16:40 node: msg payload
iot-2/type/LocationId/PNT2022TMID47484/evt/event_1/fmt/json : msg payload : Object
  > { Latitude: -39, Longitude: -122 }

04/11/2022, 02:16:43 node: msg payload
iot-2/type/LocationId/PNT2022TMID47484/evt/event_1/fmt/json : msg payload : Object
  > { Latitude: -48, Longitude: 75 }
```





Node-RED interface showing the "Edit function node" configuration. The node is named "Longitude node" and is configured to run on the "On Message" trigger. The function code is:

```
1 msg.payload = msg.payload.Longitude
2 return msg;
```

The debug console shows the following log entries:

```
msg.payload : Object
  { Latitude: -16, Longitude: -70 }
05/11/2022, 01:47:16 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/levent_1/fmt/json :
msg.payload : Object
  { Latitude: 63, Longitude: -33 }
05/11/2022, 01:47:19 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/levent_1/fmt/json :
msg.payload : Object
  { Latitude: 45, Longitude: -96 }
05/11/2022, 01:47:22 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/levent_1/fmt/json :
msg.payload : Object
  { Latitude: -81, Longitude: 167 }
05/11/2022, 01:47:25 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/levent_1/fmt/json :
msg.payload : Object
  { Latitude: 44, Longitude: -107 }
05/11/2022, 01:47:28 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/levent_1/fmt/json :
```

Node-RED interface showing the "Edit gauge node" configuration. The node is named "Longitude node" and is configured to run on the "On Message" trigger. The node properties are:

- Group: [Home] child safety
- Size: auto
- Type: Gauge
- Label: Longitude
- Value format: {{value}}
- Units: units
- Range: min 0 max 10
- Colour gradient: [Green, Yellow, Red]
- Sectors: 0 optional optional 10
- Name: Longitude node

The debug console shows the following log entries:

```
msg.payload : Object
  { Latitude: -16, Longitude: -70 }
05/11/2022, 01:47:16 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/levent_1/fmt/json :
msg.payload : Object
  { Latitude: 63, Longitude: -33 }
05/11/2022, 01:47:19 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/levent_1/fmt/json :
msg.payload : Object
  { Latitude: 45, Longitude: -96 }
05/11/2022, 01:47:22 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/levent_1/fmt/json :
msg.payload : Object
  { Latitude: -81, Longitude: 167 }
05/11/2022, 01:47:25 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/levent_1/fmt/json :
msg.payload : Object
  { Latitude: 44, Longitude: -107 }
05/11/2022, 01:47:28 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/levent_1/fmt/json :
```

Node-RED interface showing a flow with an IBM IoT node connected to a gauge node. The gauge node is configured with the following properties:

- Group: [Home] child safety
- Size: auto
- Type: Gauge
- Label: Latitude
- Value format: {{value}}
- Units: units
- Range: min 0, max 10
- Colour gradient: Green, Yellow, Red
- Sectors: 0, optional, optional, 10
- Name:

The debug console shows the following message payloads:

```
msg.payload: Object
  { Latitude: -16, Longitude: -70 }

05/11/2022, 01:47:16 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/evnt_1/fmt/json:
msg.payload: Object
  { Latitude: 63, Longitude: -33 }

05/11/2022, 01:47:19 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/evnt_1/fmt/json:
msg.payload: Object
  { Latitude: 45, Longitude: -96 }

05/11/2022, 01:47:22 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/evnt_1/fmt/json:
msg.payload: Object
  { Latitude: -81, Longitude: 167 }

05/11/2022, 01:47:25 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/evnt_1/fmt/json:
msg.payload: Object
  { Latitude: 44, Longitude: -107 }

05/11/2022, 01:47:28 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/evnt_1/fmt/json:
```

Node-RED interface showing a flow with an IBM IoT node connected to a function node. The function node is configured with the following properties:

- Name: Latitude node
- Setup:
- On Start:
- On Message:
- On Stop:

The function node code is as follows:

```
1 msg.payload = msg.payload.Latitude
2 return msg;
```

The debug console shows the following message payloads:

```
msg.payload: Object
  { Latitude: -16, Longitude: -70 }

05/11/2022, 01:47:16 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/evnt_1/fmt/json:
msg.payload: Object
  { Latitude: 63, Longitude: -33 }

05/11/2022, 01:47:19 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/evnt_1/fmt/json:
msg.payload: Object
  { Latitude: 45, Longitude: -96 }

05/11/2022, 01:47:22 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/evnt_1/fmt/json:
msg.payload: Object
  { Latitude: -81, Longitude: 167 }

05/11/2022, 01:47:25 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/evnt_1/fmt/json:
msg.payload: Object
  { Latitude: 44, Longitude: -107 }

05/11/2022, 01:47:28 node: msg payload
iot-2/type/LocationId/PNT2022TMD47484/ev/evnt_1/fmt/json:
```



Node-RED

Deploy

http

Flow 1

network

http in

http response

http request

8266 pin

connected

Lat

Lat

http

Edit http in node

Delete

Cancel

Done

Properties

Method

GET

URL

/control

Name

Name

debug

all nodes

all

msg.payload: Object

{ Latitude: -16, Longitude: -70 }

05/11/2022, 01:47:16 node: msg.payload

iot-2/type/Locaton/Id/PNT2022TMD47484/ev/evnt\_1/fmtjson :

msg.payload: Object

object

Latitude: 63

Longitude: -33

05/11/2022, 01:47:19 node: msg.payload

iot-2/type/Locaton/Id/PNT2022TMD47484/ev/evnt\_1/fmtjson :

msg.payload: Object

{ Latitude: 45, Longitude: -96 }

05/11/2022, 01:47:22 node: msg.payload

iot-2/type/Locaton/Id/PNT2022TMD47484/ev/evnt\_1/fmtjson :

msg.payload: Object

{ Latitude: -81, Longitude: 167 }

05/11/2022, 01:47:25 node: msg.payload

iot-2/type/Locaton/Id/PNT2022TMD47484/ev/evnt\_1/fmtjson :

msg.payload: Object

{ Latitude: 44, Longitude: -107 }

05/11/2022, 01:47:28 node: msg.payload

iot-2/type/Locaton/Id/PNT2022TMD47484/ev/evnt\_1/fmtjson :

msg.payload: Object