

Date	20 November 2022
Team ID	PNT2022TMID39433
Project Name	Signs with Smart Connectivity for Better Road Safety

Create Node-red services

The screenshot displays the Node-RED web interface. On the left, the 'common' and 'function' node palettes are visible. The main workspace shows a flow named 'Flow 1' with two nodes: an 'inject' node (labeled 'Karunanithi M') and a 'msg.payload' node. The 'inject' node is connected to the 'msg.payload' node. On the right, the 'debug' console is open, showing a list of messages. Each message entry includes a timestamp, a node ID, and the message payload, which is consistently 'Hello Bro'.

Timestamp	Node ID	msg.payload
12/11/2022, 10:30:43 pm	node: f2f2649a.0d0d98	"Hello Bro"
12/11/2022, 10:30:53 pm	node: f2f2649a.0d0d98	"Hello Bro"
12/11/2022, 10:31:03 pm	node: f2f2649a.0d0d98	"Hello Bro"
12/11/2022, 10:31:13 pm	node: f2f2649a.0d0d98	"Hello Bro"
12/11/2022, 10:31:22 pm	node: f2f2649a.0d0d98	"Hello Bro"
12/11/2022, 10:31:28 pm	node: f2f2649a.0d0d98	"Hello Bro"
12/11/2022, 10:31:38 pm	node: f2f2649a.0d0d98	"Hello Bro"
12/11/2022, 10:31:48 pm	node: f2f2649a.0d0d98	"Hello Bro"