ASSIGNMENT – I

DOMAIN:-IOT

TOPIC:-SMART HOME

NAME:-B BAVIN KUMAR

REGISTER NUMBER:-961619104015

COLLEGE:-MARTHANADAM COLLEGE OF ENGINEERING AND TECHNOLOGY

SMART Home Circuit Connection:



Components Used:

Quantity	Component
1	Arduino Uno R3
1	Ultrasonic Distance Sensor
2	Yellow LED
2	100 Ω Resistor
1	Piezo
1	Red LED
1	100 nF Capacitor
1	250 kΩ Potentiometer
1	Temperature Sensor [TMP36]

Code :

```
int t=2;
int e=3;

void setup()
{
  Serial.begin(9600);
  pinMode(t,OUTPUT);
  pinMode(e,INPUT);
  pinMode(12,OUTPUT);
}

void loop()
{
  //ultrasonic sensor
  digitalWrite(t,LOW);
  digitalWrite(t,HIGH);
  delayMicroseconds(10);
  digitalWrite(t,LOW);
  float dur=pulseIn(e,HIGH);
  float dis=(dur*0.0343)/2;
  Serial.print("Distance is: ");
  Serial.println(dis);

    //LED ON
  if(dis>=100)
  {
    digitalWrite(8,HIGH);
    digitalWrite(7,HIGH);
  }

  //Buzzer For ultrasonic Sensor
  if(dis>=100)
  {
  for(int i=0; i<=30000; i=i+10)
```

```
{
tone(12,i);
delay(1000);
noTone(12);
delay(1000);
}
}
```

```
  //Temperate Sensor
double a= analogRead(A0);
double t=(((a/1024)*5)-0.5)*100;
Serial.print("Temp Value: ");
Serial.println(t);
delay(1000);
```

```
//LED ON
if(t>=100)
{
  digitalWrite(8,HIGH);
  digitalWrite(7,HIGH);
}
```

```
//Buzzer for Temperature Sensor
if(t>=100)
{
for(int i=0; i<=30000; i=i+10)
{
tone(12,i);
delay(1000);
noTone(12);
delay(1000);
}
}
```

```
  //LED OFF
 if(t<100)
 {
   digitalWrite(8,LOW);
   digitalWrite(7,LOW);
 }
}
```

TINKERCAD LINK:

https://www.tinkercad.com/things/fRqDDMudAqp-assignment-1/editel?sharecode=9EKlMaKBkcvSSyoZORscH5ohvNBUAFUD37NUus87H-c