

```

<html>

    <head>
        <link rel="stylesheet" href="styles.css">

        <link rel="stylesheet" type="text/css" href="{{
url_for('static',filename='styles/formstyle.css') }}">
        <link rel="stylesheet" type="text/css" href="{{
url_for('static',filename='styles/font-awesome.css') }}">

        <style>
            a{
                color: white;
            }

            .button {
                border: none;
                color: white;
                padding: 15px 32px;
                text-align: center;
                margin-top: 20px;
                text-decoration: none;
                display: inline-block;
                font-size: 16px;
                margin: 4px 2px;
                margin-top: 2em;
                cursor: pointer;
            }

            body {
                padding: 1em;
                font-family: "Open Sans", "Helvetica Neue",
Helvetica, Arial, sans-serif;
                font-size: 15px;
                background-image:
url('https://digitalsynopsis.com/wp-content/uploads/2014/06/supercar-
wallpapers-bugatti-4.jpg');
                color: #b9b9b9;
                background-color: black;background-repeat: no-
repeat;
                background-size: cover;
                background-attachment: fixed;
            }

            /* Green */
            .button2 {
                background-color: white;
                color: black;
                border-color:black solid;
            }
        </style>

    </head>

    <section class="banner_main">
        <div class="container">

```

```

        <form action="/y_predict" method="post">
            <center>
                <h1 style="color:beige; font-family:
monospace";>Predict the Price!</h1>
            </center>

            <center>
                <h3 style="font-family:verdana; color:
white;">{{ypred}}</h3>
            </center>
            <div class="row">
                <h4>Registration Details</h4>
                <div class="input-group"><input
type="number" name="regyear" id="regyear"

                placeholder="Registration Year" required/>
                </div>
                <div>
                    <h4>Registration Month</h4>
                    <!-- <div class="input-
group"><input type="number" name="regmonth" id="regmonth"

                    placeholder="Registration Month" /> -->

                    <div class="input-group" >
                        <select name="regmonth"

id="wgtmsr">
                            <option
value=1>January</option>
                            <option
value=2>February</option>
                            <option
value=3>March</option>
                            <option
value=4>April</option>
                            <option
value=5>May</option>
                            <option
value=6>June</option>
                            <option
value=7>July</option>
                            <option
value=8>August</option>
                            <option
value=9>September</option>
                            <option
value=10>October</option>
                            <option
value=11>November</option>
                            <option
value=12>Decemeber</option>

                        </select>
                    </div>
                </div>
            </div>

```

```

                                <h4>Power PS</h4>
                                <div class="input-group"><input
type="number" name="powerps" placeholder="Power of the Car in PS" required/>
                                </div>
                                <h4>Kilometers Driven</h4>
                                <div class="input-group"><input
type="number" name="kms" placeholder="Kilometers the car has driven"
required/>
                                </div>

                                <div>
                                    <h4>Gear Box Type</h4>
                                    <div class="input-group">
                                        <input id="gear-manual"
type="radio" name="gearbox" value="manual" />
                                        <label for="gear-
manual">Manual</label>
                                        <input id="gear-
automatic" type="radio" name="gearbox" value="automatic" />
                                        <label for="gear-
automatic">Automatic</label>
                                        <input id="gear-
notdeclared" type="radio" name="gearbox" value="not declared" />
                                        <label for="gear-
notdeclared">Not declared</label>
                                    </div>
                                </div>

                                <div>
                                    <h4>Is Car Damaged</h4>
                                    <div class="input-group">
                                        <input id="yes"
type="radio" name="damaged" value="Yes" />
                                        <label
for="yes">Yes</label>
                                        <input id="damaged-no"
type="radio" name="damaged" value="No" />
                                        <label for="damaged-
no">No</label>
                                        <input id="damaged-
notdeclared" type="radio" name="damaged" value="Not declared" />
                                        <label for="damaged-
notdeclared">Not declared</label>
                                    </div>
                                </div>

                                <div>
                                    <h4>Fuel Type</h4>
                                    <div class="input-group">
                                        <select name="fuel"
id="brand">
                                            <option
value="not-declared">not-declared</option>
                                            <option
value="diesel">diesel</option>

```

```

value="petrol">petrol</option>
value="lpg">lpg</option>
value="others">others</option>
value="hybrid">hybrid</option>
value="cng">cng</option>
value="electric">electric</option>
</select>
</div>
</div>
<div>
<h4>Brand of the Car</h4>
<div class="input-group">
  <select name="brand"
id="brand">
value="audi">audi</option>
value="jeep">jeep</option>
value="volkswagen">volkswagen</option>
value="skoda">skoda</option>
value="bmw">bmw</option>
value="peugeot">peugeot</option>
value="ford">ford</option>
value="mazda">mazda</option>
value="nissan">nissan</option>
value="renault">renault</option>
value="mercedes_benz">mercedes_benz</option>
value="honda">honda</option>
value="fiat">fiat</option>
value="opel">opel</option>
value="mini">mini</option>
value="smart">smart</option>
value="hyundai">hyundai</option>

```

```
value="alfa_romeo">alfa_romeo</option>
value="subaru">subaru</option>
value="volvo">volvo</option>
value="mitsubishi">mitsubishi</option>
value="kia">kia</option>
value="seat">seat</option>
value="lancia">lancia</option>
value="porsche">porsche</option>
value="citroen">citroen</option>
value="toyota">toyota</option>
value="chevrolet">chevrolet</option>
value="dacia">dacia</option>
value="suzuki">suzuki</option>
value="daihatsu">daihatsu</option>
value="chrysler">chrysler</option>
value="sonstige_autos">sonstige_autos</option>
value="jaguar">jaguar</option>
value="daewoo">daewoo</option>
value="rover">rover</option>
value="saab">saab</option>
value="land_rover">land_rover</option>
value="lada">lada</option>
value="trabant">trabant</option>

</select>
</div>
</div>

<div>
<h4>Model Type</h4>
<div class="input-group">
<select
name="model_type" id="brand">
```

value="not-declared">not-declared</option>	<option
value="grand">grand</option>	<option
value="golf">golf</option>	<option
value="fabia">fabia</option>	<option
value="3er">3er</option>	<option
value="2_reihe">2_reihe</option>	<option
value="c_max">c_max</option>	<option
value="3_reihe">3_reihe</option>	<option
value="passat">passat</option>	<option
value="navara">navara</option>	<option
value="polo">polo</option>	<option
value="twingo">twingo</option>	<option
value="a_klasse">a_klasse</option>	<option
value="scirocco">scirocco</option>	<option
value="5er">5er</option>	<option
value="andere">andere</option>	<option
value="civic">civic</option>	<option
value="punto">punto</option>	<option
value="e_klasse">e_klasse</option>	<option
value="clio">clio</option>	<option
value="kadett">kadett</option>	<option
value="one">one</option>	<option
value="fortwo">fortwo</option>	<option
value="1er">1er</option>	<option
value="b_klasse">b_klasse</option>	<option
value="a8">a8</option>	<option
value="jetta">jetta</option>	<option
value="c_klasse">c_klasse</option>	<option

value="micra">micra</option>	<option
value="vito">vito</option>	<option
value="sprinter">sprinter</option>	<option
value="astra">astra</option>	<option
value="156">156</option>	<option
value="escort">escort</option>	<option
value="forester">forester</option>	<option
value="xc_reihe">xc_reihe</option>	<option
value="fiesta">fiesta</option>	<option
value="scenic">scenic</option>	<option
value="ka">ka</option>	<option
value="a1">a1</option>	<option
value="transporter">transporter</option>	<option
value="focus">focus</option>	<option
value="a4">a4</option>	<option
value="tt">tt</option>	<option
value="a6">a6</option>	<option
value="jazz">jazz</option>	<option
value="omega">omega</option>	<option
value="slk">slk</option>	<option
value="7er">7er</option>	<option
value="combo">combo</option>	<option
value="corsa">corsa</option>	<option
value="80">80</option>	<option
value="147">147</option>	<option
value="glk">glk</option>	<option
value="z_reihe">z_reihe</option>	<option
value="sorento">sorento</option>	<option

value="ibiza">ibiza</option>	<option
value="mustang">mustang</option>	<option
value="eos">eos</option>	<option
value="touran">touran</option>	<option
value="getz">getz</option>	<option
value="insignia">insignia</option>	<option
value="almera">almera</option>	<option
value="megane">megane</option>	<option
value="a3">a3</option>	<option
value="r19">r19</option>	<option
value="caddy">caddy</option>	<option
value="mondeo">mondeo</option>	<option
value="cordoba">cordoba</option>	<option
value="colt">colt</option>	<option
value="impreza">impreza</option>	<option
value="vectra">vectra</option>	<option
value="lupo">lupo</option>	<option
value="berlingo">berlingo</option>	<option
value="m_klasse">m_klasse</option>	<option
value="tiguan">tiguan</option>	<option
value="6_reihe">6_reihe</option>	<option
value="c4">c4</option>	<option
value="panda">panda</option>	<option
value="up">up</option>	<option
value="i_reihe">i_reihe</option>	<option
value="ceed">ceed</option>	<option
value="kangoo">kangoo</option>	<option
value="5_reihe">5_reihe</option>	<option

value="yeti">yeti</option>	<option
value="octavia">octavia</option>	<option
value="zafira">zafira</option>	<option
value="mii">mii</option>	<option
value="rx_reihe">rx_reihe</option>	<option
value="6er">6er</option>	<option
value="modus">modus</option>	<option
value="fox">fox</option>	<option
value="matiz">matiz</option>	<option
value="beetle">beetle</option>	<option
value="rio">rio</option>	<option
value="touareg">touareg</option>	<option
value="logan">logan</option>	<option
value="spider">spider</option>	<option
value="cuore">cuore</option>	<option
value="s_max">s_max</option>	<option
value="a2">a2</option>	<option
value="x_reihe">x_reihe</option>	<option
value="a5">a5</option>	<option
value="galaxy">galaxy</option>	<option
value="c3">c3</option>	<option
value="viano">viano</option>	<option
value="s_klasse">s_klasse</option>	<option
value="1_reihe">1_reihe</option>	<option
value="sharan">sharan</option>	<option
value="avensis">avensis</option>	<option
value="sl">sl</option>	<option
value="roomster">roomster</option>	<option

value="q5">q5</option>	<option
value="santa">santa</option>	<option
value="leon">leon</option>	<option
value="cooper">cooper</option>	<option
value="4_reihe">4_reihe</option>	<option
value="sportage">sportage</option>	<option
value="laguna">laguna</option>	<option
value="ptcruiser">ptcruiser</option>	<option
value="clk">clk</option>	<option
value="primera">primera</option>	<option
value="espace">espace</option>	<option
value="exeo">exeo</option>	<option
value="159">159</option>	<option
value="transit">transit</option>	<option
value="juke">juke</option>	<option
value="v40">v40</option>	<option
value="carisma">carisma</option>	<option
value="accord">accord</option>	<option
value="corolla">corolla</option>	<option
value="lanos">lanos</option>	<option
value="phaeton">phaeton</option>	<option
value="boxster">boxster</option>	<option
value="verso">verso</option>	<option
value="rav">rav</option>	<option
value="kuga">kuga</option>	<option
value="qashqai">qashqai</option>	<option
value="swift">swift</option>	<option
value="picanto">picanto</option>	<option

value="superb">superb</option>	<option
value="stilo">stilo</option>	<option
value="alhambra">alhambra</option>	<option
value="911">911</option>	<option
value="m_reihe">m_reihe</option>	<option
value="roadster">roadster</option>	<option
value="epsilon">epsilon</option>	<option
value="galant">galant</option>	<option
value="justy">justy</option>	<option
value="90">90</option>	<option
value="sirion">sirion</option>	<option
value="signum">signum</option>	<option
value="crossfire">crossfire</option>	<option
value="agila">agila</option>	<option
value="duster">duster</option>	<option
value="v50">v50</option>	<option
value="mx_reihe">mx_reihe</option>	<option
value="meriva">meriva</option>	<option
value="discovery">discovery</option>	<option
value="c_reihe">c_reihe</option>	<option
value="v_klasse">v_klasse</option>	<option
value="yaris">yaris</option>	<option
value="c5">c5</option>	<option
value="aygo">aygo</option>	<option
value="seicento">seicento</option>	<option
value="cc">cc</option>	<option
value="carnival">carnival</option>	<option
value="fusion">fusion</option>	<option

value="bora">bora</option>	<option
value="c1">c1</option>	<option
value="tigra">tigra</option>	<option
value="300c">300c</option>	<option
value="500">500</option>	<option
value="100">100</option>	<option
value="q3">q3</option>	<option
value="cr_reihe">cr_reihe</option>	<option
value="spark">spark</option>	<option
value="x_type">x_type</option>	<option
value="ducato">ducato</option>	<option
value="s_type">s_type</option>	<option
value="x_trail">x_trail</option>	<option
value="toledo">toledo</option>	<option
value="altea">altea</option>	<option
value="voyager">voyager</option>	<option
value="calibra">calibra</option>	<option
value="v70">v70</option>	<option
value="bravo">bravo</option>	<option
value="range_rover">range_rover</option>	<option
value="forfour">forfour</option>	<option
value="tucson">tucson</option>	<option
value="q7">q7</option>	<option
value="c1">c1</option>	<option
value="citigo">citigo</option>	<option
value="jimny">jimny</option>	<option
value="cx_reihe">cx_reihe</option>	<option
value="cayenne">cayenne</option>	<option

value="wrangler">wrangler</option>	<option
value="lybra">lybra</option>	<option
value="range_rover_sport">range_rover_sport</option>	<option
value="lancer">lancer</option>	<option
value="freelander">freelander</option>	<option
value="captiva">captiva</option>	<option
value="range_rover_evoque">range_rover_evoque</option>	<option
value="sanderor">sanderor</option>	<option
value="note">note</option>	<option
value="antara">antara</option>	<option
value="900">900</option>	<option
value="defender">defender</option>	<option
value="cherokee">cherokee</option>	<option
value="clubman">clubman</option>	<option
value="arosa">arosa</option>	<option
value="legacy">legacy</option>	<option
value="pajero">pajero</option>	<option
value="auris">auris</option>	<option
value="c2">c2</option>	<option
value="niva">niva</option>	<option
value="s60">s60</option>	<option
value="nubira">nubira</option>	<option
value="vivaro">vivaro</option>	<option
value="g_klasse">g_klasse</option>	<option
value="lodgy">lodgy</option>	<option
value="850">850</option>	<option
value="serie_2">serie_2</option>	<option
value="charade">charade</option>	<option

```
value="croma">croma</option>
value="outlander">outlander</option>
value="gl">gl</option>
value="kaefer">kaefer</option>
value="doblo">doblo</option>
value="musa">musa</option>
value="amarok">amarok</option>
value="9000">9000</option>
value="kalos">kalos</option>
value="v60">v60</option>
value="200">200</option>
value="145">145</option>
value="b_max">b_max</option>
value="delta">delta</option>
value="aveo">aveo</option>
value="rangerover">rangerover</option>
value="move">move</option>
value="materia">materia</option>
value="terios">terios</option>
value="kalina">kalina</option>
value="elefantino">elefantino</option>
value="i3">i3</option>
value="samara">samara</option>
value="kappa">kappa</option>
value="serie_3">serie_3</option>
value="discovery_sport">discovery_sport</option>
</select>
</div>
</div>
```

```

<div>
    <h4>Vehicle Type</h4>
    <div class="custom">
        <select
name="vehicletype" id="wgtmsr">
            <option
value="coupe">coupe</option>
            <option
value="suv">suv</option>
            <option
value="small car">small car</option>
            <option
value="limousine">limousine</option>
            <option
value="convertible">convertible</option>
            <option
value="bus">bus</option>
            <option
value="combination">combination</option>
            <option
value="not-declared">not-declared</option>
            <option
value="others">others</option>
        </select>
    </div>
</div>

<div class="row">
    <center><button class="button
button2" href="/" type="submit">Predict</button></center>
</div>

<br>
<center> <a href="/home">Click here to
go back Home!</a></center>
    </form>

</div>

</html>

```