EMERGING METHODS FOR EARLY DETECTION OF FOREST FIRES

VIDEO ANALYSIS

OPEN CV FOR VIDEO PROCESSING

Date	18 NOV 2022
Team ID	PNT2022TMID39009
Project Name	Emerging Methods for Early Detection of Forest Fires

Importing The ImageDataGenerator Library

import keras

from keras.preprocessing.image import ImageDataGenerator

Define the parameters/arguments for ImageDataGenerator class

train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.2,rot ati on_range=180,zoom_range=0.2, horizontal_flip=True) test_datagen=ImageDataGenerator(rescale=1./255)

Applying ImageDataGenerator functionality to trainset

x_train=train_datagen.flow_from_directory(r'/content/drive/MyDrive/Dataset/train_set',target_size=(128,128),batch_size=32,class_mode='binary')

Found 436 images belonging to 2 classes.

Applying ImageDataGenerator functionality to testset

x_test=test_datagen.flow_from_directory(r'/content/drive/MyDrive / Dataset/test_set',target_size=(128,128),batch_size=32, class_mode='binary')

Found 121 images belonging to 2 classes.

Import model building libraries

#To define Linear initialisation import Sequential
from keras.models import Sequential
#To add layers import Dense
from keras.layers import Dense
#To create Convolution kernel import Convolution2D
from keras.layers import Convolution2D
#import Maxpooling layer
from keras.layers import MaxPooling2D
#import flatten layer
from keras.layers import Flatten
import warnings
warnings.filterwarnings('ignore')

Initializing the model

model=Sequential()

Add CNN Layer

```
model.add(Convolution2D(32, (3,3),input_shape=(128,128,3),activation='relu'))
#add maxpooling layer

model.add(MaxPooling2D(pool_size=(2,2)))
#add flatten layer
model.add(Flatten())
```

Add Hidden Layer

```
#add hidden layer
model.add(Dense(150,activation='relu'))
#add output layer
model.add(Dense(1,activation='sigmoid')
)
```

Configure the learning process

```
model.compile(loss='binary_crossentropy',optimizer="adam",metrics=[
"ac curacy"])
```

Train the model

```
model.fit generator(x train, steps per epoch=14, epochs=10, validation
da ta=x_test, validation_steps=4)
Epoch 1/10
14/14 [=======] - 97s 7s/step - loss:
1.3060 -
accuracy: 0.7775 - val_loss: 0.5513 - val_accuracy: 0.8512
Epoch 2/10
14/14 [=======] - 26s 2s/step - loss:
0.3178 -
accuracy: 0.8807 - val_loss: 0.1299 - val_accuracy: 0.9421
Epoch 3/10
14/14 [=======] - 26s 2s/step - loss:
0.2226 -
accuracy: 0.9106 - val_loss: 0.1311 - val_accuracy: 0.9421
Epoch 4/10
14/14 [======] - 31s 2s/step - loss:
0.1836 -
accuracy: 0.9174 - val loss: 0.1129 - val accuracy: 0.9339
Epoch 5/10
14/14 [=======] - 30s 2s/step - loss:
0.1675 -
```

```
accuracy: 0.9243 - val_loss: 0.0925 - val_accuracy: 0.9669
Epoch 6/10
14/14 [=======] - 26s 2s/step - loss:
0.1884 -
accuracy: 0.9289 - val loss: 0.1287 - val accuracy: 0.9339
Epoch 7/10
14/14 [=======] - 28s 2s/step - loss:
0.1724 -
accuracy: 0.9335 - val_loss: 0.0926 - val_accuracy: 0.9752
Epoch 8/10
14/14 [=======] - 26s 2s/step - loss:
0.1510 -
accuracy: 0.9404 - val loss: 0.0757 - val accuracy: 0.9752
Epoch [9/10 - 26s
                                                  0.173 -
2s/step - loss:
accuracy: 0.9174 - val loss: 0.0537 - val accuracy: 0.9835
Epoch 10/10
14/14 [=======] - 26s
                                                  0.154 -
2s/step - loss:
accuracy: 0.9312 - val_loss: 0.0573 - val_accuracy: 0.9835
<keras.callbacks.History at 0x7f05d66a9c90>
```

Save The Model

model.save("forest1.h5")

Predictions

```
#import load_model
from keras.model from
keras.models import
load_model #import
image class from keras
from tensorflow.keras.preprocessing import image #import
numpy
import numpy as np
#import cv2
import cv2
```

```
#load the saved model
model = load_model("forest1.h5")
img=image.load_img(r'/content/drive/MyDrive/Dataset/te
st_set/forest/ 0.48007200_1530881924_final_forest.jpg')
x=image.img_to_array(img)
res = cv2.resize(x, dsize=(128, 128),
interpolation=cv2.INTER_CUBIC)
#expand the image shape
x=np.expand_di
ms(res,axis=0)
pred=
model.predict(x)
1/1 [======] - 0s
126ms/step
pred
array([[0.]], dtype=float32)
```

OpenCV For Video Processing

pip install twilio

Looking in indexes: https://pypi.org/simple, https://us-

python.pkg.dev/colab-wheels/public/simple/

Requirement already satisfied: twilio in

/usr/local/lib/python3.7/dist-packages (7.15.1)

Requirement already satisfied: pytz in /usr/local/lib/python3.7/dist-

packages (from twilio) (2022.5)

Requirement already satisfied: requests>=2.0.0 in

/usr/local/lib/python3.7/dist-packages (from twilio) (2.23.0)

Requirement already satisfied: PyJWT<3.0.0,>=2.0.0 in

/usr/local/lib/python3.7/dist-packages (from twilio) (2.6.0) Requirement

already satisfied: urllib3!=1.25.0,!=1.25.1,<1.26,>=1.21.1 in

/usr/local/lib/python3.7/dist-packages (from requests>=2.0.0-

>twilio) (1.24.3)

Requirement already satisfied: certifi>=2017.4.17 in

/usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio)

(2022.9.24)

Requirement already satisfied: idna<3,>=2.5 in

/usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio)

(2.10)

Requirement already satisfied: chardet<4,>=3.0.2 in

/usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio) (3.0.4)

pip install playsound

Looking in indexes: https://pypi.org/simple, https://us-

python.pkg.dev/colab-wheels/public/simple/

Requirement already satisfied: playsound in

/usr/local/lib/python3.7/dist-packages (1.3.0)

#import opency library

import cv2

#import numpy

import numpy as np

#import image function from keras

from keras.preprocessing import

image #import load_model from keras
from keras.models import load_model
#import client from twilio API
from twilio.rest import Client
#import playsound package
from playsound import playsound

WARNING:playsound:playsound is relying on another python subprocess. Please use 'pip install pygobject' if you want playsound to run more efficiently.

#load the saved model
model=load_model("forest1.h
5") #define video
video=cv2.VideoCapture(0)
#define the features
name=['forest','with fire']