

Sprint – 1 Team ID:

PNT2022TMID21185 Python Code:

```
# Sprint - 1
```

```
# Team ID: PNT2022TMID21185
```

```
import time
```

```
import sys
```

```
import random
```

```
import ibmiot.application
```

```
import ibmiot.device
```

```
organization = "o86xnz"
```

```
deviceType = "Sensor"
```

```
deviceId = "123456"
```

```
authMethod = "auth"
```

```
authToken = "Ferdina22"
```

```
try:
```

```
deviceOptions = {"org": organization, "type": deviceType,  
"id": deviceId, "auth-method": authMethod, "auth-token":  
authToken}
```

```
deviceCli = ibmiotf.device.Client(deviceOptions)
```

```
except Exception as e:
```

```
    print("Caught exception connecting device: %s" % str(e))
```

```
    sys.exit()
```

```
deviceCli.connect()
```

```
while True:
```

```
    temp=random.randint(0,100)
```

```
    Humid=random.randint(0,100)
```

```
    Gas=random.randint(0,100)
```

```
    data = { 'temp' : temp, 'Humid': Humid, 'Gas':gas }
```

```

def myOnPublishCallback():

    print ("Published Temperature = %s C" % temp, "Humidity
= %s %" %Humid, "Gas Concentration = %s" %Gas )

    success = deviceCli.publishEvent("IoTSensor", "json", data,
qos=0, on_publish=myOnPublishCallback)

    if not success:        print("Not
connected to IoT")

    time.sleep(10)

    deviceCli.commandCallback = myCommandCallback

deviceCli.disconnect()

```

Output:

```
temp.py - C:\Python\Python37\temp.py (3,74)
File Edit Format Run Options Window Help

import time
import sys
import random
import ibmiot.application
import ibmiot.device

organization = "086kmz"
deviceType = "Sensor"
deviceId = "123456"
authMethod = "auth"
authToken = "Ferdina22"

try:
    deviceOptions = {"org": organization, "type": deviceType, "id": deviceId, "auth-method": authMethod, "auth-token": authToken}
    deviceCli = ibmiot.device.Client(deviceOptions)
except Exception as e:
    print("Caught exception connecting device: %s" % str(e))
    sys.exit()

deviceCli.connect()
while True:
    temp=random.randint(0,100)
    Humid=random.randint(0,100)
    Gas=random.randint(0,100)

    data = { "temp": temp, 'Humid': Humid, 'Gas':gas }

    def myOnPublishCallback():
        print ("Published Temperature = %s C" % temp, "Humidity = %s %" %Humid, "Gas Concentration = %s" %Gas )
        success = deviceCli.publishEvent("IoT3Sensor", "json", data, qos=0, on_publish=myOnPublishCallback)
        if not success:
            print("Not connected to IoTFF")
            time.sleep(10)
        deviceCli.commandCallback = myCommandCallback

deviceCli.disconnect()
```

```
Python 3.7.4 Shell
File Edit Shell Debug Options Window Help

Published Temperature = 37 C Humidity = 99 % Gas Concentration = 58
Published Temperature = 7 C Humidity = 53 % Gas Concentration = 1
Published Temperature = 73 C Humidity = 78 % Gas Concentration = 42
Published Temperature = 74 C Humidity = 52 % Gas Concentration = 2
Published Temperature = 61 C Humidity = 64 % Gas Concentration = 69
Published Temperature = 7 C Humidity = 84 % Gas Concentration = 80
Published Temperature = 58 C Humidity = 91 % Gas Concentration = 95
Published Temperature = 20 C Humidity = 26 % Gas Concentration = 37
Published Temperature = 90 C Humidity = 85 % Gas Concentration = 98
Published Temperature = 14 C Humidity = 18 % Gas Concentration = 49
Published Temperature = 85 C Humidity = 38 % Gas Concentration = 8
Published Temperature = 42 C Humidity = 37 % Gas Concentration = 84
Published Temperature = 2 C Humidity = 88 % Gas Concentration = 34
Published Temperature = 6 C Humidity = 72 % Gas Concentration = 69
Published Temperature = 35 C Humidity = 100 % Gas Concentration = 78
Published Temperature = 80 C Humidity = 100 % Gas Concentration = 48
Published Temperature = 12 C Humidity = 98 % Gas Concentration = 37
Published Temperature = 38 C Humidity = 50 % Gas Concentration = 11
Published Temperature = 10 C Humidity = 14 % Gas Concentration = 24
Published Temperature = 90 C Humidity = 76 % Gas Concentration = 94
Published Temperature = 33 C Humidity = 17 % Gas Concentration = 92
Published Temperature = 71 C Humidity = 14 % Gas Concentration = 47
Published Temperature = 26 C Humidity = 56 % Gas Concentration = 43
Published Temperature = 100 C Humidity = 85 % Gas Concentration = 43
Published Temperature = 36 C Humidity = 37 % Gas Concentration = 34
Published Temperature = 6 C Humidity = 80 % Gas Concentration = 53
Published Temperature = 78 C Humidity = 4 % Gas Concentration = 70
Published Temperature = 50 C Humidity = 65 % Gas Concentration = 7
Published Temperature = 19 C Humidity = 60 % Gas Concentration = 47
Published Temperature = 28 C Humidity = 74 % Gas Concentration = 14
Published Temperature = 82 C Humidity = 17 % Gas Concentration = 73
Published Temperature = 5 C Humidity = 98 % Gas Concentration = 80
Published Temperature = 92 C Humidity = 78 % Gas Concentration = 33
Published Temperature = 47 C Humidity = 13 % Gas Concentration = 100
Published Temperature = 99 C Humidity = 72 % Gas Concentration = 83
Published Temperature = 69 C Humidity = 26 % Gas Concentration = 87
Published Temperature = 24 C Humidity = 96 % Gas Concentration = 16
Published Temperature = 97 C Humidity = 23 % Gas Concentration = 18
Published Temperature = 91 C Humidity = 31 % Gas Concentration = 0
Published Temperature = 4 C Humidity = 64 % Gas Concentration = 44
Published Temperature = 25 C Humidity = 7 % Gas Concentration = 38
Published Temperature = 99 C Humidity = 23 % Gas Concentration = 12
Published Temperature = 61 C Humidity = 21 % Gas Concentration = 24
Published Temperature = 54 C Humidity = 48 % Gas Concentration = 78
Published Temperature = 23 C Humidity = 87 % Gas Concentration = 50
Published Temperature = 43 C Humidity = 25 % Gas Concentration = 10
Published Temperature = 8 C Humidity = 32 %
```