


Assignment 3

Question 1:

Create a Bucket in IBM Object Storage.



Question 2:

Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta http-equiv="X-UA-Compatible" content="IE=edge">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>PETA Bucket - Assignment 3</title>

</head>

<body>

   <br>


  

</body> </html>
```

Question 3:

Upload a css page to the object storage and use the same page in your HTML code



Question3.html:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>PETA Bucket - Assignment 3</title>
```

```
<link rel="stylesheet" href="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/peta-assignment-bucket/Q3.css">
```

```
</head>
```

```
<body>
```

```

```

```

```

```
 <br>
```

```

```

```

```

```
</body>
```

```
</html>
```

Q3.css:

```
body{  
  background-color: red;  
  display: flex;  
  flex-direction: column;  
  justify-content: center;  
  align-items: center;  
  min-height: 100vh;  
}
```

```
.title{  
  color: lightblue;  
  text-transform: uppercase;  
  font-weight: 600;  
  text-align: center;  
  letter-spacing: 1px;  
  margin-bottom: 20px;  
  margin-top: 20px;  
}
```


Question 4:

Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment

IBM Watson Assistant

Question 5:

Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.



```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Document</title>
```

```
</head>
```

```
<body>
```

```
  <script> window.watsonAssistantChatOptions = {
```

```
    integrationID: "9cc458ba-c10f-4181-a584-4067013daa60", // The ID of this integration.
```

```
    region: "au-syd", // The region your integration is hosted in.
```

```
    serviceInstanceID: "00163c7d-98c0-4359-9f1d-b4a819ae6289", // The ID of your service instance.
```

```
    onLoad: function(instance) { instance.render(); }
```

```
  };
```

```
  setTimeout(function () {
```

```
    const
```

```
    t = document.createElement('script');
```

```
t.src = "https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +  
  (window.watsonAssistantChatOptions.clientVersion || 'latest') +  
  "/WatsonAssistantChatEntry.js";  
  
document.head.appendChild(t);  
  
});  
</script>  
</body>  
</html>
```