PROJECT REPORT

IoT BASED SAFETY GADGET FOR CHILD SAFETY MONITORING AND NOTIFICATION

DOMAIN	INTERNET OF THINGS
TOPIC	IoT BASED SAFETY GADGET FOR CHILD
	SAFETY MONITORING AND NOTIFICATION
TEAM ID	PNT2022TMID25151
TEAM MEMBERS	JANANI S M , PRAFISHA SEELAN S, SUJITHRA M



ABSTRACT

In today's world children are less secure and have many issues concerning their security purpose. More family's spent their time for work and social accountability but since Children are gifts of GOD they need the care of family. The current status of our country is not habitable for monitoring children in school. With the absence of a child monitoring system, it is hard to monitor the whereabouts of children. Underage children may be impulsive in the way they act and in places to be. Most of the human behaviour is shaped in the childhood stage, in order to get morally acceptable behaviour child monitoring system is necessary. Children are prone to many accidents. The safety of children is very indispensable as children cannot protect themselves.

The main goal of this project is to create a smart wearable device for children that uses refined technology to assure their safety. The paper provides a smart solution for deflecting losing kids while going out alone or with their parents based on the Internet of Things(IoT). Our proposed strategy ensures utmost security and ensures live tracking for their kids. This paper proposes a model for child safety through smartphones that can track their children's location and give the precise coordinates of the child's location in real-time anywhere. By monitoring the activities the security state of the child is examined.

TABLE OF CONTENTS

ABS'	TRACT	2
TAB	BLE OF CONTENTS	3
LIST	Γ OF FIGURES	5
LIST	Γ OF ABBREVIATIONS	6
1. IN	VTRODUCTION	7
	Project Overview	
	1.2Purpose	
2.LI	TERATURE SURVEY	8
	Existing problem	
	Reference	
	Problem Statement Definition	
3. ID	DEATION & PROPOSED SOLUTION	12
	Empathy Map Canvas	
	Ideation & Brainstorming	
	Proposed Solution	
	Problem Solution fit	
4. RF	EQUIREMENT ANALYSIS	18
	Functional requirement	
	Non-Functional requirements	
5. PR	ROJECT DESIGN	22
	Data Flow Diagrams	
	Solution & Technical Architecture	
	User Stories	

6. PROJECT PLANNING & SCHEDULING	26
Sprint Planning & Estimation	
Sprint Delivery Schedule	
Reports from JIRA	
7. CODING & SOLUTIONING	30
Feature 1	
Feature 2	
Database Schema	
8. TESTING	33
Test Cases	
User Acceptance Testing	
9. RESULTS	36
Performance Metrics	
10. ADVANTAGES & DISADVANTAGES	37
11. CONCLUSION	38
12. FUTURE SCOPE	39
13. APPENDIX	40
Source Code	
GitHub & Project Demo Link	

LIST OF FIGURES

FIGURE NO.	FIGURE NAME	PAGE NO.
3.3.1	Empathy Map Canvas	12
3.3.2	Ideation & Brainstroming	13
3.3.4	Problem Solution Fit	17
5.5.1	Data Flow Diagrams	22
5.5.2	Solution Architecture Diagram	25
6.6.3	Reports from JIRA	29
7.7.1	Feature 1	30
7.7.2	Feature 2	31
7.7.3	Data Schema	32

LIST OF ABBREVIATIONS

- IBM International Business machines
- IoT Internet of Things
- GIT Global Information Tracker
- SMS short message service
- GSM Global System for Mobile communication
- GPS Global Positioning System
- Wi-Fi Wireless Fidelity
- IEEE The Institute of Electrical and Electronics Engineers
- GPRS General Packet Radio Service
- AVR Advanced Virtual RISC
- OTP One-time password
- XML Extensible Markup Language
- ARM Advanced RISC Machines
- API Application Programming Interface
- HTTP HyperText Transfer Protocol
- SSL Secure Sockets Layer

1. INTRODUCTION

Project Overview

The Internet of Things (IoT) plays a vital role in day-to-day life. The major difference between IoT and the embedded system is that a dedicated protocol/software is embedded in the chip in the case of an embedded system, whereas, IoT devices are smart devices, which are able to seize decisions by sensing the environment around the device. The Internet of Things is increasingly finding a place at the heart of many business automation strategies. Companies are using sensors in the logistics chain to help them track where delivery is with extraordinary accuracy.

The motivation for this wearable comes from the increasing need for safety for little children in contemporary times as there could be scenarios of the child getting adrift in a major crowded sector. This paper focuses on the key aspect that a missing child can be assisted by the people around the child and can play a remarkable role in the child's safety until reunited with the parents. If any deviant readings are disclosed by the sensor, then an SMS and phone calls are set off to the parent's mobile. Also, it overhauls the parental app through the cloud.

The technique is equipped with GSM and GPS modules for sending and receiving calls, and SMS between the safety gadget and the parental phones. The system also consists of a Wi-Fi/cellular data module used to implement IoT and send all the monitored parameters to the cloud for android app monitoring on the parental phones. The panic alert system is used during panic situations alerts are sent to the parental phone, seeking help also the alert parameters are updated to the cloud. Most of the wearables available today are focused on providing the location, and activity of the child to the parents.

Purpose

The main goal of this project is to create a smart wearable device for children that uses refined technology to assure their safety. The paper provides a smart solution for deflecting losing kids while going out alone or with their parents based on the Internet of Things(IoT). Our proposed strategy ensures utmost security and ensures live tracking for their kids. This paper proposes a model for child safety through smartphones that can track their children's location and give the precise coordinates of the child's location in real-time anywhere. By monitoring the activities the security state of the child is examined.

2. LITERATURE SURVEY

Existing problem

In today's world children are less secure and have many issues concerning their security purpose. More family's spent their time for work and social accountability but since Children are gifts of GOD they need the care of family. The current status of our country is not habitable for monitoring children in school. With the absence of a child monitoring system, it is hard to monitor the whereabouts of children. Underage children may be impulsive in the way they act and in places to be. Most of the human behaviour is shaped in the childhood stage, in order to get morally acceptable behaviour child monitoring system is necessary. Children are prone to many accidents. The safety of children is very indispensable as children cannot protect themselves.

Child abductors continually abduct children from parents/legally appointed guardians to get the ransom for their benefit. Parents have no supplementary choice but to view the exact scenario of children's intuitions. The crisis out-turn of kidnapping can be highly cynical and perpetual, more measures must be taken to protect children against abduction and its impacts.

References

{1} Authors: Zambada J, Quintero R, Isijara R, Galeana R, Santillan, L.(2015)

Using the paradigm of IoT, the proposed sensors send data about the location to the Internet through a broker, as well as billions of objects in the world are sending their own data to the Internet.

{2} Authors: M Nandini Priyanka, S Murugan.

The parent can send a message to the GSM module, according to the message information the GSM module replies back with particular details about the children. The location can be seen on Google Maps. When a particular child is facing an emergency situation, the device button should be pressed so that the device captures the image along with the user information to the enrolled mobile numbers. The life of the child can be saved within no time.

{3} Authors: K N H Srinivas, T D S Sarveswara Rao, E Kusuma Kumari.

From the children's point of view GPS, GPRS and GSM are used to monitor the speed and location tracking purpose. The system is fixed on the bus or car or in any vehicle so that the vehicle is going on a routine route or not can be identified by the GPS tracker, and the speed of the bus can also be extracted. Nowadays digital technology plays a major role in connecting people via the internet. For tracking the children, the android-based solution is provided to parents. Internet is the one that will connect different components through a single device and is connected to the server. Parents track their children in real time with the location tracker by GSM.

{4} Authors: Khushalsing Rajput, Ankur Chavan.

Some of the existing works done on these similar lines are for example the low-cost, lightweight Wristband Vital which senses and reports hazardous surroundings for people who need immediate assistance such as children and seniors. The major drawback of the Vital band is that it uses Bluetooth as the mode of communication between the child and the parent. Since the distance between the two in some cases could be substantial and the Bluetooth just won't be able to establish a close link between the two. Hence this system combines both GPS and GSM

technology to provide a hand in such situations. The GPS is used for identifying the location and

GSM is used for sending them a message

{5} Authors: Omkar Tanawade, Swapnil Sonawane.

The absence of an information system which could display conditions, actual activity, and

annual reporting of kindergarten students in a platform which could be accessed easily anywhere

and anytime has led to a major block in the coordination of students, parents, and teachers. One

of the most difficult technical implementations is how to compile and display the updates of

children's position in a fast (near real-time) duration while accessed from outside

communication.

{6} Authors: David Hanes, Gonzalo, Patrick Grosetete, Robert, Barton,

Jerome.

Title: Henry "IoT Fundamental and Networking Technologies, Protocols".

During an emergency, mobile apps alert the control room of nearby police stations or

caretakers of children. The literature shows that location tracking devices are available in the

market but it does not provide a complete solution to the problem. The solution to this problem is

to design an IoT device, which senses the child's location and environment and during an

emergency, it should send the alert to the parents automatically.

{7} Authors: K. N. H. Srinivas, T. D. S. Sarveswara Rao, E. Kusuma Kumari.

Title: Smart IoT Device for Child Safety and Tracking.

Published in: 2019 IEEE. The system is developed using Link-It ONE board

programmed in embedded C and interfaced with temperature, heartbeat, touch sensors and also

GPS, GSM & digital camera modules. The novelty of the work is that the system automatically

alerts the parent/caretaker by sending SMS when immediate attention is required for the child

during an emergency. Merits: The parameters such as touch, temperature & heartbeat of the child

are used for parametric analysis and results are plotted for the same. Demerits: To implement the

IoT device which ensures the complete solution for child safety problems

{8} Authors: Akash Moodbidri, Hamid Shahnasser.

Title: Child safety wearable device. Published in: 2017 IEEE.

10

The purpose of this device is to help parents to locate their children with ease. At the moment there are many wearables in the market which help to track the daily activity of children and also help to find the child using Wi-Fi and Bluetooth services present on the device. Merits: This wearable over other wearables is that it can be used on any phone and it is not necessary that an expensive smartphone is required and doesn't want to be a very tech-savvy individual to operate. Demerits: This device's battery gives a short lifetime. High power efficient model will have to be used which can be capable of giving the battery life for a longer time.

{9} Authors: Aditi Gupta, Vibhor Harit. Published in: 2016 IEEE.

Title: Child Safety & Tracking Management System by using GPS.

This paper proposed a model for child safety through smartphones that provide the option to track the location of their children as well as in case of emergency children are able to send a quick message and its current location via Short Message Services. Merits: The advantages of smart phones they offer rich features like Google maps, GPS, SMS etc. Demerits: This system is unable to sense the human behaviour of children.

{10} Authors: Dheeraj Sunehera, Pottabhatini Laxmi Priya.

Title: Children.


Location Monitoring on Google Maps Using GPS and GSM. Published in: 2016 IEEE. This paper provides an Android-based solution for parents to track their children in real time. Different devices are connected with a single device through channels of the internet. The concerned device is connected to the server via the internet. The device can be used by parents to track their children in real time or for women's safety. The proposed solution takes the location services provided by the GSM module. It allows the parents to get their child's current location via SMS. Merits: A child tracking system using android terminal and hoc networks. Demerits: This device cannot be used in rural areas.

Problem Statement Definition


It has been a major threat to children from or in opposition to any perceived real danger/risk. Most of the kids have been abducted by strangers, which is a more frequent event nowadays. Child abduction continues to be a major issue and it has an utmost impact on the affected families. Child abduction is a scorching subject all over the world. It is a complex crime that can impair a child's future. Parents should ensure that their little ones are secure and are been protected from the menace of injury. Child abductors often kidnap children from legally appointed guardians to get the ransom and for their personal benefit. The out-turn of abduction can be seriously pessimistic and enduring, more actions must be taken to protect children against abduction and its effects.


3. IDEATION & PROPOSED SOLUTION

Empathy Map Canvas



Ideation & Brainstorming





Proposed Solution

S.No.	Parameter	Description		
1.	Problem Statement (Problem to be solved)	Child abductors continually abduct children from parents/legally appointed guardians to get the ransom for their benefit. Parents have no supplementary choice but to view the exact scenario of children's intuitions. The crisis out-turn of kidnapping can be highly cynical and perpetual, more measures must be taken to protect children against abduction and its impacts.		
2.	Idea / Solution description	A Smart IoT device for tracking is developed to aid parents to detect and keep eye on their children. In this project, we are going to develop a wearable safety gadget to display the live location of a child at any time on the parent's mobile to set the seal on their safety. The application aside from conceding you to track down your children when they're within Bluetooth range, also functions when your kids go farther afield. Its competence as a tracker is outstanding if you live in densely populated areas like cities or big towns. This means you will be able to see the identity of the participating devices and It helps to diminish their vulnerability in harmful situations and also protects the children in emergency situations.		

3.	Novelty / Uniqueness	The system software involuntarily alerts the parent/guardian by redirecting a text message where expeditious scrutinisation is essential for the child during a catastrophe. Contrary to other devices, it has plenty of characteristics such as the development of sensors technology, availability of internet-connected devices; data analysis algorithms making IoT devices act smart in emergencies without human intervention.
4.	Social Impact / Customer Satisfaction	Child abduction is a scorching subject all over the world. It is a complex crime that can impair a child's future. Parents should ensure that their little ones are secure and are been protected from the menace of injury. In case of situation arises, notifications will be consigned to the Parents so that measures can be done at the apparent time, Via this, Child Safety can be assured and will take the edge off the crime rate. The parent can keep their children Secure with tension-free minded when they are away from them. Precisely predicting the circumstances of the children and swiftly sensing the problems around children will make parents at ease. It will be great helpful to parents who are busy workers not having time to watch over their children, and easy to operate so anyone can handle

5.	Business Model (Revenue Model)	The Most desired in the contemporary market, as kids need more protection in the current times. The gadget can be acquired at an affordable rate. Our gadget possesses a lot of ingenious attributes and it will be accessible and beneficial to everyone so it is a foundation for a prominent revolution in merchandise. It is a device with numerous subscriptions for tracing and notification assistance.
6.	Scalability of the Solution	This methodology can be further enhanced by the installation of the mini camera inside a smart gadget for exemplary security and protection so that a glimpse can be caught on the live footage on the parental phone during panic circumstances. If an intricacy arises parents can see some of the attributes like the location, temperature and heartbeat of the child along with living perspective around the children without deterrence.

Problem Solution fit

protects the children in emergency situations. It gives a sense of assurance and peace of mind to

6. CUSTOMER CONSTRAINTS III 5. AVAILABLE SOLUTIONS 1. CUSTOMER SEGMENT(S) In the previous parents/guardians gave their children an awareness of the danger lurking in society. SOLUTION: This aids the The child's precise locations are found by parents parents/guardian to track the daily through the Wearable gadget. This Wearable device Expensive signifies the child's enclosing audio & videos during a activity of their children and helps Poor Network crisis. The wearable device accumulates the data to find them using GPS location. **Battery Consumption** PROS: -(1) Live location tracing. (2) genic vigiliant methodology. (3) Global Positioning System tracking helps us to track real-time locations CONS: -(1) Improper connectivity (2) Inadequate battery supply. (3) This project requires physical arbitration 2. JOBS-TO-BE-DONE / PROBLEMS 9. PROBLEM ROOT CAUSE EE 812 7. BEHAVIOUR Child abductors continually abduct Child abductors often kidnap children children from parents/legally appointed Application aside from conceding you from legally appointed guardians to guardians to get the ransom for their to track down your children when get the ransom and for their personal benefit. Parents have no supplementary they're within Bluetooth range, it also benefit. The out-turn of abduction can choice but to view the exact scenario of functions when your kids go farther be seriously pessimistic and enduring, children's intuitions. The crisis out-turn of afield. Its competence as a tracker is more actions must be taken to protect kidnapping can be highly cynical and outstanding if you live in densely children against abduction and its perpetual, more measures must be taken to populated areas like cities or big towns. protect children against abduction and its effects. impacts. 10. YOUR SOLUTION \mathbf{SL} 8. CHANNELS of BEHAVIOUR 3. TRIGGER TR \mathbf{CH} The software along with relinquishing it allows you to 8.1 ONLINE trace down your wards when they're within Bluetooth The motivation for this wearable limit, it also works when your kids go farther afield. It Children and their parents are comes from the increasing need for adroitness as a tracker is exceptional if you live in densely veering around to digital solutions colonised neighbourhoods like cities for little children in more than ever to support contemporary times as there could children's cognition and it notifies 4. EMOTIONS: BEFORE / AFTER be scenarios of the child getting the information about the child in a adrift in a major crowded sector. Before: As the crime rate is inflating day by web application. This project proposes the key aspect day, Schools and public places require high that a missing child can be assisted OFFLINE surveillance for ensuring the safety of children. by the people around the child and A psychological barrier is created between the abducted child and left-behind parent because If the parents/guardians log out can play a remarkable role in the both know that they survived this period of of the application, it displays child's safety until reunited with the detachment and life without each other, and parents. If any deviant readings are the last information regarding both have now lost faith in their reciprocal need. disclosed by the sensor, then an the child's whereabouts. After: The Wearable device proposes a SMS and phone calls are set off to model for child safety through smartphones parent's mobile. Also, it that can track their children's location and give overhauls the parental app through the precise coordinates of the child's location the cloud. in real-time anywhere. By monitoring the activities the security state of the child is examined It helps to diminish their vulnerability in harmful situations and also

4. REQUIREMENT ANALYSIS

Functional requirement

Following are the functional requirements of the proposed solution.

Functional Requirement Sub Requirement (Story / Sub-Task)				
(Epic)				
User Registration	Registration through message			
	 Registration through website 			
	 Registration through App 			
	 Registration through Call 			
	 Registration through Social Media 			
User Confirmation	Confirmation via Email			
	 Confirmation via OTP 			
	 Confirmation via Call 			
App Installation	Installation through Link			
	 Installation through Play Store/App 			
	Store			
Detecting Child Location	Detecting location via app			
	 Detecting location via SMS 			
	 Detecting location through Website 			
Database	 Location history is stored in the 			
	cloud			
	 Values include distance, latitude, 			
	longitude			
User Interface	User login form			
	Admin login form			
User Notification	Notification through Message			
	Notification through Gmail			
	User Registration User Confirmation App Installation Detecting Child Location Database User Interface			

Non-Functional requirements

Following are the non-functional requirements of the proposed solution.


FR No.	Non-Functional Requirement	Description
NFR-1	Usability	 A midget setup via the application is made in the mobile that helps to send SMS to parents. The gadget has a GSM that aids in informing the parents/guardian about the current location of their kids which in turn helps the parents/guardians take immediate action when any crisis occurs. The gadget is compact and effortless to operate and its applications are foolproof.
NFR-2	Security	 The device is designed in such a way that it builds a safe environment for children to go outside. It gives a sense of assurance to parents about their children's security as the gadget uses GPS and GSM to track their live location.

NFR-3	Reliability	 Inflated reliability towards the mechanism and curtail reliability towards parents/guardians. It is transportable, Easy to access, and also tensile. We can use the cloud to accumulate the surveillance data of the children. The wifi modules are of assistance in sending the monitoring particulars, the user will be notified with an update if any errors are found, for the efficient functioning of the device.
NFR-4	Performance	 The web Page's load time should be no more than one second for the user's elevated performance concerning simple aidance and security. The originality of the system is that it spontaneously alerts the parents/caretaker by sending an SMS when instant attention is indispensable for the child during a crisis. The complete data of the children's location will be stocked in the repository and the execution of the device diminishes in a less network area.

NFR-5	Availability	 The device is used to keep tabs on your child even in a horde. It also provides the current location along with travel details. This system is advanced using a board programmed in embedded C and python. It is a site that is available online.
NFR-6	Scalability	 This methodology can be further enhanced by the installation of the mini camera inside a smart gadget for exemplary security and protection so that a glimpse can be caught on the live footage on the parental phone during panic circumstances. If an intricacy arises parents can see some of the attributes like the location, temperature, and heartbeat of the child along with living perspective around the children without deterrence.

5. PROJECT DESIGN

Data Flow Diagrams



Solution & Technical Architecture

INTRODUCTION:

Solution architecture is a complex process with many data sources that bridges the void between industrial obstacles and technology solutions. Its goals are to

- Discover the finest tech solution to decipher subsisting business crises.
- Outlines the composition, attributes, behaviour, and other aspects of the software to project stakeholders.
- Define properties, development chapter, and quick fix essentials.
- Produce stipulation in accord to which the solution is interpreted, controlled, and dispatched.

Every quick fix architecture delineation holds 6 to 7 phases, these caliber should be followed by all evolution teams to secure the standard of the software, so the software is scalable, multifaceted, and metaphoric.

REQUIREMENT:

This project is done utilising the embedded C and python framework for AVR, ARM, and in addition to (based on Wiring) Device BootLoader. IBM Cloud workspace is used for depository and APIs. The front end is done using XML for android.

DESIGN:

All the requisite are used to draft the Application. The layout and architecture of the software are done in a distinctive approach so the software can be employed and developed imminently. The Arduino acquires the region from the GPS equipment and consigns it to the cloud to inspect if the end user is within the confined zone. If the user is further away from the confined zone, an alert is sent to the catalogued mobile through the cloud. When the requisition is opened, the locality is obtained from the cloud and unveiled on the mobile.

IMPLEMENTATION:

The implementation mechanism is done and execution is terminated by progressing the logic by coding. All the vital packages are imported and for each router specific logic is developed in accordance to the usage. Development of a safety device for kids to guarantee their security in the absence of an understated examination of their parents. The various aspects involve:

- GPS
- Notify alert signal

UNIT TESTING:

Each portion of the software is designed by discreet team members, and it is

tested individually by the python unit testing IoT.

INTEGRATION AND TESTING:

After unit testing, all software sections are integrated and tried out ultimately, so the flask program can be run on any platform. The testing progression encompasses Alpha testing and Beta testing.

DEPLOYMENT:

The flask application in the long run is distributed in the IAAS rostrum like IBM cloud assistance, so it can be run in HTTPS protocol alongside SSL. In the deployment process, a real-time database is fastened on the edge of real-time file storage.

MAINTENANCE:

In the wake of victorious deployment, if there is a conglomeration refurbish, it is accomplished in the software.

CATASTROPHIC FEATURES IN THE DEVICE:

ALARM RING:

The safety system redirects a warning to your phone at any occasion, it determines any pursuit. Arming methodology decides which category of alerts you get.


EMERGENCY NOTIFICATION:

An emergency notification system is a labour-saving mechanism to get in touch with a group of people within a corporation and assign salient information during a crisis.

GPS:

The GPS helps to escalate protection and fitness characteristics on the device. Depending upon the device, it can alert parents about their child's location in case of any crisis and helps to trace their route duration and distance.

Solution Architecture Diagram:



User Stories

User Stories

Parent	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account / dashboard	High	Sprint-1
		USN-2	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	Sprint-1
		USN-3	As a user, I can register for the application through Gmail		Medium	Sprint-1
	Login	USN-4	As a user, I can log into the application by entering email & password		High	Sprint-1
	Dashboard	USN-5	As a user, I need to be able to view the functions that I can perform		High	Sprint-1
Child	Notification	USN-1	As a user, I should be able to notify my parent in emergency situations		High	Sprint-2
	Store data	USN-2	As a user, I need to continuously store my location data into the db.		Medium	Sprint-2
	Communication	USN-3	I should be able to communicate with my parents		Low	Sprint-3

6. PROJECT PLANNING & SCHEDULING

Sprint Planning & Estimation

Sprint	Function al Require ment (Epic)	User Story Numbe r	User Story / Task	Story Points	Priority	Team Member s
Sprint-1	Login	USN-1	As a customer, I might ensure login credential through gmail ease manner for the purpose of sending alert message to the parents or guardians (or) informing through normal message.		High	Janani S M
Sprint-1	Registration	USN-2	As a user, I have to registered my details and tools details in a simple and easy manner by considering the safety of child, this registered system sends notification to the parents.	2	High	Prafisha Seelan S Sujithra M
Sprint-2	Dashboard	USN-3	As a user, In case of any emergency situation parents(I) must get the alert notification and location of the child.	3	Medium	Prafisha Seelan S

Sprint	Functio nal Require ment (Epic)	User Story Numb er	User Story / Task	Story Points	Priority	Team Members
Sprint-3	Dashboard	USN-4	As a user, I(parent) need to safeguard child and tracking the child's location and it is important to notify near police station incase of more emergency.	2	High	Sujithra M
Sprint-3	Dashboard	USN-5	As a user, Its good to have a IOT based system to safeguard monitoring without presence of parent.	2	High	Janani S M Prafisha Seelan S
Sprint -4	Monitorin g the environme nt	USN 1	User can monitor the situation of the environment from a dashboard that displays sensor information about the environmentand child health.	2	High	Janani S M Sujithra M
Sprint- 4	Event	USN 6	Sending an alert SMS to the	2	High	Janani S M

Notification	parents andguardians in case of		
	panic situation.		

Estimation:

Sprint	Total Story Points	Duratio n	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date(Actual)
Sprint-1	4	6 Days	24 Oct 2022	29 Oct 2022	4	29 Oct 2022
Sprint-2	3	6 Days	31 Oct 2022	05 Nov 2022	3	05 Nov 2022
Sprint-3	4	6 Days	07 Nov 2022	12 Nov 2022	4	12 Nov 2022
Sprint-4	4	6 Days	20 Nov 2022	26 Nov 2022	4	26 Nov 2022


Velocity:

$$AV = \frac{sprint\ duration}{velocity} = \frac{20}{10} = 2$$

Sprint Delivery Schedule


Sprint	Duration	Sprint Start	Sprint End Date	Sprint Release Date
		Date	(Planned)	(Actual)
Sprint-1	6 Days	24 Oct 2022	29 Oct 2022	29 Oct 2022
Sprint-2	6 Days	31 Oct 2022	05 Nov 2022	05 Nov 2022
Sprint-3	6 Days	07 Nov 2022	12 Nov 2022	12 Nov 2022
Sprint-4	6 Days	20 Nov 2022	26 Nov 2022	26 Nov 2022


Reports from JIRA



7. CODING & SOLUTIONING


Feature 1







Feature 2


Node Red platform is where the necessary connections are made and it is deployed to acquire the desired output.





Database Schema





8. TESTING

Test Cases

				Team ID	PNT2022TMID25151								
						1							
				Project Name	Project - lot based safety gadg	4							
	17. 17. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10	10		Maximum Marks	4 marks		N 9		I a. I	7	TO.	Inual	
Test: case ID	Feature Type	Compo	Test Scenario	Pre-Requisite	Steps To Execute	Test Data	Expected Result	Actual Result	tus	Commnets	TC for Automation(Y/N	BUG	Executed By
Logir.Page TC	Functional	Home					Login/Signup popup should			steps to be follwed	Yes	BUG-	janani,prafi,suji
LoginPage TC	UI	Home	Verify the UI elements in			Mit app child safety	Application should show below			Steps are not clear to	No	BUG-	janani,prafi,suj
LoginPage TC	Functional	Home	Verify user is able to log into			Username: vasu	User should navigate to user			steps to be follwed	No	BUG-	janani,prafi,suj
LoginPage TC	Functional	Login	Verify user is able to log into	User have to create strong	1.Enter	Username: vasu	Application should show	Working	Fail	Steps are not clear to	Yes	BUG-	janani,prafi,su
LoginPage TC	Functional	Login	Verify user is able to log into	User have to create strong	1.Enter	Username: vasu	Application should show	Working	Pas	Steps are not clear to	YES	BUG-	janani,prafi,su
LoginPage TC	Functional	Login	Verify user is able to log into	User have to create strong	1.Enter	Username: vasuki	Application should show	Working	Pas	Steps are not clear to	ues	BUG-	janani,prafi,su
VATSONIOT_"C	Functional	evice raspb	the recent events shown in the	create iot device for sendin	1.Createva device	device : raspberrupi				vice can be created with r		UG-121	janani,prafi,su
VATSONIOT_TO	Functional		the recent events shown in the			device : raspberrupi	To get the distance and results	king as expe	Pass	vice can be created with r	yes	UG-121	ianani,prafi,su
VATSONIOT TO	Functional	evice raspb	the recent events shown in the	create iot device for sendin	1.Createva device	device :	To get the distance and results	king as expe	Pas	vice can be created with r	ues	UG-121	janani,prafi,su
VATSONIOT TO	Functional	IOT	verify the recent events		1.Createva device		To get the distance and results			vice can be created with r		BUG-	ianani.prafi.su
VATSUNIUT TO	Functional	IOT	verify the recent events	User have to create jot	1.Createva device	device : raspberrupi	To get the distance and results	Working	Pas	vice can be created with r		BUG-	ianani.prafi.su
hCode Wokvi TI	Functional	Vokvi	Verify the UV sensor is able to		1. The device organization id is		To calculate the distance in			The program mut be	ues	BUG-	janani,prafi,su
hCode Wokvi T0	Functional	Vokvi	Verify is UV sensor is able to is		1. The device organization id is	UV sensor	To calculate the distance in			The program mut be	ues	BUG-	ianani.prafi.su
Code Vokvi T0	Functional		Verify UV sensor is able to cal		1. The device organization id is	UV sensor	To calculate the distance in			The program mut be	yes	BUG-	janani,prafi,su
0 Node Red	Functional	Flow	Verify the flow connection		1. The node are to be cinnected					Geofence is show the		BUG-	janani,prafi,su
Node Red	Functional	Flow	Verify the flow connection		1. The node are to be cinnected					Geofence is show the	ues	BUG-	janani,prafi,su
2 Node Red	Functional	Flow	Verify the flow connection		1. The node are to be cinnected					Geofence is show the	ues	BUG-	ianani.prafi.su
Node Red	Functional	Flow	Verify the flow connection		The node are to be cinnected					Geofence is show the	yes	BUG-	janani,prafi,su
4 Node Red	Functional	Flow	Verify the flow connection		The node are to be cinnected					Geofence is show the	yes	BUG-	janani,prafi,su
5 Cloudant Db	Functional	Data	Verify the flow connection		The node are to be cinnected					The cloudant Db store		BUG-	janani,prafi,su
6 Cloudant Db	Eunctional	Data		User get the information	1. The node are to be cinnected	Modes connected with a	The geofence node gives the			The cloudant Db store		BUG-	_ ianani.orafi.sui
7		مر مانتونوس		ر دومونونونونونونونونونونونونونون	, A 10 TO THE SECOND SE	130000000000000000000000000000000000000		- 1000000	الموجرا	والوادو عوسو مواطوعو سوامر مواعر		1222	المحاصل المحاص
8		-											
9		100									6		
0		77			3		B 2			21 0	i i		
1		- 72		1			7			26			
2		2									(c)	1	-
3		- 0		1			The cloudant Db store the			56	ξλ	1	
4							The cloudant Db store the		2				۸
5		20 3										1	
6						 					YC.	1	
7		-				Ÿ.		_				 	
8							8			1		1	
9		- 7			V		1 Y			X.	0	1	
0						-	# · · · · · · · · · · · · · · · · · · ·					+ +	
1		- 3		¥		-	E					1	
2						-				v.		 	
		- 2		§	2	-	R 3					-	-
3		8 8		B	8		8				2		8
4									\vdash			\vdash	
5		10					1				3		

Test Scenarios

- 1.) Verify the login cloud services
- 2.) Verify create a device in the IBM Watson IoT platform and get the device credentials.
- 3.) Verify wheather the python code is without error by running it
- 4.) Verify to create a node-red services
- 5.) Verify the events is stored in the database
- 6.) To create a web UI to interact with user
- 7.) To send SMS to the particular child's guardian

User Acceptance Testing

1. Purpose of Document

The purpose of this document is to briefly explain the test coverage and open issues of the [ProductName] project at the time of the release to User Acceptance Testing (UAT).

2. Defect Analysis

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved

Resoluti on	Severi ty 1	Severi ty 2	Severi ty 3	Severi ty 4	Subtotal
By Design	4	4	2	0	10
Duplicate	0	0	0	1	1
External	2	0	0	1	3
Fixed	7	2	0	0	9
Not Reproduced	0	1	1	0	2
Skipped	0	0	0	0	0
Won't Fix	0	0	0	0	0
Totals	13	7	3	2	2 5

3. Test Case Analysis

This report shows the number of test cases that have passed, failed, and untested

Section	Total Cases	Not Tested	Fail	Pass
Print Engine	1	0	0	1
Client Application	1	0	0	1
Security	1	0	0	1
Outsource Shipping	1	0	0	1
Exception Reporting	1	0	0	1
Final Report Output	1	0	0	1
Version Control	1	0	0	1

9. RESULTS

9.1 Performance Metrics

				NE	T - Risk Assessmen	t			
S.No	Project Name	Scope/feature	Functional Changes	Hardware Changes	Software Changes	Impact of Downtime	Load/Voluem Changes	Risk Score	
1	IoT child safety gadget	New	moderate	No Changes	Moderate		>5 to 10%	ORANGE	
_	-								_
- 3		*	2					3	_
								1	
				NF	T - Detailed Test Pla	in			
			S.No	Project Overview	NFT Test approach	umptions/Dependencies/R	Approvals/SignOff		
			1	To get Alert message when child crosses safety a	re Performance good	When device disconnected	Approved by Nodered	5	
					End Of Test Report				
S.No	Project Overview	NFT Test approach	NFR - Met	Test Outcome	GO/NO-GO decision	Recommendations	Identified Defects (Detected/Closed/Open)	Approvals/SignOff	
1	Creating login and signup page	performance	Time	quick response	worth	better	closed	Approval	
	creating webapplication using nodered	usability	Reliability	Failure rate: 15%	worth	good	Detected	Approval	
	, Pythoncode	performance	Robustness	Data corruption probability after a failure	worth	Good	Detected	Approval	
	Storing location in cloudant DB	Security	Space	Main memory	Worth	Better	Closed	Approval	
	Integrating all	Security	Portability	Connected and get output	worth	Good	Closed	Approval	

	NFT Test approach							
	Load Test							
Scenario Name	Load Test - Location Tracker SAMPLE PROJECT							
Scenario Type	Load Test - Duration 15 minutes							
Scenario Objectives	To Stimulate Python Code(Location Details) and to monitor the performance of Location Tracker SAMPLE PROJECT							
Steps	We have integrate IBM Watson IoT Platform in order to get this Location details from python program. We also integrate fast SMS service in order to send an alert to guardian or parent							
Entry Criteria	Test data is set-up. All the Components(software & hardware) is set-up. It is completed successfully.							
Exit Criteria	Response time meets the actual Result. Test completion report is agreed upon by mentors							

10. ADVANTAGES

- **1.**) Trace whereabouts and Minimise the Tragedy
- 2.) Create unassailable environment
- 3.) Toddlers in hamlet and metropolis can be saved
- 4.) ceaseless Surveillance and instantaneous notification regime
- **5.**) High dependability and data accuracy
- **6.**) Eradicates ambiguity and Pays way for a tech-driven community

DISADVANTAGES

- 1.) Inadequate battery supply leads to switching off the device
- **2.)** Impractical to use the device forever
- **3.)** Improper weather condition
- **4.**) Improper connectivity
- **5.)** Misplacement or losing the tag
- **6.**) Over usage of data

11. CONCLUSION

The System put forward this paper to ensure the safety of children and increase their confidence. Many experimenters are operating in this area and have formulated different technologies to aid children. The key represented in this paper takes the advantage of smartphones which proposes affluent elements like Google maps, SMS, etc. The child safety and protection device is proficient in acting as a smart IoT device. It equips parents with real-time location, the surrounding temperature, and along with an alarm buzzer for their child's circumstances and the capability to locate their child. This paper depicts the fundamental design concept and functionality along with the anticipated consequensce.

The application aside from conceding you to track down your children when they're within Bluetooth range, it also functions when your kids go farther afield. Its competence as a tracker is outstanding and if you live in densely populated areas like cities or big towns. This means you will be able to see the identity of the participating devices and It helps to diminish their vulnerability in harmful situations and also protects the children in emergency situations.

Parents take measures both at home and outdoors to safeguard their kids from hurting themselves. But sometimes, it's impossible to pre-empt what can cause a treacherous encounter. However, it's possible to prevent such hazards with some forethought and simple measures using these safety gadgets.

12. FUTURE SCOPE

Ceaseless Surveillance:

If any deviant readings are disclosed by the sensor, then an SMS and phone calls are set off to the parent's mobile.

Create unassailable environment:

Precisely predicting the circumstances of the children and swiftly sensing the problems around children will make parents at ease. It helps to diminish their vulnerability in harmful situations and also protects the children in emergency situations.

Pays way for a tech-driven community:

Children and their parents are veering around to digital solutions more than ever to support children's cognition and it notifies the information about the child in a web application

13. APPENDIX

Source Code:

```
import json
import wiotp.sdk.device
import time
myConfig = {
  "identity":{
    "orgId": "4o1qxb",
    "typeId": "TestDeviceType",
    "deviceId": "12345"
  },
  "auth": {
    "token":"pnhXvzN-sWMKv&hxyi"
  }
client= wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()
while True:
    name = "Smartbridge"
    #in area location
    #latitude = 17.4225176
    \#longitude = 78.5456842
    #out area location
```

```
latitude= 17.4219272
longitude= 78.5488783
myData={'name': name, 'lat':latitude, 'lon': longitude}
client.publishEvent (eventId="status", msgFormat="json", data=myData,
qos=0, onPublish=None)
print("Data published to IBM IoT platfrom: ",myData)
time.sleep(5)

client.disconnect()
```

GitHub: https://github.com/IBM-EPBL/IBM-Project-55560-1669137244

Project Demo Link: https://drive.google.com/file/d/1-4YTu6p9EaJ9YBy6xOneSWoLVJk_nl1C/view?usp=drivesdk