

Delivery of Sprint – 3

Node Red Connection to IBM Cloudant

Date	5 November 2022
Project Name	Smart Waste Management for Metropolitan Cities - IOT

1. Node-RED Connection setup for data transmission from IBM Watson IOT platform to Node-RED dashboard.


```

177
178
179
180
181
182 if(cm <= 25)
183 {
184   digitalWrite(21,HIGH);
185   String payload = "{\"High_Alert\":\"";
186   payload += cm;
187   payload += " }";
188   Serial.print("\n");
189   Serial.print("Sending payload: ");
190   Serial.println(payload);
191
192   if (client.publish(publishTopic, (char*) payload.c_str())) // if
193   {
194     Serial.println("Publish OK");
195   }
196 }
197 if(cm <= 50)
198 {
199   digitalWrite(22,HIGH);
200   String payload = "{\"Warning\":\"";
201   payload += cm;
202   payload += " }";
203   Serial.print("\n");

```

Simulation

PIR Motion Sensor
Simulate motion

Sending distance: 26.94
Publish OK
Motion Detected
Lid Opened
High Alert!!!,Trash bin is about to be full
Lid Closed

3.Data transfer to Watson IOT platform.

IBM Watson IoT Platform

962319104024@students.amrita.edu.in
ID: 9gbe4w


Browse Action Device Types Interfaces

Add Device

The recent events listed show the live stream of data that is coming and going from this device.

Event	Value	Format	Last Received
data	{"Warning";28.95}	json	a few seconds ago
data	{"Warning";28.95}	json	a few seconds ago
data	{"Warning";49.98}	json	a minute ago
data	{"Warning";49.98}	json	a minute ago
data	{"Warning";11.03}	json	a minute ago

4.Data transfer from IBM Watson IOT platform and wokwi to Node red.



5. Storing database in IBM cloudant DB.

ee6aeb4a-3006-499e-940e-af19edf953bf-bluemix.cloudant.com/dashboard.html#/all_dbs

Databases

Database name Create Database { } JSON 🔔

Your Databases

Name	Size	# of Docs	Partitioned	Actions
login_credentials	13.7 KB	111	No	🔍 🔒 🗑️
noderedwjldy20221105	37.4 KB	4	No	🔍 🔒 🗑️
sample	59.4 KB	351	No	🔍 🔒 🗑️
sensor_data	15.7 KB	90	No	🔍 🔒 🗑️

Showing 1-4 of 4 databases. Databases per page 20 « 1 »

id	key	value
0198213c192cb2c244cc2433f1...	0198213c192cb2c244cc2433f1...	{"rev": "1-cde2dd17c519394df...",
0198213c192cb2c244cc2433f1...	0198213c192cb2c244cc2433f1...	{"rev": "1-d26c5b40891e13c6c...",
0198213c192cb2c244cc2433f1...	0198213c192cb2c244cc2433f1...	{"rev": "1-cde2dd17c519394df...",
0198213c192cb2c244cc2433f1...	0198213c192cb2c244cc2433f1...	{"rev": "1-f96eb0460bc16cfab0...",
1a921f21cbe229b86f599acb45...	1a921f21cbe229b86f599acb45...	{"rev": "1-7226f08794cd47b7c...",
1a921f21cbe229b86f599acb45...	1a921f21cbe229b86f599acb45...	{"rev": "1-1bbdd9a985bd56cf9...",
20a854e5445fa818e6c1de049...	20a854e5445fa818e6c1de049...	{"rev": "1-7226f08794cd47b7c...",
20a854e5445fa818e6c1de049...	20a854e5445fa818e6c1de049...	{"rev": "1-3ad288ecad57f039e...",
20a854e5445fa818e6c1de049...	20a854e5445fa818e6c1de049...	{"rev": "1-1bbdd9a985bd56cf9...",
298ed6fhd9h3h815f5ac7c061e...	298ed6fhd9h3h815f5ac7c061e...	{"rev": "1-4e7240f6e5307a1b9...",

6.Data is stored in JSON format

```

1 {
2   "_id": "0198213c192cb2c244cc2433f1802b91",
3   "_rev": "1-cde2dd17c519394df774730c495f8b",
4   "topic": "iot-2/type/SWMSMC/id/ibmproject/evt/data/fmt/json",
5   "payload": {
6     "Warning!!": "244.971eft"
7   },
8   "deviceId": "ibmproject",
9   "deviceType": "SWMSMC",
10  "eventType": "data",
11  "format": "json"
12 }

```

