Python Code

```
import time import sys
import ibmiotf.application
import ibmiotf.device import
random
```

```
#Provide your IBM Watson Device Credentials organization
= "2melo1" deviceType =
"waste" deviceId = "1234" authMethod
="token" authToken = "12345678"

# Initialize GPIO

def myCommandCallback(cmd):
print("Commandreceived: %s" % cmd.data['command'])
status=cmd.data['command'] if status=="waste level":
    print ("waste level monitored")
else:
    print ("weight level monitored")
```

```
try:
deviceOptions = {"org": organization, "type": deviceType, "id": deviceId, "auth-method":
authMethod, "auth-token": authToken} deviceCli = ibmiotf.device.Client(deviceOptions)
       #.....
except Exception as e:
        print("Caught exception connecting device: %s" % str(e))sys.exit()
# Connect and send a datapoint "hello" with value "world" into the cloud as an event of type "greeting"
10 times deviceCli.connect()
while True:
    #Get Sensor Data from DHT11
    level=random.randint(0,100) weight=random.randint(0,100)
    data = { 'level' : level, 'weight': weight }
    #print data
    def myOnPublishCallback():
      print ("Published Level = %s %%" % level, "Weight = %s %%" % weight, "to IBM Watson")
```

#print(cmd)

```
success = deviceCli.publishEvent("IoTSensor", "json", data, qos=0,
on_publish=myOnPublishCallback)
   if not success:
print("Notconnected to
IoTF")time.sleep(20)
```

deviceCli.commandCallback = myCommandCallback

Disconnect the device and application from the cloud deviceCli.disconnect()

OUTPUT:

```
File Edit Shell Debug Options Window Help

Python 3.7.0 (v3.7.0:1bf9cc5093, Jun 27 2018, 04:59:51) [MSC v.1914 64 bit (AMD64)] on win32

Type "copyright", "credits" or "license()" for more information.

>>>

RESTART: C:/Users/welcome/AppData/Local/Programs/Python/Python37/smart waste.py
2022-11-06 23:23:06,437 immioff.device.Client INFO Connected successfully: d:2melo1:waste:1234

Published Level = 24 w Weight = 28 % to IBM Watson

Published Level = 24 w Weight = 18 % to IBM Watson

Published Level = 70 % Weight = 59 % to IBM Watson

Published Level = 70 % Weight = 31 % to IBM Watson

Published Level = 49 % Weight = 3 % to IBM Watson

Published Level = 20 % Weight = 73 % to IBM Watson

Published Level = 20 % Weight = 73 % to IBM Watson

Published Level = 68 % Weight = 73 % to IBM Watson

Published Level = 28 % Weight = 45 % to IBM Watson

Published Level = 32 % Weight = 45 % to IBM Watson

Published Level = 32 % Weight = 68 % to IBM Watson

Published Level = 28 % Weight = 44 % to IBM Watson

Published Level = 28 % Weight = 44 % to IBM Watson

Published Level = 28 % Weight = 42 % to IBM Watson

Published Level = 28 % Weight = 42 % to IBM Watson

Published Level = 29 % Weight = 25 % to IBM Watson

Published Level = 29 % Weight = 25 % to IBM Watson

Published Level = 29 % Weight = 25 % to IBM Watson

Published Level = 29 % Weight = 25 % to IBM Watson


Published Level = 29 % Weight = 25 % to IBM Watson

Published Level = 29 % Weight = 25 % to IBM Watson

Published Level = 29 % Weight = 25 % to IBM Watson

Published Level = 78 % Weight = 25 % to IBM Watson
```

NODE RED INPUT AND OUPUT:



Garbage Monitoring Trash Weight Garbage Level