Sprint-1

Team ID	PNT2022TMID20463
Project Name	Smart Fashion Recommender Application
Team Members	MENATI VASUDEVA REDDY
	MOHAMMAD AZEER
	LOGHADHARSHANN
	RAJA VIGNESH

Sprint1.py

```
from flask import Flask, render_template, request,
redirect, url_for, sessionimport ibm_db
import re
app = Flask( name )
app.secret_key = 'a'
conn = ibm\_db.connect("DATABASE=bludb; HOSTNAME=
9938aec0-8105-433e-8bf9-0fbb7e483086.c1ogj3sd0tgtu0lqde00.
databases.appdomain.clo ud;PORT=32459;Security=SSL;SSLServerCertificate=
DigiCertGlobalRootCA.crt;UID=dpk79343;PWD=29Jm7EbzOubtoerk", ", ")
@app.rou
te('/')def
homer():
  return
render_template('index.html')
@app.route('/Login',
methods=['GET', 'POST'])def
login():
  global
  userid
  msg = "
```

```
username =
  request.form['username']
  password =
  request.form['password']
  sql = "SELECT * FROM users WHERE
  username =? AND password=?"stmt =
  ibm_db.prepare(conn, sql)
  ibm_db.bind_param(stmt, 1, username)
  ibm_db.bind_param(stmt,
  2, password)
  ibm_db.execute(stmt)
  account =
  ibm_db.fetch_assoc(stmt)
  print(account)
  if account:
     session['loggedin'] =
     True session['id'] =
     account['USERNAME'
     luserid =
     account['USERNAME'
     session['username'] =
     account['USERNAME']msg
     = 'Logged in successfully!'
     msg = 'Logged in successfully!'
     return
  render_template('homepage.html',
  msg=msg)else:
     msg = 'Incorrect username
/ password !'return
render_template('index.html',
msg=msg)
```

if request.method == 'POST':

```
@app.route('/Register',
methods=['GET', 'POST'])def
registet():
  msg = "
  if request.method == 'POST':
     username =
     request.form['username']
     email =
     request.form['email']
     password =
     request.form['password']
     sql = "SELECT * FROM users
     WHERE username =?"stmt =
     ibm_db.prepare(conn, sql)
     ibm_db.bind_param(stmt, 1,
     username)
     ibm_db.execute(stmt)
     account =
     ibm_db.fetch_assoc(stmt)
     print(account)
     if account:
       msg = 'Account already exists!'
     elif not
       re.match(r'[^@]+@[^@]+\.[^
        @]+', email):msg = 'Invalid
       email address!'
     elif not re.match(r'[A-Za-z0-9]+', username):
       msg = 'name must contain only
     characters and numbers !'else:
       insert_sql = "INSERT INTO users
```

```
VALUES (?, ?, ?)"prep_stmt =
        ibm_db.prepare(conn, insert_sql)
       ibm_db.bind_param(prep_stmt, 1,
        username)
       ibm_db.bind_param(prep_stmt, 2, email)
        ibm_db.bind_param(prep_stmt, 3, password)
       ibm_db.execute(prep_stmt)
       msg = 'You have successfully registered!'
  elif request.method == 'POST':
     msg = 'Please fill out the
  form!' return
  render_template('reg.html',
  msg=msg)
@app.route('/H
omepage')def
dash():
  return
render_template('homepage.ht
ml') @app.route('/apply',
methods=['GET', 'POST'])def
apply():
  msg = "
  if request.method == 'POST':
     username =
     request.form['username']
     email =
     request.form['email']
     qualification =
     request.form['qualification']
     skills = request.form['skills']
     jobs = request.form['s']
```

```
sql = "SELECT * FROM users
WHERE username =?"stmt =
ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt, 1,
username)
ibm_db.execute(stmt)
account =
ibm_db.fetch_assoc(stmt)
print(account)
if account:
  msg = 'there is only 1 job
  position! for you'return
  render_template('apply.html',
  msg=msg)
insert_sql = "INSERT INTO job
VALUES (?, ?, ?, ?, ?)"prep_stmt =
ibm_db.prepare(conn, insert_sql)
ibm_db.bind_param(prep_stmt, 1,
username)
ibm_db.bind_param(prep_stmt, 2, email)
ibm_db.bind_param(prep_stmt, 3, qualification)
ibm_db.bind_param(prep_stmt, 4, skills)
ibm_db.bind_param(prep_
stmt, 5, jobs)
ibm_db.execute(prep_stmt
msg = 'You have successfully applied for
job !'session['loggedin'] = True
TEXT = "Hello, a new application for job position" + jobs+"is requested"
```

```
elif request.method == 'POST':
     msg = 'Please fill out the
  form!' return
  render_template('apply.html',
  msg=msg)
@app.route('/di
splay')def
display():
  print(session["username"],
  session['id'])cursor =
  mysql.connection.cursor()
  cursor.execute('SELECT * FROM job WHERE
  userid = % s', (session['id'],))account =
  cursor.fetchone()
  print("accountdislay", account)
  return render_template('display.html',
account=account)@app.route('/logout')
def logout():
  session.pop('loggedin', None)
   session.pop('id', None)
  session.pop('username', None)
   return render_template('home.html')
  app.run(host='0.0.0.0')
   </html>
```

Reg.html

```
<html>
  <head>
     <title> SFRA </title>
  </head>
  <style>
     *{
  margi
  n: 0;
  padding: 0;
  font-family: "Century Gothic", Century Gothic,
  AppleGothic, sans-serif;
}
.main{
  width: 100%;
  background: linear-gradient(to top, rgba(0,0,0,0.5),
  rgba(0,0,0,0.5)50%);background-position: center;
  background-size: cover; height: 100%;
  font-family:"Century Gothic", CenturyGothic,
  AppleGothic, sans-serif;
}
.navbar{
  width: 100%; height: 75px;margin: auto;
}
.icon{
  width: 200px;float: left;
  height: 70px;
}
```

```
.logo{
   color:rgb(244, 27, 11);font-size: 35px;
   padding-left: 20px;float: left; padding-top: 10px;
}
.menu{
   width: 400px;float: left; height: 70px;
}
ul{
  float: left; display: flex;
  justify-content: center; align-items: center;
}
ul li{
   list-style: none; margin-left: 62px;margin-top: 27px; font-size: 14px;
}
ul li a{
   text-decoration: none; color: yellow green;
   font-weight: bold; transition: 0.4s ease-in-out;
}
ul li a:hover{color:red;
}
.search{
   width: 330px; float: left; margin-left: 270px;
}
```

```
.srch{
  width: 200px;height: 40px;
  background: transparent; border: 1px solidred; margin-top: 13px; color:yellowgreen;
  border-right: none; font-size: 16px;
  float: left; padding: 10px;
  border-bottom-left-radius: 5px;border-top-left-radius: 5px;
}
.btn{
  width: 100px; height: 40px; background:red; border: 2px solidred;margin-top: 13px;
  color:yellow; font-size: 15px;
  border-bottom-right-radius: 5px;border-bottom-right-radius: 5px;
}
.btn:focus{
  outline: none;
}
.srch:focus{
  outline: none;
}
.content{
  width: 1200px; height: auto; margin: auto; color:yellowgreen; position: relative;
}
.content.par{
  padding-left: 20px; padding-bottom: 25px;
  letter-spacing: 1.2px;line-height: 30px;
}
.content h1{
```


```
font-size: 50px; padding-left: 20px; margin-top: 9%; letter-spacing: 2px;
}
.content .cn{
  width: 160px; height: 40px; background:red; border: none; margin-bottom: 10px;
  margin-left: 20px; font-size: 18px; border-radius: 10px; cursor: pointer;
  transition: .4s ease;
}
.content .cn a{
  text-decoration: none; color: #000; transition: .3s ease;
}
.cn:hover{
  background-color:white;
}
.content span{color:re;
  font-size: 60px;
}
.form{
  width: 250px; height: 380px;
  background: linear-gradient(to top,rgba(0,0,0,0.8)50%,rgba(0,0,0,0.8)50%);position:
  absolute;
  top: -20px;
  left: 870px;
  border-radius: 10px;padding: 25px;
}
.form h2{
  width: 220px;
```

```
text-align: center;color:re;
  font-size: 22px;
  border-radius: 10px;margin: 2px; padding: 8px;
}
.form input{
  width: 240px;height: 35px;
  background: transparent;
}
.form input{
  width: 240px;height: 35px;
  background: transparent; border-bottom: 1px solidred;border-top: none;
  border-right: none; border-left: none; color:white;
  font-size: 15px; letter-spacing: 1px;margin-top: 30px;
}
.form input:focus{outline: none;
::placeholder{ color:white;
}
.btnn{
  width: 240px; height: 40px; background:red; border: none; margin-top: 30px; font-size:
  18px; border-radius: 10px; cursor: pointer; color:white;
  transition: 0.4s ease:
}
.btnn:hover{
  background:white;color:red;
```

```
}
.btnn a{
  text-decoration: none; color: #000;
  font-weight: bold;
}
.form .link{
  font-size: 17px; padding-top: 20px; text-align: center;
}
.form .link a{
  text-decoration: none; color: white;
}
.liw{
  padding-top: 15px; padding-bottom: 10px;text-align: center;
}
  </style>
  <body>
     <div class="main">
       <div class="navbar">
          <div class="icon">
             <h2 class="logo">Smart Z</h2>
          </div>
          <div class="menu">
             <ul>
               <a href="#">HOME</a>
               <a href="#">ABOUT</a>
```

```
</div>
         <div class="search">
            <input class="srch" type="search" name="" placeholder="Type to search">
            <a href="#"><button class="btn">Search</button></a>
         </div>
       </div>
       <div class="content">
         <h1>Smart Fashion <br/>
<br/>
span>Application</span></h1>
            <div class="form">
              <h2>SMART REGISTER</h2>
              <form action="/Register" method="post">
              <input type="text"</pre>
                                         name="username"
                             placeholder="Username">
              <input type="email"
                                      name="email"
                                                        placeholder="Email id">
              <input type="password" name="password" placeholder="Password">
              <button type="submit" class="btnn">REGISTER</button>
              Already have an account<br>
              <a href="/Login">Log in</a> here</a>
              </form>
            </div>
       </div>
    </div>
  </body>
</html>
```

Output:



Index.html

```
background: linear-gradient(to top,
  rgba(0,0,0,0.5),rgba(0,0,0,0.5)50%);background-
  position: center;
  background-
  size: cover;
  height: 100%;
  font-family: "Century Gothic", Century Gothic, Apple Gothic, sans-serif;
}
.navbar{
  width: 100%; height: 75px;margin: auto;
}
.icon{
  width: 200px;float: left; height: 70px;
}
.logo{
  color:rgb(244, 27, 11);font-size: 35px;
  padding-left: 20px;float: left; padding-top: 10px;
}
.menu{
  width: 400px;float: left; height: 70px;
}
ul{
 float: left; display: flex;
 justify-content: center; align-items: center;
}
ul li{
  list-style: none; margin-left: 62px;margin-top: 27px; font-size: 14px;
}
```

```
ul li a{
  text-decoration: none; color: yellow green;
  font-weight: bold; transition: 0.4s ease-in-out;
}
ul li a:hover{color:red;
}
.search{
  width:
  330px; float:
  left; margin-
  left: 270px;
}
.srch{}\{
  width: 200px;
  height: 40px;
  background: transparent;
  border: 1px solidred;
  margin-top: 13px;
  color:yellowgreen;
  border-right: none;
  font-size: 16px;
  float: left; padding: 10px;
  border-bottom-left-radius: 5px;
  border-top-left-radius: 5px;
}
.btn{
  width: 100px;
   height: 40px;
```

```
background:red;
  border: 2px solidred;
  margin-top: 13px;
  color:yellow;
  font-size: 15px;
  border-bottom-right-radius: 5px;border-bottom-right-radius: 5px;
}
.btn:focus{
  outline: none;
}
.srch:focus{
  outline: none;
}
.content{
  width: 1200px;
  height: auto;
  margin: auto;
  color:yellow_green;
  position: relative;
}
.content.par{
  padding-left:
  20px;
  padding-
  bottom: 25px;
  letter-spacing:
  1.2px;line-
  height: 30px;
}
```

```
.content h1{
  font-size: 50px;
  padding-left: 20px;
  margin-top: 9%;
  letter-spacing: 2px;
}
.content .cn{
  width: 160px;
  height: 40px;
  background:red;
  border: none;
  margin-bottom: 10px;
  margin-left: 20px;
  font-size: 18px;
  border-radius: 10px;
  cursor: pointer;
  transition: .4s ease;
}
.content .cn a{
  text-
  decoration:
  none;color:
  #000;
  transition: .3s
  ease;
}
.cn:hover{
  background-color:white;
}
```


```
.content
  span{
  color:r
  e;
  font-size: 60px;
}
.form{
  width:
  250px;
  height:
  380px;
  background: linear-gradient(to
  top,rgba(0,0,0,0.8)50%,rgba(0,0,0,0.8)50%);position:
  absolute;
  top: -20px; left: 870px;
  border-
  radius: 10px;
  padding:
  25px;
}
.form h2{
  width: 220px;
  text-align: center;color:re;
  font-size: 22px;
  border-radius: 10px;margin: 2px; padding: 8px;
}
.form input{
  width: 240px;height: 35px;
  background: transparent;
}
```

```
.form input{
  width: 240px;height: 35px;
  background: transparent; border-bottom: 1px solidred;border-top: none;
  border-right: none; border-left: none; color:white;
  font-size: 15px; letter-spacing: 1px;margin-top: 30px;
}
.form input:focus{outline: none;
::placeholder{ color:white;
}
.btnn{
  width: 240px; height: 40px; background:red; border: none;
  margin-top: 30px; font-size: 18px; border-radius: 10px;
  cursor: pointer; color:white;
  transition: 0.4s ease;
}
.btnn:hover{
  background:white;color:red;
}
.btnn a{
  text-
  decoration:
  none;color:
  #000;
  font-weight: bold;
}
```

```
.form .link{
  font-size: 17px; padding-top: 20px; text-align: center;
}
.form .link a{
  text-decoration: none; color: white;
}
.liw{
  padding-top: 15px; padding-bottom: 10px;text-align: center;
}
  </style>
  <body>
     <div class="main">
       <div class="navbar">
          <div class="icon">
            <h2 class="logo">Smart Z</h2>
          </div>
          <div class="menu">
            <u1>
               <a href="#">HOME</a>
               <a href="#">ABOUT</a>
            </div>
          <div class="search">
            <input class="srch" type="search" name=""</pre>
             placeholder="Type to search">
            <a href="#"><button class="btn">Search</button></a>
          </div>
       </div>
       <div class="content">
          <h1>Smart Fashion <br/>
<br/>
span>Application</span></h1>
```

```
<div class="form">
              <h2>SMART REGISTER</h2>
              <form action="/Register" method="post">
              <input type="text"</pre>
                                        name="username"
                            placeholder="Username">
              <input type="email"</pre>
                                       name="email"
                                                        placeholder="Email id">
              <input type="password" name="password" placeholder="Password">
              <button type="submit" class="btnn">REGISTER</button>
              Already have an account<br>
              <a href="/Login">Log in</a> here</a>
              </form>
            </div>
       </div>
    </div>
  </body>
</html>
```

Output



Homepage.html

<html>

```
<head>
     <title> SFRA </title>
  </head>
  <style>
     *{
  margi
  n: 0;
  padding: 0;
  font-family: "Century Gothic", Century Gothic, Apple Gothic, sans-serif;
}
.main{
  width: 100%;
  background: linear-gradient(to top,
  rgba(0,0,0,0.5),rgba(0,0,0,0.5)50%);background-
  position: center;
  background-
  size: cover;
  height: 100%;
  font-family: "Century Gothic", Century Gothic, Apple Gothic, sans-serif;
}
.navbar{
  width: 100%; height: 75px;margin: auto;
}
.icon{
  width: 200px;float: left; height: 70px;
}
.logo{
  color:red;
  font-size: 35px;
```

```
padding-left: 20px;float: left; padding-top: 10px;
}
.menu{
  width: 400px;float: left; height: 70px;
}
ul{
  float: left; display: flex;
 justify-content: center; align-items: center;
}
ul li{
  list-style: none; margin-left: 62px;margin-top: 27px; font-size: 14px;
}
ul li a{
  text-decoration: none; color: yellow green;
  font-weight: bold; transition: 0.4s ease-in-out;
}
ul li a:hover{
  color: yellowgreen;
.search{
  width: 330px; float: left; margin-left: 270px;
}
.srch{
  width: 200px;height: 40px;
  background: transparent;border: 1px solid red;
  margin-top: 13px; color: yellow;
  border-right: none;font-size: 16px; float: left;
```

```
padding: 10px;
  border-bottom-left-radius: 5px;
  border-top-left-radius: 5px;
}
.btn{
  width: 100px; height: 40px; background:red;
  border: 2px solid yellowgreen;margin-top: 13px;
  color: #ffff; font-size: 15px;
  border-bottom-right-radius: 5px;border-bottom-right-radius: 5px;
}
.btn:focus{
  outline: none;
}
.srch:focus{
  outline: none;
}
.content{
  width: 1200px; height: auto; margin: auto; color: yellowgreen; position: relative;
}
.content.par{
  padding-left: 20px; padding-bottom: 25px;
  letter-spacing: 1.2px;line-height: 30px;
}
.content h1{
  font-size: 50px; padding-left: 20px; margin-top: 9%; letter-spacing: 2px;
}
.content .cn{
```

```
width: 160px;height: 40px;
  background: greenyellow;border: none;
  margin-bottom: 10px; margin-left: 20px; font-size: 18px;
   border-radius: 10px; cursor: pointer; transition: .4s ease;
}
.content .cn a{
  text-decoration: none; color: #000; transition: .3s ease;
}
.cn:hover{
  background-color: #fff;
}
.content span{ color:yellowgreen;font-size: 60px;
.form{
  width: 250px; height: 380px;
  background: linear-gradient(to top,rgba(0,0,0,0.8)50%,
  rgba(0,0,0,0.8)50%);position: absolute;
  top: -20px; left: 870px;
  border-radius: 10px;padding: 25px;
.form h2{
  width: 220px;
  text-aligncenter; color: yellowgreen; font-size: 22px;
  border-radius: 10px;margin: 2px; padding: 8px;
  width: 240px;height: 35px;
  background: transparent;
.form input{
  width: 240px;height: 35px;
```

```
background: transparent;
  border-bottom: 1px solid yellowgreen;border-top: none;
  border-right: none; border-left: none; color: #fff;
  font-size: 15px; letter-spacing: 1px;margin-top: 30px;
  : center; color: yellow green; font-size: 22px;
  border-radius: 10px;margin: 2px; padding: 8px;
}
.form input{
  width: 240px;height: 35px;
  background: transparent;
}
.form input{
  width: 240px;height: 35px;
  background: transparent;
  border-bottom: 1px solid yellowgreen;border-top: none;
  border-right: none; border-left: none; color: #fff;
  font-size: 15px; letter-spacing: 1px;margin-top: 30px;
}
.form input:focus{outline: none;
}
::placeholder{ color: #fff;
}
.btnn{
  width: 240px; height: 40px; background: red;
  border: none; margin-top: 30px; font-size: 18px;
   border-radius: 10px;cursor: pointer; color: #fff;
  transition: 0.4s ease;
}
```

```
.btnn:hover{
  background: #fff; color: yellowgreen;
}
.btnn a{
  text-decoration: none; color: #000;
  font-weight: bold;
}
.form .link{
  font-size: 17px; padding-top: 20px; text-align: center;
}
.form .link a{
  text-decoration: none; color: yellowgreen;
}
.liw{
  padding-top: 15px; padding-bottom: 10px;text-align: center;
}
  </style>
  <body>
     <div class="main">
        <div class="navbar">
          <div class="icon">
             <h2 class="logo">Smart Z</h2>
          </div>
          <div class="menu">
             \langle ul \rangle
                <a href="#">HOME</a>
                <a href="#">ABOUT</a>
```

```
</div>
          <div class="search">
            <input class="srch" type="search" name="" placeholder="Type to search">
            <a href="#"><button class="btn">Search</button></a>
          </div>
       </div>
       <div class="content">
          <h1>Smart Fashion <br/>
<br/>
span>Application</span></h1>
            <div class="form">
               <h2>SMART LOGIN</h2>
               <form action="/Login" method="post">
               <input type="text" name="username" placeholder="Enter Username</pre>
               Here">
               <input type="password" name="password" placeholder="Enter Password</pre>
               here">
               <button type="submit" class="btnn"><a href="#">Login</a></button>
               Don't have an account<br>
               <a href="/Register">Sign up </a> here</a>
               </form>
            </div>
       </div>
     </div>
  </body>
</html>
<html>
  <head>
     <title> SFRA </title>
  </head>
  <style>
```

```
*{
  margi
  n: 0;
  padding: 0;
  font-family: "Century Gothic", Century Gothic, Apple Gothic, sans-serif;
}
.main{
  width: 100%;
  background: linear-gradient(to top,
  rgba(0,0,0,0.5),rgba(0,0,0,0.5)50%);background-
  position: center;
  background-
  size: cover;
  height: 100%;
  font-family: "Century Gothic", Century Gothic, Apple Gothic, sans-serif;
}
.navbar{
  width: 100%; height: 75px;margin: auto;
}
.icon{
  width: 200px;float: left; height: 70px;
}
.logo{
  color:rgb(98, 246, 152);font-size: 35px;
  padding-left: 20px;float: left; padding-top: 10px;
}
.menu{
  width: 400px;float: left; height: 70px;
```

```
}
ul{
  float: left; display: flex;
 justify-content: center; align-items: center;
}
ul li{
  list-style: none; margin-left: 62px;margin-top: 27px; font-size: 14px;
}
ul li a{
  text-decoration: none; color: #ffff;
  font-weight: bold; transition: 0.4s ease-in-out;
}
ul li a:hover{
  color: rgb(98, 246, 152);
}
.search{
  width: 330px; float: left; margin-left: 270px;
}
.srch{
  width: 200px;height: 40px;
  background: transparent;
  border: 1px solid rgb(98, 246, 152);margin-top: 13px;
  color: #ffff; border-right: none;font-size: 16px; float: left; padding: 10px;
  border-bottom-left-radius: 5px;border-top-left-radius: 5px;
}
.btn{
  width: 100px;height: 40px;
```

```
background:rgb(98, 246, 152);
  border: 2px solid rgb(98, 246, 152);margin-top: 13px;
  color: #ffff; font-size: 15px;
  border-bottom-right-radius: 5px;border-bottom-right-radius: 5px;
}
.btn:focus{
  outline: none;
}
.srch:focus{
  outline: none;
}
.content{
  width: 1200px; height: auto; margin: auto; color: #ffff; position: relative;
}
.content.par{
  padding-left: 20px; padding-bottom: 25px;
  letter-spacing: 1.2px;line-height: 30px;
}
.content h1{
  font-size: 50px; padding-left: 20px; margin-top: 9%; letter-spacing: 2px;
}
.content .cn{
  width: 160px;height: 40px;
   background: rgb(98, 246, 152);border: none;
  margin-bottom: 10px; margin-left: 20px; font-size: 18px; border-radius: 10px; cursor:
  pointer; transition: .4s ease;
}
```

```
.content .cn a{
   text-decoration: none;color: #000; transition: .3s ease;
}
```

```
.cn:hover{
  background-color: #fff;
}
.content span{ color:rgb(98, 246, 152);font-size: 60px;
}
.form{
  width: 250px; height: 380px;
  background: linear-gradient(to top,rgba(0,0,0,0.8)50%,
  rgba(0,0,0,0.8)50\%); position: absolute;
  top: -20px; left: 870px;
  border-radius: 10px;padding: 25px;
}
.form h2{
  width: 220px;
  text-align: center; color:rgb(98, 246, 152);font-size: 22px;
  border-radius: 10px;margin: 2px; padding: 8px;
}
.form input{
  width: 240px;height: 35px;
  background: transparent;
}
.form input{
  width: 240px;height: 35px;
  background: transparent;
  border-bottom: 1px solid rgb(98, 246, 152);border-top: none;
  border-right: none; border-left: none; color: #fff;
  font-size: 15px; letter-spacing: 1px;margin-top: 30px;
```

```
}
.form input:focus{outline: none;
::placeholder{ color: #fff;
}
.btnn{
  width: 240px;height: 40px;
  background: rgb(98, 246, 152);border: none;
  margin-top: 30px; font-size: 18px; border-radius: 10px;
  cursor: pointer; color: #fff;
  transition: 0.4s ease;
}
.btnn:hover{
  background: #fff;
  color: rgb(98, 246, 152);
}
.btnn a{
  text-decoration: none; color: #000;
  font-weight: bold;
}
.form .link{
  font-size: 17px; padding-top: 20px; text-align: center;
}
.form .link a{
  text-decoration: none; color: rgb(98, 246, 152);
}
```

```
.liw{
  padding-top: 15px; padding-bottom: 10px;text-align: center;
}
  </style>
  <body>
     <div class="main">
       <div class="navbar">
          <div class="icon">
            <h2 class="logo">Smart Z</h2>
          </div>
          <div class="menu">
            \langle ul \rangle
               <a href="#">HOME</a>
               <a href="#">ABOUT</a>
            </div>
          <div class="search">
            <input class="srch" type="search" name="" placeholder="Type to search">
            <a href="#"><button class="btn">Search</button></a>
          </div>
       </div>
     </div>
  </body>
</html>
```

Output

