


Train Model On IBM

Date	14 November 2022
Team ID	PNT2022TMID31106
Project Name	AI-Powered Nutrition Analyzer for Fitness Enthusiasts



WhatsApp

IBM Cloud

Model_Building - IBM Watson

Service Details - IBM Cloud

IBM Cloud

cloud.ibm.com/services/pm-20/cm%3Av1%3Abluemix%3Apublic%3Apm-20%3Aus-south%3Aa%2Fe877a29349614c2a84759a1df2cc02be%3Aef063387-dfba-4d59-a04...

MY WEBSITEHOMEWHATSAPPBidy | Link Manage...

IBM Cloud

Search resources and products...

CatalogManageARUNKUMAR S's Accou...

Resource list /

Watson Machine Learning-ju


Activecpdaas

DetailsActions...

Manage


Plan

Connections

Watson Machine Learning in Cloud Pak for Data

Use Watson Machine Learning on Cloud Pak for Data to put AI models to work. Deploy, monitor, and update models to get the insights you need from your data modeling.

Launch in IBM Cloud Pak for Data



IBM Watson Machine Learning in Cloud Pak for Data

IBM Cloud Pak for Data Unifying platform

IBM Cloud Base cloud infrastructure

IBM Watson Machine Learning is part of IBM Cloud Pak for Data and serves as the data science capability of the data fabric architecture.

Helpful links

Documentation

Learning path

Videos

21°C
Partly cloudy

Search

ENG
IN

10:25 PM
11-11-2022

IBM Watson Studio

Search in your workspaces

Buy

ARUNKUMAR S's Account

Dallas

AS

Projects / IMAGE_CLASSIFICATION

OverviewAssetsJobsManage

Find assets

Import assets

New asset

2 assets

All assets

Asset types

Data1

Data assets1

Notebooks1

Notebooks

Name	Language	Last modified	
Model_Building Notebook	Python 3.9	42 minutes ago Modified by you	

Items per page: 201-1 of 1 items1 of 1 pages

About this project

Name

IMAGE_CLASSIFICATION

Description

What's the purpose of this project?

Collaborators

ARUNKUMAR S (you)
Admin

Controls

Cloud object storage

89.2 MB used

IBM Cloud account

Name: ARUNKUMAR S's Account
ID: e877a29349614c2a84759a1df2cc02

21°C
Partly cloudy

Search

ENG
IN

10:25 PM
11-11-2022

WhatsApp Cloud Pak for Data - IBM Cloud Model_Building - IBM Watson Studio Service Details - IBM Cloud

dataplatform.cloud.ibm.com/analytics/notebooks/v2/f5e98c53-c155-4053-86ee-6aae5f67e1bd?projectId=26b5ae93-a59f-484c-802c-0c67d01c80db&context=cpd...

MY WEBSITE HOME WHATSAPP Bidy | Link Manage...

IBM Watson Studio Search in your workspaces Buy ARUNKUMAR S's Account Dallas AS

Projects / IMAGE_CLASSIFICATION / Model_Building

File Edit View Insert Cell Kernel Help Not Trusted | Python 3.9

Date :01 November 2022
Team ID :PNT2022TMD18332
Project Name : AI-powered Nutrition Analyzer for Fitness Enthusiasts

Data Collection

Download the dataset [here](#)

```
In [55]: pwd
Out[55]: '/home/wsuser/work'
```

```
In [ ]:
```

```
In [179]: !pip install keras==2.7.0
!pip install tensorflow==2.7.0

Collecting keras==2.7.0
  Using cached keras-2.7.0-py3-none-any.whl (1.3 MB)
Installing collected packages: keras
Attempting uninstall: keras
```

21°C Cloudy 10:21 PM 11-11-2022

WhatsApp Cloud Pak for Data - IBM Cloud Model_Building - IBM Watson Studio Service Details - IBM Cloud

dataplatform.cloud.ibm.com/analytics/notebooks/v2/f5e98c53-c155-4053-86ee-6aae5f67e1bd?projectId=26b5ae93-a59f-484c-802c-0c67d01c80db&context=cpd...

MY WEBSITE HOME WHATSAPP Bidy | Link Manage...

IBM Watson Studio Search in your workspaces Buy ARUNKUMAR S's Account Dallas AS

Projects / IMAGE_CLASSIFICATION / Model_Building

File Edit View Insert Cell Kernel Help Not Trusted | Python 3.9

```
1->tensorflow==2.6->tensorflow==2.7.0) (3.2.1)
```

```
In [ ]:
```

```
In [73]: from keras.models import Sequential
from keras.layers import Dense
from keras.layers import Convolution2D
from keras.layers import MaxPooling2D
from keras.layers import Flatten
```

Image Preprocessing

```
In [58]: from keras.preprocessing.image import ImageDataGenerator
```

Image Data Augmentation

```
In [59]: train_datagen = ImageDataGenerator(rescale=1./255, shear_range=0.2, zoom_range=0.2, horizontal_flip=True)
test_datagen=ImageDataGenerator(rescale=1./255)
```

Applying Image DataGenerator Functionality To Trainset And Testset

21°C Cloudy 10:21 PM 11-11-2022

IBM Watson Studio interface showing a notebook titled "Applying Image DataGenerator Functionality To Trainset And Testset". The notebook code includes imports for os, types, pandas, boto3, and Config, and a function to load data from IBM Cloud Object Storage.

```
test_datagen=ImageDataGenerator(rescale=1./255)
```

Applying Image DataGenerator Functionality To Trainset And Testset

```
In [60]:
import os, types
import pandas as pd
from boto3.client import Config
import boto3

def __iter__(self): return 0

# @hidden_cell
# The following code accesses a file in your IBM Cloud Object Storage. It includes your credentials.
# You might want to remove those credentials before you share the notebook.
cos_client = boto3.client(service_name='s3',
                          iam_api_key_id='0a0270_5799xt1Q[is-3]As5E10m5h532640UYD2H1',
                          iam_auth_endpoint='https://iam.cloud.ibm.com/oidc/token',
                          config=Config(signature_version='oauth'),
                          endpoint_url='https://s3.private.us.cloud-object-storage.appdomain.cloud')

bucket = 'imageclassification-donotdelete-pr-v1604qevxtyin'
object_key = 'Dataset.zip'

streaming_body_8 = cos_client.get_object(Bucket=bucket, Key=object_key)['Body']

# Your data file was loaded into a boto3.response.StreamingBody object.
```

The interface also shows a "Data" sidebar with a "Files" section and a "Connections" section. The "Files" section includes a "Dataset.zip" file and a "Insert to code" button.

IBM Watson Studio interface showing a Jupyter Notebook environment. The browser tabs include WhatsApp, Cloud Pak for Data - IBM Cloud, Model_Building - IBM Watson Studio, and Service Details - IBM Cloud. The URL is dataplatform.cloud.ibm.com/analytics/notebooks/v2/f5e98c53-c155-4053-86ee-6aae5f67e1bd/projectId=26b5ae93-a59f-484c-802c-0c67d01c80db&context=cpd...

The IBM Watson Studio header shows the project path: Projects / IMAGE_CLASSIFICATION / Model_Building. The user is ARUNKUMAR S's Account, located in Dallas.

The Jupyter Notebook interface includes a menu bar (File, Edit, View, Insert, Cell, Kernel, Help) and a toolbar with icons for file operations, running, and formatting. The kernel is Python 3.9.

The notebook contains the following code cells:

```
In [61]: from io import BytesIO
import zipfile
unzip=zipfile.ZipFile(BytesIO(streaming_body_8.read()),'r')
file_paths=unzip.namelist()
for path in file_paths:
    unzip.extract(path)
```

```
In [62]: pwd
Out[62]: '/home/wsuser/work'
```

```
In [64]: import os
filenames=os.listdir('/home/wsuser/work/Dataset/TRAIN_SET')
```

```
In [68]: !pip uninstall keras -y
!pip uninstall keras-nightly -y
!pip uninstall keras-Preprocessing -y
!pip uninstall keras-vis -y
!pip uninstall tensorflow -y
!pip uninstall h5py -y

Found existing installation: Keras 2.7.0
Uninstalling keras-2.7.0:
Successfully uninstalled keras-2.7.0
WARNING: Skipping keras-nightly as it is not installed.
Found existing installation: Keras-Preprocessing 1.1.2
Uninstalling Keras-Preprocessing-1.1.2:
Successfully uninstalled Keras-Preprocessing-1.1.2
WARNING: Skipping keras-vis as it is not installed.
```

The right sidebar shows the 'Data' section with 'Files' and 'Connections' tabs. The 'Files' tab indicates that one file can be uploaded at a time, with a 5 GB max file size. A dashed box prompts the user to 'Drag and drop files here or upload.' Below this, 'Dataset.zip' is listed with an 'Insert to code' button.

The Windows taskbar at the bottom shows the system clock as 10:21 PM on 11-11-2022, along with various system icons and the Windows Start button.

IBM Watson Studio

Projects / IMAGE_CLASSIFICATION / Model_Building

File Edit View Insert Cell Kernel Help

Not Trusted | Python 3.9

```
In [69]: !pip install keras==2.0.8
!pip install h5py==2.10.0

Collecting keras==2.0.8
  Downloading Keras-2.0.8-py2.py3-none-any.whl (276 kB)
    Requirement already satisfied: numpy>=1.9.1 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from keras==2.0.8) (1.20.3)
    Requirement already satisfied: pyyaml in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from keras==2.0.8) (5.4.1)
    Requirement already satisfied: scipy>=0.14 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from keras==2.0.8) (1.7.3)
    Requirement already satisfied: six>=1.9.0 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from keras==2.0.8) (1.15.0)
Installing collected packages: keras
Successfully installed keras-2.0.8
Collecting h5py==2.10.0
  Downloading h5py-2.10.0.tar.gz (301 kB)
    Requirement already satisfied: numpy>=1.7 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from h5py==2.10.0) (1.20.3)
    Requirement already satisfied: six in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from h5py==2.10.0) (1.15.0)
Building wheels for collected packages: h5py
  Building wheel for h5py (setup.py) ... done
  Created wheel for h5py: filename=h5py-2.10.0-cp39-cp39-linux_x86_64.whl size=1298125 sha256=d5165b1d61c7f8750fe235eb9603b11b9
  Stored in directory: /tmp/conda/pip/wheels/91/57/54/aa5901c840e89c1e931141d848b27421f68ad98bd285cc4036
Successfully built h5py
Installing collected packages: h5py
Successfully installed h5py-2.10.0
```

Data

Files

Upload one file at a time. All file types accepted. 5 GB max file size.

Drag and drop files here or upload.

Dataset.zip

Insert to code

IBM Watson Studio

Projects / IMAGE_CLASSIFICATION / Model_Building

File Edit View Insert Cell Kernel Help

Not Trusted | Python 3.9

```
In [70]: x_train = train_datagen.flow_from_directory(
        '/home/wuser/work/Dataset/TRAIN_SET',
        target_size=(64, 64), batch_size=5, color_mode='rgb', class_mode='sparse')

x_test = test_datagen.flow_from_directory(
        '/home/wuser/work/Dataset/TEST_SET',
        target_size=(64, 64), batch_size=5, color_mode='rgb', class_mode='sparse')

Found 4118 images belonging to 5 classes.
Found 929 images belonging to 5 classes.

In [ ]:

In [71]: print(x_train.class_indices)

{'APPLES': 0, 'BANANA': 1, 'ORANGE': 2, 'PINEAPPLE': 3, 'WATERMELON': 4}

In [ ]: print(x_test.class_indices)

{'APPLES': 0, 'BANANA': 1, 'ORANGE': 2, 'PINEAPPLE': 3, 'WATERMELON': 4}

In [ ]: from collections import Counter as c
c(x_train.labels)
```

Data

Files

Upload one file at a time. All file types accepted. 5 GB max file size.

Drag and drop files here or upload.

Dataset.zip

Insert to code

IBM Watson Studio

Search in your workspaces

Buy

ARUNKUMAR S's Account

Dallas

AS

Projects / IMAGE_CLASSIFICATION / Model_Building

File Edit View Insert Cell Kernel Help

Not Trusted | Python 3.9

Model Building

1. Importing The Model Building Libraries

In [75]:

```
import numpy as np
import tensorflow as tf
from tensorflow.keras.models import Sequential
from tensorflow.keras import layers
from tensorflow.keras.layers import Dense, Flatten
from tensorflow.keras.layers import Conv2D, MaxPooling2D, Dropout
```

```
ModuleNotFoundError: Traceback (most recent call last)
/tmp/ksuser/ipykernel_165/3963299783.py in <module>
      1 import numpy as np
      2 import tensorflow as tf
----> 3 from tensorflow.keras.models import Sequential
      4 from tensorflow.keras import layers
      5 from tensorflow.keras.layers import Dense, Flatten

ModuleNotFoundError: No module named 'tensorflow.keras'
```

In [76]:

Data

Files

Connections

Upload one file at a time. All file types accepted. 5 GB max file size.

Drag and drop files here or upload.

Dataset.zip

Insert to code

Search

10:22 PM 11-11-2022

IBM Watson Studio

Search in your workspaces

Buy

ARUNKUMAR S's Account

Dallas

AS

Projects / IMAGE_CLASSIFICATION / Model_Building

File Edit View Insert Cell Kernel Help

Not Trusted | Python 3.9

ras/utlis/_init_.py

2. Initializing The Model

In [78]:

```
model = Sequential()

2022-11-11 11:55:55.729213: W tensorflow/stream_executor/platform/default/dso_loader.cc:64] Could not load dynamic library 'libcuda.so.1'; error: libcuda.so.1: cannot open shared object file: No such file or directory; LD_LIBRARY_PATH: /opt/ibm/dsdrive
r/lib:/opt/oracle/lib:/opt/conda/envs/Python-3.9/lib/python3.9/lib/python3.9/site-packages/tensorflow
2022-11-11 11:55:55.729279: W tensorflow/stream_executor/cuda/cuda_driver.cc:263] failed call to cuInit: UNKNOWN ERROR (303)
```

3. Adding CNN Layers

In [79]:

```
classifier = Sequential()

classifier.add(Conv2D(32, (3, 3), input_shape=(64, 64, 3), activation='relu'))
classifier.add(MaxPooling2D(pool_size=(2, 2)))

classifier.add(Conv2D(32, (3, 3), activation='relu'))
classifier.add(MaxPooling2D(pool_size=(2, 2)))

classifier.add(Flatten())
```

Data

Files Connections

Upload one file at a time. All file types accepted. 5 GB max file size.

Drag and drop files here or upload.

Dataset.zip

Insert to code

Windows Taskbar

Search

System Tray

IBM Watson Studio interface showing a Jupyter Notebook titled "4. Adding Dense Layers". The notebook is running Python 3.9. The code in the cell is:

```
In [80]: classifier.add(Dense(units=128, activation='relu'))
classifier.add(Dense(units=5, activation='softmax'))

In [ ]:

In [81]: classifier.summary()
```

The output shows the model summary for "sequential_1":

Layer (type)	Output Shape	Param #
conv2d (Conv2D)	(None, 62, 62, 32)	896
max_pooling2d (MaxPooling2D)	(None, 31, 31, 32)	0
conv2d_1 (Conv2D)	(None, 29, 29, 32)	9248
max_pooling2d_1 (MaxPooling2D)	(None, 14, 14, 32)	0
flatten (Flatten)	(None, 6272)	0
dense (Dense)	(None, 128)	802944

The right sidebar shows the "Data" panel with "Files" and "Connections" tabs. The "Files" tab is active, showing a message: "Upload one file at a time. All file types accepted. 5 GB max file size." and a "Dataset.zip" section with an "Insert to code" button.

IBM Watson Studio interface showing a Jupyter Notebook titled "5. Configure The Learning Process". The notebook is running Python 3.9. The code in the cell is:

```
In [82]: classifier.compile(optimizer='adam', loss='sparse_categorical_crossentropy', metrics=['accuracy'])

In [83]: classifier.fit_generator(generator=x_train, steps_per_epoch = len(x_train), epochs=20, validation_data=x_test, validation_steps = len(x_test))
```

The output shows the training progress for Epoch 1/20. A warning message is displayed:

```
WARNING:tensorflow:AutoGraph could not transform <function Model.make_train_function.<locals>.train_function at 0x7f06d4f7cdc0> and will run it as-is.
Please report this to the TensorFlow team. When filing the bug, set the verbosity to 10 (on Linux, 'export AUTOGRAPH_VERBOSITY=10') and attach the full output.
Cause: closure mismatch, requested ('self', 'step_function'), but source function had ()
To silence this warning, decorate the function with @tf.autograph.experimental.do_not_convert
WARNING: AutoGraph could not transform <function Model.make_train_function.<locals>.train_function at 0x7f06d4f7cdc0> and will run it as-is.
```

IBM Watson Studio interface showing a Jupyter Notebook with training logs for an image classification model. The notebook is titled "Model_Building" and is part of a project named "IMAGE_CLASSIFICATION". The logs display training progress across 11 epochs, including loss, accuracy, and validation metrics.

Training Log Summary:

Epoch	Time	Loss	Accuracy	Val_Loss	Val_Accuracy
Epoch 1/20	51s 62ms/step	0.4291	0.8407	0.4409	
Epoch 2/20	48s 59ms/step	0.3797	0.8565	0.5238	
Epoch 3/20	49s 59ms/step	0.3626	0.8621	0.4525	
Epoch 4/20	48s 58ms/step	0.3440	0.8691	0.4087	
Epoch 5/20	48s 58ms/step	0.3269	0.8820	0.4273	
Epoch 6/20	47s 57ms/step	0.3166	0.8871	0.5578	
Epoch 7/20	46s 56ms/step	0.2916	0.8898	0.4375	
Epoch 8/20	48s 58ms/step	0.2822	0.8963	0.4105	
Epoch 9/20	46s 56ms/step	0.2595	0.8995	0.4174	
Epoch 10/20					
Epoch 11/20	45s 54ms/step	0.2508	0.9034	0.4238	

The interface also includes a sidebar with a "Data" panel showing file upload options and a "Connections" panel. The bottom status bar indicates the system is running Python 3.9 and shows the time as 10:22 PM on 11-11-2022.

IBM Watson Studio

Search in your workspaces

Buy

ARUNKUMAR S's Account

Dallas

AS

Projects / IMAGE_CLASSIFICATION

Launch IDE

Overview

Assets

Jobs

Manage

Find assets

Import assets

New asset

2 assets

All assets

Asset types

Data

Data assets

Notebooks

Data assets

Name	Last modified
Dataset1.zip application/x-zip-compressed	6 hours ago Modified by you

Items per page: 201-1 of 1 items1 of 1 pages

About this project

Name

IMAGE_CLASSIFICATION

Description

What's the purpose of this project?

Collaborators

ARUNKUMAR S (you)
Admin

Controls

Cloud object storage

89.2 MB used

IBM Cloud account



Name: ARUNKUMAR S's Account
ID: e877a29349614c2a84759a1df2cc02

21°C
Partly cloudy

Search

ENG
IN

10:25 PM
11-11-2022



IBM Watson Studio interface showing a Jupyter Notebook environment. The browser tabs include WhatsApp, Cloud Pak for Data - IBM Cloud, Model_Building - IBM Watson St, and Service Details - IBM Cloud. The URL is dataplatform.cloud.ibm.com/analytics/notebooks/v2/f5e98c53-c155-4053-86ee-6aae5f67e1bd/projectId=26b5ae93-a59f-484c-802c-0c67d01c80db&context=cpl...

The IBM Watson Studio header shows the user is ARUNKUMAR S's Account, located in Dallas, with a profile icon labeled AS.

The breadcrumb navigation is: Projects / IMAGE_CLASSIFICATION / Model_Building. The interface is in Python 3.9.

The Jupyter Notebook code and output are as follows:

```
In [195]: from ibm_watson_machine_learning import APIClient
          wml_credentials={
            "url": "https://us-south.ml.cloud.ibm.com",
            "apikey": "Y8foAQxujPdmjRCFur8QG4VnKtsAhv3QHRQZbwI7yoxj"
          }
          client=APIClient(wml_credentials)

In [184]: client=APIClient(wml_credentials)

In [185]: def guid_from_space_name(client,space_name):
          space=client.spaces.get_details()
          return (next(item for item in space['resources'] if item['entity']['name']==space_name)['metadata']['id'])

In [217]: space_uid=guid_from_space_name(client,'model')
          print("Space UID = " + space_uid)

          Space UID = f0e78f3c-2a8d-464f-a1bd-bb372d0f1bb9

In [218]: client.set_default_space(space_uid)

Out[218]: 'SUCCESS'

In [219]: client.software_specifications.list()
```

The right sidebar shows the 'Data' section with 'Files' and 'Connections' tabs. The 'Files' tab contains the text: "Upload one file at a time. All file types accepted. 5 GB max file size." Below this is a dashed box with the text "Drag and drop files here or upload." and a 'Dataset.zip' file listed with an 'Insert to code' button.

The Windows taskbar at the bottom shows the time as 10:22 PM on 11-11-2022, with system icons for network, volume, and battery.

IBM Watson Studio

Search in your workspaces

Buy

ARUNKUMAR S's Account

Dallas

AS

Deployments /

imageclassification

Overview

Assets

Deployments

Jobs

Manage

General

Access control

Environments

Space Details

Name

imageclassification

Description

No description provided.

Space GUID

d5d873f7-6969-490d-91a2-0dd697b5...

Date created

Nov 11, 2022, 6:21 PM by ARUNKUMAR S (You)

Last updated

Nov 11, 2022, 6:28 PM

Deployment space tags

No tags are set to this space.

Cloud Object Storage

Manage

Storage used

0 Bytes used

Name

Cloud Object Storage-cf

Bucket

04a25128-b6dc-461f-8071-5d162f64c86d

Machine learning service

Watson Machine Learning-ju

Drop files here or browse for files to upload.

Stay on the page until upload completes. Incomplete uploads are cancelled.

21°C Partly cloudy

Search

ENG IN

10:27 PM 11-11-2022

IBM Watson Studio interface showing a project named 'IMAGE_CLASSIFICATION' under 'Model_Building'. The main workspace displays a table of data with columns: NAME, ASSET_ID, and TYPE. The table lists various machine learning models and their associated asset IDs and types (e.g., base, cuda, etc.).

NAME	ASSET_ID	TYPE
default_py3.6	0062b8c9-8b7d-44a0-a9b9-46c416adcb9	base
kernel-spark3.2-scala2.12	020469ce-7ac1-5e68-ac1a-31189867356a	base
pytorch-onnx_1.3-py3.7-edt	069ea134-3346-5748-b513-49120e15d288	base
scikit-learn_0.20-py3.6	09c5a1d0-9c1e-4473-a344-eb7b665ff687	base
spark-mllib_3.0-scala_2.12	09f4cffe-90a7-5899-b9ed-1ef348aebdee	base
pytorch-onnx_rt22.1-py3.9	0b848d44-e081-9599-be41-b5f6fccc6471	base
ai-function_0.1-py3.6	0c0b0f1e-5376-4f4d-92dd-da3b69a9bda	base
shiny-r3.6	0e6e73df-875e-4f24-8ae9-62d4c2148306	base
tensorflow_2.4-py3.7-horovod	1092590a-307d-563d-9b62-4eb7d64b3f22	base
pytorch_1.1-py3.6	10ac12d6-6b30-4ccd-8392-3e922c096a92	base
tensorflow_1.15-py3.6-ddl	111e41b3-de2d-5422-a4d6-bf776828c4b7	base
autos1-kb_rt22.2-py3.10	125b609a-5b1f-5e8d-972a-b251688ccf40	base
runtime_22.1-py3.9	12b83a17-2448-5082-900f-0ab31f8f5cb	base
scikit-learn_0.22-py3.6	154010fa-5b3b-43c1-82af-4d5ee5abbc85	base
default_r3.6	1b70aec3-ab34-4b87-8aa0-a4a3c8296a36	base
pytorch-onnx_1.3-py3.6	1bc6029a-cc97-56da-b8e0-39c3880dbbe7	base
kernel-spark3.3-r3.6	1c9e5454-f216-59dd-a20e-474a5cd5988	base
pytorch-onnx_rt22.1-py3.9-edt	1d362186-7a5d-5b59-8b6c-9d08680ae37f	base
tensorflow_2.1-py3.6	1ab25b84-d6ed-5dde-b6a5-3fbd1f665666	base
spark-mllib_3.2	20047f72-0a98-58c7-9ff5-a77b012ebf5	base
tensorflow_2.4-py3.8-horovod	217c16f6-178f-56bf-824a-b19f20504c49	base
runtime_22.1-py3.9-cuda	26215f05-08c3-5441-a1b0-da66306ce558	base
do_py3.8	299addb5-9ef9-547e-9b04-92ae3563e720	base
autos1-ts_3.8-py3.8	2aa0c932-798f-5ae9-abd6-15e0c2407b5	base
tensorflow_1.15-py3.6	2b73a275-7cbf-420b-a912-eae7f436e0bc	base
kernel-spark3.3-py3.9	2b7961e2-e3b1-5a8c-a912-482c836839a	base

IBM Watson Studio interface showing a Jupyter Notebook session. The notebook displays the output of a command to install the 'ibm_watson_machine_learning' package. The output shows that the package is already installed in the current environment.

```
Note: Only first 50 records were displayed. To display more use 'limit' parameter.
```

```
In [220]: software_spec_uid = client.software_specifications.get_uid_by_name("default_py3.6")
          software_spec_uid

Out[220]: '0062b8c9-8b7d-44a0-a9b9-46c416adcb9'
```

```
In [ ]: 
```

```
In [ ]: 
```

```
In [222]: pip install ibm_watson_machine_learning

Requirement already satisfied: ibm_watson_machine_learning in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (1.0.257)
Requirement already satisfied: importlib-metadata in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (4.8.2)
Requirement already satisfied: tabulate in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (0.8.9)
Requirement already satisfied: lmonad in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (0.3.3)
Requirement already satisfied: packaging in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (21.3)
Requirement already satisfied: ibm-cos-sdk==2.11.* in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (2.11.0)
Requirement already satisfied: urllib3 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (1.26.7)
Requirement already satisfied: requests in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from ibm_watson_machine_learning) (2.26.0)
```


IBM Watson Studio interface showing a Jupyter Notebook environment. The browser tabs include WhatsApp, Cloud Pak for Data - IBM Cloud, Model_Building - IBM Watson St..., and Service Details - IBM Cloud. The URL is dataplatform.cloud.ibm.com/analytics/notebooks/v2/f5e98c53-c155-4053-86ee-6aae5f67e1bd/projectid=26b5ae93-a59f-484c-802c-0c67d01c80db&context=cpd.... The IBM Watson Studio header shows the user ARUNKUMAR S's Account, location Dallas, and a profile icon AS.

The notebook is titled "Projects / IMAGE_CLASSIFICATION / Model_Building". The code editor shows the following Python code:

```
In [ ]: client.repository.download(model_id, 'my_model.tar.gz')

In [ ]: from keras.models import load_model
        from keras.preprocessing import image

In [ ]: model=load_model("nutrition.h5")

In [ ]:

In [ ]:

In [ ]:

In [ ]:

In [ ]:

In [ ]:

In [ ]: from tensorflow.keras.models import load_model
        from keras.preprocessing import image
        model = load_model("nutrition.h5")

In [ ]: import numpy as np
        x = image.img_to_array(img)
```

The right sidebar shows the "Data" section with "Files" and "Connections" tabs. The "Files" tab indicates "Upload one file at a time. All file types accepted. 5 GB max file size." and provides a "Drag and drop files here or upload." area. Below this, "Dataset.zip" is listed with an "Insert to code" button.

The bottom status bar shows the system temperature as 21°C Humid, the time as 10:23 PM, and the date as 11-11-2022.

IBM Watson Studio interface showing a Jupyter Notebook for image classification.

Browser Tabs: WhatsApp, Cloud Pak for Data - IBM Cloud, Model_Building - IBM Watson S..., Service Details - IBM Cloud.

URL: dataplatform.cloud.ibm.com/analytics/notebooks/v2/f5e98c53-c155-4053-86ee-6aae5f67e1bd/projectid=26b5ae93-a59f-484c-802c-0c67d01c80db&context=cpd...

IBM Watson Studio Header: Search in your workspaces, Buy, ARUNKUMAR S's Account, Dallas, AS.

Projects: IMAGE_CLASSIFICATION / Model_Building

File Edit View Insert Cell Kernel Help

Code Input:

```
In [ ]:
from tensorflow.keras.models import load_model
from keras.preprocessing import image
model = load_model("nutrition.h5")

In [ ]:
import numpy as np
x = image.img_to_array(img)
x = np.expand_dims(x,axis = 0)
predict_x=model.predict(x)
classes_x=np.argmax(predict_x,axis=-1)
classes_x

1/1 [=====] - 0s 290ms/step

Out[58]: array([0])

In [ ]:
index=['APPLES', 'BANANA', 'ORANGE', 'PINEAPPLE', 'WATERMELON']
result=str(index[classes_x[0]])
result
```

Data Panel:

- Files:** Upload one file at a time. All file types accepted. 5 GB max file size. Drag and drop files here or upload.
- Connections:**
- Dataset.zip:** Insert to code

System Tray: 21°C Humid, Search, ENG IN, 10:23 PM 11-11-2022

IBM Cloud

Search resources and products...

Cloud Pak for Data services

Launch Cloud Pak for Data

Group: Filter... Location: Filter... Search

Name	Group	Location	Product	Status	Tags
Cloud Object Storage-of	Default	Global	Cloud Object Storage	Active	
Watson Studio-ot	Default	Dallas	Watson Studio	Active	
Watson Machine Learning-ju	Default	Dallas	Watson Machine Learning	Active	

Items per page: 25 1-3 of 3 items 1 1 of 1 page

21°C Humid

IBM Cloud

Search resources and products...

Cloud Object Storage

Buckets

Buckets serve as containers for objects, and can be individually configured in terms of their location, resiliency, billing rates, security, and object lifecycle rules.

Create bucket

Name	Public access	Location	Storage class	Created
04a25128-b6dc-461f-8071-5d162f64c86d	No	us-south	Standard	2022-11-11 6:21 PM
b093cbba-2293-4e6b-b5c1-e47c74f2a51c	No	us-south	Standard	2022-11-11 9:18 PM
imageclassification-donotdelete-pr-v1604oqevxtyin	No	us-geo	Standard	2022-11-11 3:44 PM
model-donotdelete-pr-wkmi3rbetzs49	No	us-geo	Standard	2022-11-11 9:12 PM

21°C Partly cloudy