


Assignment -3
Python Programming

Assignment Date	19 September 2022
Student Name	Divya dharshini I
Student Roll Number	810019104017
Maximum Marks	2 Marks

1)What is 7 to the power of 4?

Solution:

```
pow(7,4)
```




```
** What is 7 to the power of 4?**  
pow(7,4)  
2401
```

2)Split this string, into a list.

Solution:

```
s = "Hi there Sam!"  
print(s.split())
```



```
[68] s = "Hi there Sam!"  
print(s.split())  
['Hi', 'there', 'Sam!']
```

3)Given the variables: Use .format() to print the following string:

```
planet = "Earth"  
diameter = 12742
```

Solution:

```
str="the diameter of {planet} is {diameter} kilometers.".format(planet="Earth",  
diameter=12742)  
print(str)
```



```
str="the diameter of {planet} is {diameter} kilometers.".format(planet="Earth", diameter=12742)  
print(str)  
the diameter of Earth is 12742 kilometers.
```

3) Given this nested list, use indexing to grab the word "hello"

Solution:

```
lst = [1,2,[3,4],[5,[100,200,['hello']],23,11],1,7]
```

```
lst[3][1][2][0]
```

```
[5] lst = [1,2,[3,4],[5,[100,200,['hello']],23,11],1,7]
lst[3][1][2][0]
'hello'
```

4) Given this nest dictionary grab the word "hello". Be prepared, this will be annoying/tricky

Solution:

```
d = {'k1':[1,2,3,{ 'tricky':['oh','man','inception',{'target':[1,2,3,'hello']}]}]}
```

```
d['k1'][3]['tricky'][3]['target'][3]
```

```
d = {'k1':[1,2,3,{ 'tricky':['oh','man','inception',{'target':[1,2,3,'hello']}]}]}
d['k1'][3]['tricky'][3]['target'][3]
'hello'
```

5) What is the main difference between a tuple and a list?

The list is dynamic, whereas the tuple has static characteristics.

6) Create a function that grabs the email website domain from a string in the form:

Solution:

```
def domainGet(email):
```

```
    return email.split('@')[-1]
```


```
domainGet('user@domain.com')
```

```
def domainGet(email):
    return email.split('@')[-1]
domainGet('user@domain.com')
'domain.com'
```

7) Create a basic function that returns True if the word 'dog' is contained in the input string. Don't worry about edge cases like a punctuation being attached to the word dog, but do account for capitalization.

Solution:

```
def findDog(st):  
    return 'dog' in st.lower().split()  
findDog('dog have gratitude')
```




```
def findDog(st):  
    return 'dog' in st.lower().split()  
findDog('dog have gratitude')
```

True

8) Create a function that counts the number of times the word "dog" occurs in a string. Again ignore edge cases.

Solution:

```
input=" doggle"  
n=len(input)  
count=0  
for i in range(0,n,1):  
    if(input[i]=='d'):  
        if(input[i+1]=='o' and input[i+2]=='g'):  
            count+=1  
  
    else:  
        continue  
print ("the count is:",count)
```



```
input=" doggle"  
n=len(input)  
count=0  
for i in range(0,n,1):  
    if(input[i]=='d'):  
        if(input[i+1]=='o' and input[i+2]=='g'):  
            count+=1  
  
    else:  
        continue  
print ("the count is:",count)
```

the count is: 2

9) You are driving a little too fast, and a police officer stops you. Write a function to return one of 3 possible results: "No ticket", "Small ticket", or "Big Ticket". If your speed is 60 or less, the result is "No Ticket". If speed is between 61 and 80 inclusive, the result is "Small Ticket". If speed is 81 or more, the result is "Big Ticket". Unless it is your birthday (encoded as a boolean value in the parameters of the function) -- on your birthday, your speed can be 5 higher in all cases.

Solution:

```
def caught_speeding(speed, is_birthday):
```

```
    if is_birthday:
```

```
        speeding = speed - 5
```

```
    else:
```

```
        speeding = speed
```

```
    if speeding > 80:
```

```
        return 'Big Ticket'
```

```
    elif speeding > 60:
```


```
        return 'Small Ticket'
```

```
    else:
```

```
        return 'No Ticket'
```

```
caught_speeding(81,False)
```

```
caught_speeding(81,True)
```



```
[36] def caught_speeding(speed, is_birthday):
      ...
      if is_birthday:
          speeding = speed - 5
      else:
          speeding = speed
      if speeding > 80:
          return 'Big Ticket'
      elif speeding > 60:
          return 'Small Ticket'
      else:
          return 'No Ticket'

[38] caught_speeding(81,False)

'Big Ticket'

caught_speeding(81,True)

'Small Ticket'
```

10) Create an employee list with basic salary values (at least 5 values for 5 employees) and using a for loop retrieve each employee salary and calculate total salary expenditure.

Solution:

```
emp_salary=[12000, 5000, 50000,10000, 13000]
```

```
n= len(emp_salary)
```

```
salary=0
```

```
for i in range (0,n,1):
```

```
print (emp_salary[i])
salary+= emp_salary[i]
print("Total salary expenditure:",salary)
```

```
emp_salary=[12000, 5000, 50000,10000, 13000]
n= len(emp_salary)
salary=0
for i in range (0,n,1):
    print (emp_salary[i])
    salary+= emp_salary[i]
print("Total salary expenditure:",salary)
```

12000
5000
50000
10000
13000
Total salary expenditure: 90000

11)First one to contain fields as Empid, Empname, Basicpay
Second dictionary to contain fields as DeptName, DeptId.
Combine both dictionaries.

Solution:

```
dict1={"empid": 1, "empname":"Kaadu", "basicpay":15000}
dict2={"deptname":"IT", "deptid":"D001"}
dict2.update(dict1)
print(dict2)
```

```
Combine both dictionaries.
```

```
dict1={"empid": 1, "empname":"Kaadu", "basicpay":15000}
dict2={"deptname":"IT", "deptid":"D001"}
dict2.update(dict1)
print(dict2)
```

{'deptname': 'IT', 'deptid': 'D001', 'empid': 1, 'empname': 'Kaadu', 'basicpay': 15000}