

Assignment -2
Python Programming

Assignment Date	26 sep 2022
Student Name	Ms.D.Janani
Student Roll Number	510119106004
Maximum Marks	2 Marks

Python programming

```
import pandas as pd
import numpy as np
```

```
data=pd.read_csv("/content/drive/MyDrive/Dataset.csv")
```

```
data.head()
```

	RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	Age	\
0	1	15634602	Hargrave	619	France	Female		
		42						
1	2	15647311	Hill	608	Spain	Female		
		41						
2	3	15619304	Onio	502	France	Female		
		42						
3	4	15701354	Boni	699	France	Female		
		39						
4	5	15737888	Mitchell	850	Spain	Female		
		43						

	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	\
0	2	0.00		1	1	1
1	1	83807.86		1	0	1
2	8	159660.80		3	1	0
3	1	0.00		2	0	0
4	2	125510.82		1	1	1

	EstimatedSalary	Exited
	101348.88	1
1	112542.58	0
2	113931.57	1
3	93826.63	0
4	79084.10	0

```
data.tail()
```

	RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	Age	\
9995	9996	15606229	Obijiaku	771	France	Male	39	

9996	9997	15569892	Johnstone	516	France	Male	35
9997	9998	15584532	Liu	709	France	Female	36
9998	9999	15682355	Sabbatini	772	Germany	Male	42

```
9999      10000      15628319      Walker      792      France      Female      28
```

```

      Tenure      Balance      NumOfProducts      HasCrCard      IsActiveMember      \
9995      5      0.00      2      1      0
9996     10     57369.61      1      1      1
9997      7      0.00      1      0      1
9998      3     75075.31      2      1      0
9999      4    130142.79      1      1      0

```

```

      EstimatedSalary      Exited
9995      96270.64      0
9996     101699.77      0
9997      42085.58      1
9998      92888.52      1
9999      38190.78      0

```

```
data.shape
```

```
(10000, 14)
```

```
data.describe()
```

```

      RowNumber      CustomerId      CreditScore      Age      Tenure      \
count  10000.000000  1.000000e+04  10000.000000  10000.000000  10000.000000
mean    5000.500000  1.569094e+07   650.528800   38.921800    5.012800
std     2886.89568   7.193619e+04    96.653299   10.487806    2.892174
min       1.000000  1.556570e+07   350.000000   18.000000    0.000000
25%     2500.750000  1.562853e+07   584.000000   32.000000    3.000000
50%     5000.500000  1.569074e+07   652.000000   37.000000    5.000000
75%     7500.250000  1.575323e+07   718.000000   44.000000    7.000000
max    10000.000000  1.581569e+07   850.000000   92.000000   10.000000

```

```

      Balance      NumOfProducts      HasCrCard      IsActiveMember      \
count  10000.000000  10000.000000  10000.000000  10000.000000
mean    76485.889288    1.530200    0.70550    0.515100
std     62397.405202    0.581654    0.45584    0.499797
min       0.000000    1.000000    0.00000    0.000000
25%       0.000000    1.000000    0.00000    0.000000
50%     97198.540000    1.000000    1.00000    1.000000
75%    127644.240000    2.000000    1.00000    1.000000
max    250898.090000    4.000000    1.00000    1.000000

```

```

      EstimatedSalary      Exited
count  10000.000000  10000.000000
mean    100090.239881    0.203700
std     57510.492818    0.402769
min      11.580000    0.000000
25%     51002.110000    0.000000
50%    100193.915000    0.000000

```

75%	149388.247500	0.000000
max	199992.480000	1.000000

```
data.mean()
```

```
/usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:1: FutureWarning: Dropping of nuisance columns in DataFrame reductions (with 'numeric_only=None') is deprecated; in a future version this will raise TypeError. Select only valid columns before calling the reduction.
```

```
"""Entry point for launching an IPython kernel.
```

RowNumber	5.000500e+03
CustomerId	1.569094e+07
CreditScore	6.505288e+02
Age	3.892180e+01
Tenure	5.012800e+00
Balance	7.648589e+04
NumOfProducts	1.530200e+00
HasCrCard	7.055000e-01
IsActiveMember	5.151000e-01
EstimatedSalary	1.000902e+05
Exited	2.037000e-01

dtype: float64

```
dir(data)
```

```
['Age',  
 'Balance',  
 'CreditScore',  
 'CustomerId',  
 'EstimatedSalary',  
 'Exited',  
 'Gender',  
 'Geography',  
 'HasCrCard',  
 'IsActiveMember',  
 'NumOfProducts',  
 'RowNumber',  
 'Surname',  
 'T',  
 'Tenure',  
 '_AXIS_LEN',  
 '_AXIS_ORDERS',  
 '_AXIS_REVERSED',  
 '_AXIS_TO_AXIS_NUMBER',  
 '_HANDLED_TYPES',  
 '__abs__',  
 '__add__',  
 '__and__',
```

```
'__annotations__',
'__array__',
'__array_priority__',
'__array_ufunc__',
'__array_wrap__',
'__bool__',
'__class__',
'__contains__',
'__copy__',
'__deepcopy__',
'__delattr__',
'__delitem__',
'__dict__',
'__dir__',
'__divmod__',
'__doc__',
'__eq__',
'__finalize__',
'__floordiv__',
'__format__',
'__ge__',
'__getattr__',
'__getattribute__',
'__getitem__',
'__getstate__',
'__gt__',
'__hash__',
'__iadd__',
'__iand__',
'__ifloordiv__',
'__imod__',
'__imul__',
'__init__',
'__init_subclass__',
'__invert__',
'__ior__',
'__ipow__',
'__isub__',
'__iter__',
'__itruediv__',
'__ixor__',
'__le__',
'__len__',
'__lt__',
'__matmul__',
'__mod__',
'__module__',
'__mul__',
'__ne__',
'__neg__',
'__new__',
```

```
'__nonzero__',
'__or__',
'__pos__',
'__pow__',
'__radd__',
'__rand__',
'__rdivmod__',
'__reduce__',
'__reduce_ex__',
'__repr__',
'__rfloordiv__',
'__rmatmul__',
'__rmod__',
'__rmul__',
'__ror__',
'__round__',
'__rpow__',
'__rsub__',
'__rtruediv__',
'__rxor__',
'__setattr__',
'__setitem__',
'__setstate__',
'__sizeof__',
'__str__',
'__sub__',
'__subclasshook__',
'__truediv__',
'__weakref__',
'_xor_',
'_accessors',
'_accum_func',
'_add_numeric_operations',
'_agg_by_level',
'_agg_examples_doc',
'_agg_summary_and_see_also_doc',
'_align_frame',
'_align_series',
'_arith_method',
'_as_manager',
'_attrs',
'_box_col_values',
'_can_fast_transpose',
'_check_inplace_and_allows_duplicate_labels',
'_check_inplace_setting',
'_check_is_chained_assignment_possible',
'_check_label_or_level_ambiguity',
'_check_setitem_copy',
'_clear_item_cache',
'_clip_with_one_bound',
'_clip_with_scalar',
```

```
'_cmp_method',
'_combine_frame',
'_consolidate',
'_consolidate_inplace',
'_construct_axes_dict',
'_construct_axes_from_arguments',
'_construct_result',
'_constructor',
'_constructor_sliced',
'_convert',
'_count_level',
'_data',
'_dir_additions',
'_dir_deletions',
'_dispatch_frame_op',
'_drop_axis',
'_drop_labels_or_levels',
'_ensure_valid_index',
'_find_valid_index',
'_flags',
'_from_arrays',
'_from_mgr',
'_get_agg_axis',
'_get_axis',
'_get_axis_name',
'_get_axis_number',
'_get_axis_resolvers',
'_get_block_manager_axis',
'_get_bool_data',
'_get_cleaned_column_resolvers',
'_get_column_array',
'_get_index_resolvers',
'_get_item_cache',
'_get_label_or_level_values',
'_get_numeric_data',
'_get_value',
'_getitem_bool_array',
'_getitem_multilevel',
'_gotitem',
'_hidden_attrs',
'_indexed_same',
'_info_axis',
'_info_axis_name',
'_info_axis_number',
'_info_repr',
'_init_mgr',
'_inplace_method',
'_internal_names',
'_internal_names_set',
'_is_copy',
'_is_homogeneous_type',
```

```
'_is_label_or_level_reference',
'_is_label_reference',
'_is_level_reference',
'_is_mixed_type',
'_is_view',
'_iset_item',
'_iset_item_mgr',
'_iset_not_inplace',
'_item_cache',
'_iter_column_arrays',
'_ixs',
'_join_compat',
'_logical_func',
'_logical_method',
'_maybe_cache_changed',
'_maybe_update_cacher',
'_metadata',
'_mgr',
'_min_count_stat_function',
'_needs_reindex_multi',
'_protect_consolidate',
'_reduce',
'_reindex_axes',
'_reindex_columns',
'_reindex_index',
'_reindex_multi',
'_reindex_with_indexers',
'_replace_columnwise',
'_repr_data_resource_',
'_repr_fits_horizontal_',
'_repr_fits_vertical_',
'_repr_html_',
'_repr_latex_',
'_reset_cache',
'_reset_cacher',
'_sanitize_column',
'_series',
'_set_axis',
'_set_axis_name',
'_set_axis_nocheck',
'_set_is_copy',
'_set_item',
'_set_item_frame_value',
'_set_item_mgr',
'_set_value',
'_setitem_array',
'_setitem_frame',
'_setitem_slice',
'_slice',
'_stat_axis',
'_stat_axis_name',
```


'_stat_axis_number',
'_stat_function',
'_stat_function_ddof',
'_take_with_is_copy',
'_to_dict_of_blocks',
'_typ',
'_update_inplace',
'_validate_dtype',
'_values',
'_where',
'abs',
'add',
'add_prefix',
'add_suffix',
'agg',
'aggregate',
'align',
'all',
'any',
'append',
'apply',
'applymap',
'asfreq',
'asof',
'assign',
'astype',
'at',
'at_time',
'attrs',
'axes',
'backfill',
'between_time',
'bfill',
'bool',
'boxplot',
'clip',
'columns',
'combine',
'combine_first',
'compare',
'convert_dtypes',
'copy',
'corr',
'corrwith',
'count',
'cov',
'cummax',
'cummin',
'cumprod',
'cumsum',
'describe',

'diff',
'div',
'divide',
'dot',
'drop',
'drop_duplicates',
'droplevel',
'dropna',
'dtypes',
'duplicated',
'empty',
'eq',
'equals',
'eval',
'ewm',
'expanding',
'explode',
'ffill',
'fillna',
'filter',
'first',
'first_valid_index',
'flags',
'floordiv',
'from_dict',
'from_records',
'ge',
'get',
'groupby',
'gt',
'head',
'hist',
'iat',
'idxmax',
'idxmin',
'iloc',
'index',
'infer_objects',
'info',
'insert',
'interpolate',
'isin',
'isna',
'isnull',
'items',
'iteritems',
'iterrows',
'itertuples',
'join',
'keys',
'kurt',

'kurtosis',
'last',
'last_valid_index',
'le',
'loc',
'lookup',
'lt',
'mad',
'mask',
'max',
'mean',
'median',
'melt',
'memory_usage',
'merge',
'min',
'mod',
'mode',
'mul',
'multiply',
'ndim',
'ne',
'nlargest',
'notna',
'notnull',
'nsmallest',
'nunique',
'pad',
'pct_change',
'pipe',
'pivot',
'pivot_table',
'plot',
'pop',
'pow',
'prod',
'product',
'quantile',
'query',
'radd',
'rank',
'rdiv',
'reindex',
'reindex_like',
'rename',
'rename_axis',
'reorder_levels',
'replace',
'resample',
'reset_index',
'rfloordiv',

'rmod',
'rmul',
'rolling',
'round',
'rpow',
'rsub',
'rtruediv',
'sample',
'select_dtypes',
'sem',
'set_axis',
'set_flags',
'set_index',
'shape',
'shift',
'size',
'skew',
'slice_shift',
'sort_index',
'sort_values',
'squeeze',
'stack',
'std',
'style',
'sub',
'subtract',
'sum',
'swapaxes',
'swaplevel',
'tail',
'take',
'to_clipboard',
'to_csv',
'to_dict',
'to_excel',
'to_feather',
'to_gbq',
'to_hdf',
'to_html',
'to_json',
'to_latex',
'to_markdown',
'to_numpy',
'to_parquet',
'to_period',
'to_pickle',
'to_records',
'to_sql',
'to_stata',
'to_string',
'to_timestamp',

```
'to_xarray',  
'to_xml',  
'transform',  
'transpose',  
'truediv',  
'truncate',  
'tz_convert',  
'tz_localize',  
'unstack',  
'update',  
'value_counts',  
'values',  
'var',  
'where',  
'xs']
```

```
data.iloc[1,:]
```

RowNumber	2
CustomerId	15647311
Surname	Hill
CreditScore	608
Geography	Spain
Gender	Female
Age	41
Tenure	1
Balance	83807.86
NumOfProducts	1
HasCrCard	0
IsActiveMember	1
EstimatedSalary	112542.58
Exited	0

Name: 1, dtype: object

```
data.loc[1]
```

RowNumber	2
CustomerId	15647311
Surname	Hill
CreditScore	608
Geography	Spain
Gender	Female
Age	41
Tenure	1
Balance	83807.86
NumOfProducts	1
HasCrCard	0
IsActiveMember	1
EstimatedSalary	112542.58

```
Exited                                0
Name: 1, dtype: object
```

#dealing with missing data

```
data.isnull().sum()
```

```
RowNumber      0
CustomerId      0
Surname         0
CreditScore     0
Geography       0
Gender          0
Age             0
Tenure          0
Balance         0
NumOfProducts  0
HasCrCard       0
IsActiveMember  0
EstimatedSalary 0
Exited          0
dtype: int64
```

```
data['Age'].fillna(data['Age'].mean())
```

```
0      42
1      41
2      42
3      39
4      43
..
9995   39
9996   35
9997   36
9998   42
9999   28
Name: Age, Length: 10000, dtype: int64
```

```
data.isnull().sum()
```

```
RowNumber      0
CustomerId      0
Surname         0
CreditScore     0
Geography       0
Gender          0
Age             0
Tenure          0
Balance         0
```

```
NumOfProducts      0
HasCrCard           0
IsActiveMember      0
EstimatedSalary     0
Exited              0
dtype: int64
```

```
data['Age'].fillna(data['Age'].mean(),inplace=True)
```

```
data.isnull().sum()
```

```
RowNumber      0
CustomerId     0
Surname        0
CreditScore    0
Geography      0
Gender         0
Age            0
Tenure         0
Balance        0
NumOfProducts  0
HasCrCard      0
IsActiveMember 0
EstimatedSalary 0
Exited         0
dtype: int64
```

```
data.mode()
```

	RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	Age	\
0	1	15565701	Smith	850.0	France	Male	37.0	
1	2	15565706	NaN	NaN	NaN	NaN	NaN	
2	3	15565714	NaN	NaN	NaN	NaN	NaN	
3	4	15565779	NaN	NaN	NaN	NaN	NaN	
4	5	15565796	NaN	NaN	NaN	NaN	NaN	
...	
9995	9996	15815628	NaN	NaN	NaN	NaN	NaN	
9996	9997	15815645	NaN	NaN	NaN	NaN	NaN	
9997	9998	15815656	NaN	NaN	NaN	NaN	NaN	
9998	9999	15815660	NaN	NaN	NaN	NaN	NaN	
9999	10000	15815690	NaN	NaN	NaN	NaN	NaN	

	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	\
0	2.0	0.0	1.0	1.0	1.0	
1	NaN	NaN	NaN	NaN	NaN	
2	NaN	NaN	NaN	NaN	NaN	
3	NaN	NaN	NaN	NaN	NaN	
4	NaN	NaN	NaN	NaN	NaN	
...	

9995	NaN	NaN	NaN	NaN	NaN
9996	NaN	NaN	NaN	NaN	NaN
9997	NaN	NaN	NaN	NaN	NaN
9998	NaN	NaN	NaN	NaN	NaN
9999	NaN	NaN	NaN	NaN	NaN

	EstimatedSalary	Exited
0	24924.92	0.0
1	NaN	NaN
2	NaN	NaN
3	NaN	NaN
4	NaN	NaN
...
9995	NaN	NaN
9996	NaN	NaN
9997	NaN	NaN
9998	NaN	NaN
9999	NaN	NaN

[10000 rows x 14 columns]

#dealing with outliers

import seaborn as sns


sns.boxplot(data['Balance'])

/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43:

FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.

FutureWarning

<matplotlib.axes._subplots.AxesSubplot at 0x7f085224e7d0>




```
sns.boxplot(data['Age'])
```

/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43:

FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.

FutureWarning

<matplotlib.axes._subplots.AxesSubplot at 0x7f0852291d50>



```
#upper extreme=q3=1.5*IQR
#lower extreme=q1-1.5*IQR
#IQR=q3-q1
qnt=data.quantile(q=[0.25,0.75])
```

```
qnt
```

	RowNumber	CustomerId	CreditScore	Age	Tenure	Balance	
0.25	2500.75	15628528.25	584.0	32.0	3.0	0.00	
0.75	7500.25	15753233.75	718.0	44.0	7.0	127644.24	\

	NumOfProducts	HasCrCard	IsActiveMember	EstimatedSalary	Exited
0.25	1.0	0.0	0.0	51002.1100	0.0
0.75	2.0	1.0	1.0	149388.2475	0.0

```
IQR=qnt.loc[0.75]-qnt.loc[0.25]
```

```
upper_extreme=qnt.loc[0.75]+1.5*IQR
```

```
upper_extreme
```

RowNumber	1.499950e+04
CustomerId	1.594029e+07
CreditScore	9.190000e+02
Age	6.200000e+01
Tenure	1.300000e+01
Balance	3.191106e+05
NumOfProducts	3.500000e+00
HasCrCard	2.500000e+00
IsActiveMember	2.500000e+00
EstimatedSalary	2.969675e+05
Exited	0.000000e+00

dtype: float64

```
lower_extreme=qnt.loc[0.25]-1.5*IQR
```

```
lower_extreme
```

RowNumber	-4.998500e+03
CustomerId	1.544147e+07
CreditScore	3.830000e+02
Age	1.400000e+01
Tenure	-3.000000e+00
Balance	-1.914664e+05
NumOfProducts	-5.000000e-01
HasCrCard	-1.500000e+00
IsActiveMember	-1.500000e+00
EstimatedSalary	-9.657710e+04
Exited	0.000000e+00

dtype: float64

```
data[data['Age']>54.25]
```

	RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	Age	\
16	17	15737452	Romeo	653	Germany	Male	58	
42	43	15687946	Osborne	556	France	Female	61	
44	45	15684171	Bianchi	660	Spain	Female	61	
58	59	15623944	T'ien	511	Spain	Female	66	
63	64	15751208	Pirozzi	684	Spain	Male	56	
...	
9909	9910	15773338	Endrizzi	739	France	Male	58	
9910	9911	15784042	L?	624	France	Male	55	
9936	9937	15653037	Parks	609	France	Male	77	
9939	9940	15808971	Lajoie	693	Spain	Female	57	
9979	9980	15692664	Diribe	677	France	Female	58	

	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	\
16	1	132602.88	1	1	0	
42	2	117419.35	1	1	1	
44	5	155931.11	1	1	1	
58	4	0.00	1	1	0	
63	8	78707.16	1	1	1	
...	
9909	2	101579.28	1	1	1	
9910	7	118793.60	1	1	1	
9936	1	0.00	1	0	1	
9939	9	0.00	2	1	1	
9979	1	90022.85	1	0	1	

	EstimatedSalary	Exited
16	5097.67	1
42	94153.83	0
44	158338.39	0
58	1643.11	1
63	99398.36	0
...
9909	72168.53	0
9910	95022.02	1
9936	18708.76	0
9939	135502.77	0
9979	2988.28	0

```
[882 rows x 14 columns]
```

```
data[data['Balance']>99000]
```

	RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	Age	\
2	3	15619304	Onio	502	France	Female	42	
4	5	15737888	Mitchell	850	Spain	Female	43	
5	6	15574012	Chu	645	Spain	Male	44	

7	8	15656148	Obinna	376	Germany	Female	29
8	9	15792365	He	501	France	Male	44
...
9985	9986	15586914	Nepean	659	France	Male	36
9986	9987	15581736	Bartlett	673	Germany	Male	47
9987	9988	15588839	Mancini	606	Spain	Male	30
9993	9994	15569266	Rahman	644	France	Male	28
9999	10000	15628319	Walker	792	France	Female	28

	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	\
2	8	159660.80	3	1	0	
4	2	125510.82	1	1	1	
5	8	113755.78	2	1	0	
7	4	115046.74	4	1	0	
8	4	142051.07	2	0	1	
...
9985	6	123841.49	2	1	0	
9986	1	183579.54	2	0	1	
9987	8	180307.73	2	1	1	
9993	7	155060.41	1	1	0	
9999	4	130142.79	1	1	0	

	EstimatedSalary	Exited
2	113931.57	1
4	79084.10	0
5	149756.71	1
7	119346.88	1
8	74940.50	0
...
9985	96833.00	0
9986	34047.54	0
9987	1914.41	0
9993	29179.52	0
9999	38190.78	0

[4871 rows x 14 columns]

data[data['Age']<24]

	RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	\
57	58	15647091	Endrizzi	725	Germany	Male	
69	70	15755648	Pisano	675	France	Female	
75	76	15780961	Cavenagh	735	France	Female	
86	87	15762418	Gant	750	Spain	Male	
98	99	15604348	Allard	710	Spain	Male	
...
9796	9797	15794236	Thorpe	642	Germany	Male	
9888	9889	15697606	Sturdee	637	France	Female	
9932	9933	15813451	Fleetwood-Smith	677	Spain	Male	
9940	9941	15791972	Bergamaschi	748	France	Female	

9943	9944	15659495		Fu	784	Spain	Male
	Age	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	\
57	19	0	75888.20	1	0	0	
69	21	8	98373.26	1	1	0	
75	21	1	178718.19	2	1	0	
86	22	3	121681.82	1	1	0	
98	22	8	0.00	2	0	0	
...
9796	22	10	111812.52	2	1	1	
9888	21	10	125712.20	1	0	0	
9932	18	8	134796.87	2	1	1	
9940	20	7	0.00	2	0	0	
9943	23	2	0.00	1	1	1	

	EstimatedSalary	Exited
57	45613.75	0
69	18203.00	0
75	22388.00	0
86	128643.35	1
98	99645.04	0
...
9796	183045.46	0
9888	175072.47	0
9932	114858.90	0
9940	10792.42	0
9943	6847.73	0

[325 rows x 14 columns]

data[data['Balance']<75000]

	RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	Age
\							
0	1	15634602	Hargrave	619	France	Female	42
3	4	15701354	Boni	699	France	Female	39
6	7	15592531	Bartlett	822	France	Male	50
11	12	15737173	Andrews	497	Spain	Male	24
12	13	15632264	Kay	476	France	Female	34
...
9992	9993	15657105	Chukwualuka	726	Spain	Male	36
9994	9995	15719294	Wood	800	France	Female	29
9995	9996	15606229	Obijaku	771	France	Male	39
9996	9997	15569892	Johnstone	516	France	Male	35
9997	9998	15584532	Liu	709	France	Female	36

	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	\
0	2	0.00	1	1	1	
3	1	0.00	2	0	0	
6	7	0.00	2	1	1	

11	3	0.00	2	1	0
12	10	0.00	2	1	0
...
9992	2	0.00	1	1	0
9994	2	0.00	2	0	0
9995	5	0.00	2	1	0
9996	10	57369.61	1	1	1
9997	7	0.00	1	0	1

	EstimatedSalary	Exited
0	101348.88	1
3	93826.63	0
6	10062.80	0
11	76390.01	0
12	26260.98	0
...
9992	195192.40	0
9994	167773.55	0
9995	96270.64	0
9996	101699.77	0
9997	42085.58	1

[4041 rows x 14 columns]

#replacing outlier with mean

```
data['Balance']=np.where(data['Balance']>75000,data['Balance'].mean(),data['Balance'])
```

```
data[data['Balance']>75000]
```

	RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	Age
\							
1	2	15647311	Hill	608	Spain	Female	41
2	3	15619304	Onio	502	France	Female	42
4	5	15737888	Mitchell	850	Spain	Female	43
5	6	15574012	Chu	645	Spain	Male	44
7	8	15656148	Obinna	376	Germany	Female	29
...
9987	9988	15588839	Mancini	606	Spain	Male	30
9991	9992	15769959	Ajuluchukwu	597	France	Female	53
9993	9994	15569266	Rahman	644	France	Male	28
9998	9999	15682355	Sabbatini	772	Germany	Male	42
9999	10000	15628319	Walker	792	France	Female	28

	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	\
1	1	76485.889288	1	0	1	
2	8	76485.889288	3	1	0	
4	2	76485.889288	1	1	1	
5	8	76485.889288	2	1	0	
7	4	76485.889288	4	1	0	

...
9987	8	76485.889288	2	1	1
9991	4	76485.889288	1	1	0
9993	7	76485.889288	1	1	0
9998	3	76485.889288	2	1	0
9999	4	76485.889288	1	1	0

	EstimatedSalary	Exited
1	112542.58	0
2	113931.57	1
4	79084.10	0
5	149756.71	1
7	119346.88	1
...
9987	1914.41	0
9991	69384.71	1
9993	29179.52	0
9998	92888.52	1
9999	38190.78	0

[5959 rows x 14 columns]

#Encoding

data.head()

	RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	Age	\
0	1	15634602	Hargrave	619	France	Female		
		42						
1	2	15647311	Hill	608	Spain	Female		
		41						
2	3	15619304	Onio	502	France	Female		
		42						
3	4	15701354	Boni	699	France	Female		
		39						
4	5	15737888	Mitchell	850	Spain	Female		
		43						

	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember\
0	2	0.000000	1	1	1
1	1	76485.889288	1	0	1
2	8	76485.889288	3	1	0
3	1	0.000000	2	0	0
4	2	76485.889288	1	1	1

	EstimatedSalary	Exited
	101348.88	1
1	112542.58	0
2	113931.57	1
3	93826.63	0
4	79084.10	0

```
#method-dummies  
pd.get_dummies(data,columns=[ 'Geography' ])
```


	RowNumber	CustomerId	Surname	CreditScore	Gender	Age	Tenure	\
0	1	15634602	Hargrave	619	Female	42	2	
1	2	15647311	Hill	608	Female	41	1	
2	3	15619304	Onio	502	Female	42	8	
3	4	15701354	Boni	699	Female	39	1	
4	5	15737888	Mitchell	850	Female	43	2	
...	
9995	9996	15606229	Obijiaku	771	Male	39	5	
9996	9997	15569892	Johnstone	516	Male	35	10	
9997	9998	15584532	Liu	709	Female	36	7	
9998	9999	15682355	Sabbatini	772	Male	42	3	
9999	10000	15628319	Walker	792	Female	28	4	

	Balance	NumOfProducts	HasCrCard	IsActiveMember	EstimatedSalary
0	0.000000	1	1	1	101348.88
1	76485.889288	1	0	1	112542.58
2	76485.889288	3	1	0	113931.57
3	0.000000	2	0	0	93826.63
4	76485.889288	1	1	1	79084.10
...
9995	0.000000	2	1	0	96270.64
9996	57369.610000	1	1	1	101699.77
9997	0.000000	1	0	1	42085.58
9998	76485.889288	2	1	0	92888.52
9999	76485.889288	1	1	0	38190.78

	Exited	Geography_France	Geography_Germany	Geography_Spain
0	1	1	0	0
1	0	0	0	1
2	1	1	0	0
3	0	1	0	0
4	0	0	0	1
...
9995	0	1	0	0
9996	0	1	0	0
9997	1	1	0	0
9998	1	0	1	0
9999	0	1	0	0

[10000 rows x 16 columns]

```
from sklearn.preprocessing import LabelEncoder
```

```
le=LabelEncoder()
```

```
data['Geography']=le.fit_transform(data['Geography'])
```

```
data.head()
```

RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	Age	\
-----------	------------	---------	-------------	-----------	--------	-----	---

0	1	15634602	Hargrave	619	0	Female	42
1	2	15647311	Hill	608	2	Female	41
2	3	15619304	Onio	502	0	Female	42
3	4	15701354	Boni	699	0	Female	39
4	5	15737888	Mitchell	850	2	Female	43

	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	\
0	2	0.000000	1	1	1	
1	1	76485.889288	1	0	1	
2	8	76485.889288	3	1	0	
3	1	0.000000	2	0	0	
4	2	76485.889288	1	1	1	

	EstimatedSalary	Exited0
	101348.88	1
1	112542.58	0
2	113931.57	1
3	93826.63	0
4	79084.10	0

#separating dependent and independent columns

x=data.iloc[:,1:6]

y=data.iloc[:,6]

data.iloc[1:3]

	RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	Age	Tenure
\								
1	2	15647311	Hill	608	2	Female	41	1
2	3	15619304	Onio	502	0	Female	42	8

	Balance	NumOfProducts	HasCrCard	IsActiveMember	EstimatedSalary	\
1	76485.889288	1	0	1	112542.58	
2	76485.889288	3	1	0	113931.57	

	Exited
1	0
2	1

#splitting the dtata into train and test

from sklearn.model_selection import train_test_split

x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.2)

x_train.shape

(8000, 5)

```
x_test.shape
```

```
(2000, 5)
```