


SPRINT-4

TEAM ID	PNT2022TMID14132
Project Title	Inventory Management System for Retailers
MARK	20 Points

Functional Requirement:

- Stock Report
 - Adding New Stock
 - Managing the Old Stocks & New Stocks
- Updated Customer Dashboard
 - Adding New Customers
 - Maintaining the Customer Trading details
- Contact us page
- Staff page

OUTPUT:



The screenshot displays a web application interface for inventory management. The browser's address bar shows the URL 'localhost:4200/report'. The application has a blue header with navigation links: Home, Staff, Contact us, and Log Out. A sidebar on the left contains a menu with options: Dashboard, Products, Add Products, Add sell, Sell Report, Suppliers, Add Suppliers, Employees, and New Employees. The main content area is titled 'Stocks Detail Report' and includes a table with the following data:

PRODUCT CODE	PRODUCT TITLE	PRODUCT BRAND	TOTAL STOCK	COST PER ITEM	TOTAL COST	SUBJECT
001	Mouse	HP	1	285	285	stocks

Below the table, a copyright notice reads: 'TCE-Inventory_Mananging_system- copyright © 2022'. The Windows taskbar at the bottom shows the system clock as 14:58 on 08-11-2022, along with various system icons and the search bar.

IBM x IBM-Proje x Project Pl x Project Tei x IBM-Proje x Assignme x New Tab x Inventory x accessor x +

localhost:4200/customer

Home Staff Contact us Log Out

Dashboard Products Add Products Add sell Sell Report Suppliers Add Suppliers Employees New Employees

Sales Report

Dashboard | Sell Products | Sales Report

NAME	EMAIL	MOBILE	ADDRESS	MATERIAL	PRICE	QUANTITY	DISCOUNT	TOTAL
ANANTHA KUMAR S	71421010501@mcse.in	9985132865	19F maarapaalam,	Mouse	255	3	0	765

TCE-Inventory_Mananging_system- copyright © 2022

Type here to search

27°C ENG 14:59 08-11-2022

IBM x IBM-Proje x Project Pl x Project Tei x IBM-Proje x Assignme x New Tab x Inventory x accessor x +

localhost:4200/addreport

Home Staff Contact us Log Out

Dashboard Products Add Products Add sell Sell Report Suppliers Add Suppliers Employees New Employees

Product Management

Dashboard | Products | Add Products

Product code

Product Title

Product Brand

Total Stock

Cost Per Item

Total Cost

Subject

product code

Product name...

product brand...

enter the total stock

enter the cost one item

Total Cost ...

Write something

Submit

TCE-Inventory_Mananging_system- copyright © 2022

IBM x IBM-Proje x Project Ple x Project Te x IBM-Proje x Assignme x New Tab x Inventory x accessori x +

localhost4200/addcustomer


Home Staff Contact us Log Out

Sell Products

Dashboard | Reports | Sell Products

Customer Name	Email	Mobile
<input type="text" value="anand"/>	<input type="text" value="g*****@gmail"/>	<input type="text" value="+1 918 628 8130"/>
Material	price	Quantity
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="1"/>
Discount	Shipping Address	
<input type="text" value="0"/>	<input type="text" value="1234 Main St"/>	
Total		
<input type="text" value="0"/>		

TCE-Inventory_Mananging_system- copyright © 2022



Code:

```
<app-header></app-header>
<div class="row">
  <div class="col-2">
    <app-navbar></app-navbar>
  </div>
```



```
<div class="col-10 p-0">  
  <div>  
    <section class="mt-3">  
      <div class="container-fluid">  
        <div class="page-header ph-radius clearfix">
```



```

<div class="float-left">
  <h3>Stocks Detail Report</h3>
</div>
<div class="float-right">
  <div class="d-flex">
    <nav aria-label="breadcrumb">
      <ol class="breadcrumb">
        <li class="breadcrumb-item">
          <a href="dashboard">Dashboard</a>
        </li>
        <li class="breadcrumb-item">
          <a href="addreport">Add Products</a>
        </li>
        <li class="breadcrumb-item active" aria-current="report">
          Products
        </li>
      </ol>
    </nav>
  </div>
</div>
</div>

```

```

<div class="row ">
  <div class="col-lg-12">
    <div class="content-wrapper">
      <!-- Table start -->
      <table id="sort-table" class="table table-responsive">
        <thead>
          <tr>
            <th class="nosort" style="width: 18px">
</th>
            <th>Product code</th>
            <th>Product Title</th>
            <th>Product Brand</th>
<th>Total Stock</th>
            <th>Cost Per Item</th>
            <th>Total cost</th>
            <th>SUBJECT</th>
          </tr>
          <tr *ngFor="let items of report">
            <td style="cursor: pointer"
(click)="nextPage(items.id)">

```

```

&#9998;
</td>
<td>{{ items.pcode }}</td>
<td>{{ items.ptitle }}</td>
<td>{{ items.pbrand }}</td>
<td>{{ items.tstock }}</td>
<td>{{ items.cpi }}</td>
<td>{{ items.tcost }}</td>
<td>{{ items.sub }}</td>
</tr>
</thead>
</table>
<!-- Table end -->
</div>
</div>
</div>
</div>

</section>
<!-- //PAGE END -->
</div>
<app-footer></app-footer>
</div>
</div> <app-header></app-header>
<div class="row">
  <div class="col-2">
    <app-navbar></app-navbar>
  </div>
  <div class="col-10 p-0">
    <div>
      <section class="mt-3">
        <div class="container-fluid">
          <div class="page-header ph-radius clearfix">
            <div class="float-left">
              <h3>Stocks Detail Report</h3>
            </div>
            <div class="float-right">

```



```

<div class="d-flex">
  <nav aria-label="breadcrumb">
    <ol class="breadcrumb">
      <li class="breadcrumb-item">
        <a href="dashboard">Dashboard</a>
      </li>
      <li class="breadcrumb-item">
        <a href="addreport">Add Products</a>
      </li>
      <li class="breadcrumb-item active" aria-current="report">
        Products
      </li>
    </ol>
  </nav>
</div>
</div>
</div>

```

```

<div class="row ">
  <div class="col-lg-12">
    <div class="content-wrapper">
      <!-- Table start -->
      <table id="sort-table" class="table table-responsive">
        <thead>
          <tr>
            <th class="nosort" style="width: 18px">
            </th>
            <th>Product code</th>
            <th>Product Title</th>
            <th>Product Brand</th>
            <th>Total Stock</th>
            <th>Cost Per Item</th>
            <th>Total cost</th>
            <th>SUBJECT</th>
          </tr>
          <tr *ngFor="let items of report">
            <td style="cursor: pointer"
(click)="nextPage(items.id)">
              &#9998;
            </td>
            <td>{{ items.pcode }}</td>
            <td>{{ items.ptitle }}</td>
            <td>{{ items.pbrand }}</td>

```



```
        <td>{{ items.tstock }}</td>
        <td>{{ items.cpi }}</td>
        <td>{{ items.tcost }}</td>
        <td>{{ items.sub }}</td>
    </tr>
</thead>
</table>
<!-- Table end -->
</div>
</div>
</div>      </div>
```

```
</section>
<!-- //PAGE END -->
</div>
<app-footer></app-footer>
```



```

    </div>
</div>
<app-header></app-header>
<div class="row">
  <div class="col-2">
    <app-navbar></app-navbar>
  </div>
  <div class="col-10 p-0">
    <div>
      <section class="mt-3">
        <div class="container-fluid">
          <div class="page-header ph-radius clearfix">
            <div class="float-left">
              <h3>Stocks Detail Report</h3>
            </div>
            <div class="float-right">
              <div class="d-flex">
                <nav aria-label="breadcrumb">
                  <ol class="breadcrumb">
                    <li class="breadcrumb-item">
                      <a href="dashboard">Dashboard</a>
                    </li>
                    <li class="breadcrumb-item">
                      <a href="addreport">Add Products</a>
                    </li>
                    <li class="breadcrumb-item active" aria-current="report">
                      Products
                    </li>
                  </ol>
                </nav>
              </div>
            </div>
          </div>
          <div class="row ">
            <div class="col-lg-12">
              <div class="content-wrapper">
                <!-- Table start -->

```

```

<table id="sort-table" class="table table-responsive">
<thead>
    <tr>
        <th class="nosort" style="width: 18px">
        </th>
        <th>Product code</th>
        <th>Product Title</th>
        <th>Product Brand</th>
        <th>Total Stock</th>
        <th>Cost Per Item</th>
        <th>Total cost</th>
        <th>SUBJECT</th>
    </tr>
    <tr *ngFor="let items of report">
        <td style="cursor: pointer"
(click)="nextPage(items.id)">
            &#9998;
        </td>
        <td>{{ items.pcode }}</td>
        <td>{{ items.ptitle }}</td>
        <td>{{ items.pbrand }}</td>
        <td>{{ items.tstock }}</td>
        <td>{{ items.cpi }}</td>
        <td>{{ items.tcost }}</td>
        <td>{{ items.sub }}</td>
    </tr>
</thead>
</table>
<!-- Table end -->
</div>
</div>
</div>
</div>

</section>
<!-- //PAGE END -->
</div>
<app-footer></app-footer>

```

```
    </div>
</div>
<app-header></app-header>
<div class="row">
  <div class="col-2">
    <app-navbar></app-navbar>
  </div>
  <div class="col-10 p-0">
    <div>
      <section class="mt-3">
        <div class="container-fluid">
          <div class="page-header ph-radius clearfix">
            <div class="float-left">
              <h3>Sell Products</h3>
            </div>
            <div class="float-right">
              <div class="d-flex">
                <nav aria-label="breadcrumb">
                  <ol class="breadcrumb border-0">
                    <li class="breadcrumb-item">
                      <a href="dashboard">Dashboard</a>
                    </li>
                    <li class="breadcrumb-item"><a
href="customer">Reports</a></li>
```

```


        <li class="breadcrumb-item active" aria-current="page">
            Sell Products
        </li>
    </ol>
</nav>
</div>
</div>
</div>
</div>
<div class="content-wrapper">
    <div class="row mx-0 mt-2">
        <div class="col-lg-12">
            <div class="form-row row">
                <div class="form-group col-md-4">
                    <label for="firstname">Customer Name</label>
<input type="text" class="form-control" id="name" placeholder="anand"
[(ngModel)]="name" />
                </div>
                <div class="form-group col-md-4">
                    <label for="Email">Email</label>
                    <input type="email" class="form-control" id="name"
placeholder="p*****@gmail"
                    [(ngModel)]="email" />
                </div>
                <div class="form-group col-md-4">
                    <label for="mobile">Mobile</label>
                    <input type="number" class="form-control" id="mobile"
placeholder="+1 916 920 0130"
                    [(ngModel)]="mobile" />
                </div>
                <div class="form-group col-md-4 mt-4">
                    <label for="lasttname">Material</label>
                    <ng-select [items]="report" #select
bindLabel="ptitle" dropdownPosition="auto" bindValue="ptitle"
labelForId="album" placeholder="Select album"
[virtualScroll]="true" [(ngModel)]="material"
                    (change)="onAdd($event)">

```

```
<ng-template      ng-option-tmp      let-item="item"
letsearch="searchTerm">
    <div><span>Title:
</span><span>{{item.ptitle}}</span></div>
    <small><b>P-code:</b> {{item.pcode}}</small>
    <small><b>Brand:</b> {{item.pbrand}}</small>
```



```
</ng-template>  
</ng-select>
```




```

    </div>
    <div class="form-group col-md-4 mt-4">
    <label for="price">price</label>
      <input type="number" class="form-control" id="price"
placeholder="item" [(ngModel)]="price" readonly />
    </div>
    <div class="form-group col-md-4 mt-4">
      <label for="price">Quantity</label>
      <input type="number" class="form-control"
(change)="changeData()" id="quantity" placeholder="item" [(ngModel)]="qty" />
    </div>
    <div class="form-group col-md-4 mt-4">
      <label for="price">Discount</label>
      <input type="number" class="form-control" id="discount"
placeholder="item" [(ngModel)]="discount" />
    </div>
    <div class="form-group col-md-8 mt-4">
      <label for="inputAddress">Shipping Address</label>
    <textarea type="text" class="form-control" id="inputAddress" placeholder="1234
Main St"
      [(ngModel)]="address"></textarea>
    </div>
    <div class="form-group col-md-4 mt-4">
      <label for="price">Total</label>
      <input type="number" class="form-control" id="discount"
placeholder="item" readonly [(ngModel)]="total" />
    </div>
    </div>
    <br><br><br>
    <div class="row text-center">
      <div class="col-12 text-center">
        <button class="btn btn-success w-25"
(click)="onSubmit()">Sell Product</button>
      </div>
    </div>
  </div>
</div>
</section>
<!-- //PAGE END -->

```

```

</div>

```

```
    <app-footer></app-footer>
  </div>
</div> <app-header></app-header>
<div classs="col-12">
  <div id="content ">
```




```
placeholder=""  
data-constraints="@Required @JustLetters"
```



```

        />
        <span class="empty-message">*This field is required.</span>
        <span class="error-message">*This is not a valid name.</span>
    </label>
</div>
<div class="coll-2">
    <p class="mbot4">E-mail*</p>
    <label class="email">
        <input
type="text"                placeholder=""
data-constraints="@Required @Email"
/>
        <span class="empty-message">*This field is required.</span>
        <span class="error-message">*This is not a valid
email.</span>
    </label>
</div>
<div class="coll-3">
    <p class="mbot4">Phone</p>
    <label class="phone">
        <input
type="text"                placeholder=""
data-constraints="@JustNumbers"
/>
        <span class="empty-message">*This field is required.</span>
        <span class="error-message">*This is not a valid
phone.</span>
    </label>
</div>
<label class="message">
    <span class="mbot4">Message*</span>
    <textarea                placeholder=""
data-constraints="@Required @Length(min=20,max=999999)"
></textarea>
    <span class="empty-message">*This field is required.</span>
    <span class="error-message">*The message is too short.</span>
</label>
<div>
    <a href="dashboard" data-type="submit" class="btn-link btn-
link1"
        >Submit</a>
    >

```




```
fields</p>
    <p class="req">*required
</div>
</form>
</article>
</div>    </div>
</section>
</div>
</div>
```


Common.css:





```
textarea{  width: 100%;
```





```
box-sizing: border-box;  resize:
```








```
} input[type=number], select,
```



```
textarea{  width: 100%;  padding:
```







[REDACTED]

[REDACTED]





```
/* Style the label to display next to the inputs
```




```
*/  label {    padding: 12px 12px 12px 0;
```



[REDACTED]

[REDACTED]








```
*/  input[type=submit] {
```





```
color: white; padding:
```







```
cursor: pointer; float:
```



right;

[REDACTED]

[REDACTED]





```
/* Style the container */  
.container { border-  
radius: 5px; background-  
color: #f2f2f2;  
padding: 20px;  
}
```





```
/* Floating column for labels: 25% width */
```



.col-25 {








[REDACTED]

[REDACTED]







.col-75 {







[REDACTED]

[REDACTED]





```
/* Clear floats after the columns */
```







```
display: table;
```



[REDACTED]

[REDACTED]









[REDACTED]

[REDACTED]



```
.job-card .card-header {
```











[REDACTED]

[REDACTED]



```
.job-card .list-item {  border-  
bottom: 1px solid #dee5f1;  margin-  
top: 10px;  
}  
.job-status .form-control {  font-  
size: 11px;  height: calc(1.2em +  
0.5rem + 2px);  
  padding: 0.15rem 0.15rem;  
  background: transparent;  
  font-weight: 700; width:  
  110px;  
} .job-status .btn {  font-  
size: 11px !important;  
font-weight: 600;
```













[REDACTED]

[REDACTED]



/*--//Job ID Time Line--*/



```
/* Table sticky header */
```








[REDACTED]

[REDACTED]





```
{  position: sticky;  top: 0;  z-
```




index: 2;





[REDACTED]


[REDACTED]
















[REDACTED]

[REDACTED]



```
.table-container.no-pagination .bottom {
```




[REDACTED]

[REDACTED]



```
.stockin-stockout-container {  
display: flex; } .page-  
loading { position:  
absolute; width: 100%; z-  
index: 999;  
background: rgb(255 255 255 / 50%); height:  
100%; margin: 0 auto; text-align: center;  
padding-top: 15%;  
} .page-loading h4  
{ font-weight:  
600;
```







[REDACTED]

[REDACTED]



```
/*--Data Table--*/ table.dataTable thead
```



```
.sorting:before, table.dataTable thead
```



```
.sorting:after, table.dataTable thead
```



.sorting_asc:before, table.dataTable thead



```
.sorting_asc:after, table.dataTable thead
```



```
.sorting_desc:before, table.dataTable thead
```



```
.sorting_desc:after, table.dataTable thead
```



```
.sorting_asc_disabled:before, table.dataTable thead
```




```
.sorting_asc_disabled:after, table.dataTable thead
```



.sorting_desc_disabled:before, table.dataTable



```
thead .sorting_desc_disabled:after { position:
```







[REDACTED]

[REDACTED]

















[REDACTED]

[REDACTED]















```
    transition: all 0.3s;
padding-top: 10px; }
#sidebar.active {
margin-left: -15%; }
#sidebar ul li { text-
  align: left; display:
  block; float: left;
  margin: 5px 10px; width:
  100%;
} #sidebar ul li a
{   padding: 10px;
```













[REDACTED]

[REDACTED]







[REDACTED]

[REDACTED]







[REDACTED]

[REDACTED]





[REDACTED]

[REDACTED]









[REDACTED]

[REDACTED]





[REDACTED]

[REDACTED]









[REDACTED]

[REDACTED]










```
        margin-left: -20%;
    } #sidebar.active {
margin-left: 0;    }
#sidebarCollapse span {
display: none;
    }
    #content {
        width: 100%; }
    #sidebar ul li a {
padding: 10px;    font-
size: 1em;    display:
block;
```









[REDACTED]

[REDACTED]







[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]







.ch-235 { min-



height: 235px;

[REDACTED]

[REDACTED]



.ch-250 { min-



[REDACTED]

[REDACTED]



.ch-275 { min-



[REDACTED]

[REDACTED]



.ch-300 { min-



[REDACTED]

[REDACTED]





















[REDACTED]

[REDACTED]



```
.index-card .card-header { background:
#fff; border-bottom: 1px solid #dadfe5;
padding: 0.75rem 1.05rem 0.75rem 1.05rem;
border-radius: 7px 7px 0 0;
}
.index-card .card-header .card-title { margin:
0;
font-size: 1.25rem;
font-weight: 600; line-
height: 100%; color:
#222222;
} .index-card .card-body {
padding: 1.25rem 1.25rem;
```





[REDACTED]

[REDACTED]





`text-align: center;`

[REDACTED]

[REDACTED]









[REDACTED]

[REDACTED]












```
.finance-box h2 { font-
```





[REDACTED]

[REDACTED]



```
.finance-box h6 { font-
```






#606569;

[REDACTED]

[REDACTED]







[REDACTED]

[REDACTED]







```
border-radius: 100%;
margin-right: 5px; }
/*--Customers--*/ .customers-
box .cbt-card h5 {
background: transparent; }
.customers-box h5 { font-
weight: 600; color:
#ffffff; font-size: 1rem;
padding: 5px 10px;
width: 85%; margin-
bottom: 15px;
background: #333;
```



[REDACTED]

[REDACTED]



```
.customers-box h2 { font-
```



weight: 600; font-size:





[REDACTED]

[REDACTED]



```
.customers-box h6 {
```









[REDACTED]

[REDACTED]



```
.customers-box .cbt-card i {
```






```
align: middle; margin-top:
```



[REDACTED]

[REDACTED]





```
box h2 {  font-weight:
```



700; font-size: 1.75rem;





[REDACTED]

[REDACTED]



```
.billing-box h6 { font-
```










[REDACTED]

[REDACTED]



```
.billing-box span {  
font-weight: 600;  
color: #aaaaaa; }  
.billing-box .bill-icon {  
display: inline-flex;  
width: 80px; height:  
80px;
```





```
text-align: center; border-
radius: 50%; align-items:
center; justify-content:
center;
background: #eee;
}
.billing-box .bill-icon i { font-
size: 1.5rem;
}

.action a {
display: none;
}
.action:hover a {
display: inline-block;
}
.print-des { padding: 0px 15px
15px 15px; border: 1px solid
#e3e3e3; border-radius: 5px;
box-shadow: 4px 4px 10px #e9e9e9;
} label { font-
weight: bold; font-
size: 15px; margin-
bottom: 0.8rem;
color: #000;
}
```