


SPRINT-4

TEAM ID	PNT2022TMID14132
Project Title	Inventory Management System for Retailers
MARK	20 Points

Functional Requirement:

- Stock Report ○ Adding New Stock ○ Managing the Old Stocks & New Stocks
- Updated Customer Dashboard ○ Adding New Customers ○ Maintaining the Customer Trading details
- Contact us page
- Staff page

OUTPUT:



IBM

IBM-Project-613-1658310000/S...

Inventory_Managing_System

Inventory_Managing_System

Inventory_Managing_System

File | C:/Users/Sutharsan/OneDrive/Desktop/Nalaiya_Thiran/IBM-Project-613-1658310000/Project%20Development%20Phase/Sprint%204/product%20Dashboard.html

Home

Staff

Contact us

Log Out

Dashboard

Products

Add Products

Add sell

Sell Report

Suppliers

Add Suppliers

Employees

New Employees

Stocks Detail Report

Dashboard | Add Products | Products

	PRODUCT CODE	PRODUCT TITLE	PRODUCT BRAND	TOTAL STOCK	COST PER ITEM	TOTAL COST	SUBJECT
	001	Mouse	HP	51	255	13005	stocks

TCE-Inventory_Managing_system- copyright © 2022

27°C Cloudy

Search

ENG IN

8:08 PM 11/16/2022

Home

Staff

Contact us

Log Out

Tamil Nadu College Of Engineering

Tamil Nadu College Of Engineering

Tamil Nadu College Of Engineering

Address

Tamil Nadu College Of Engineering

Tamil Nadu College Of Engineering

Telephone

0471 808 711 2008

0471 808 711 2007

Feedback

Name

Email

Phone

Message

Submit

Cancel

IBM x IBM-Project-613 x Inventory_Managing x Inventory_Managing x Inventory_Managing x Inventory_Managing x Inventory_Managing x Inventory_Managing x +

File | C:/Users/Sutharsan/OneDrive/Desktop/Nalaya_Thiran/IBM-Project-613-1658310000/Project%20Development%20Phase/Sprint%204/updated%20customer%20dashboard.html

Home Staff Contact us Log Out

Dashboard Products Add Products Add sell Sell Report Suppliers Add Suppliers Employees New Employees

Sales Report

Dashboard | Sell Products | Sales Report

NAME	EMAIL	MOBILE	ADDRESS	MATERIAL	PRICE	QUANTITY	DISCOUNT	TOTAL
SUTHARSAN S	sutharsansuthan62435@gmail.com	7339622027	34 Palladam,	Mouse	255	3	0	765

TCE-Inventory_Managing_system- copyright © 2022

27°C Cloudy 8:14 PM 11/16/2022

IBM x IBM-Project-613 x Inventory_Managing x Inventory_Managing x Inventory_Managing x Inventory_Managing x Inventory_Managing x Inventory_Managing x +

File | C:/Users/Sutharsan/OneDrive/Desktop/Nalaya_Thiran/IBM-Project-613-1658310000/Project%20Development%20Phase/Sprint%204/Adding%20product.html

Dashboard Products Add Products Add sell Sell Report Suppliers Add Suppliers Employees New Employees

Add Products

Dashboard | Products | Add Products

Product code: product code

Product Title: Product name...

Product Brand: product brand....

Total Stock: enter the total stock


Cost Per Item: enter the cost one item

Total Cost: Total Cost.....

Subject: Write something..


Submit

27°C Cloudy 8:16 PM 11/16/2022



Code:

```
<app-header></app-header>
<div class="row">
  <div class="col-2">
    <app-navbar></app-navbar> </div>
```



```
<div class="col-10 p-0">  
  <div>  
    <section class="mt-3">  
      <div class="container-fluid">  
        <div class="page-header ph-radius clearfix">
```



```

<div class="float-left">
  <h3>Stocks Detail Report</h3>
</div>
<div class="float-right">
  <div class="d-flex">
    <nav aria-label="breadcrumb">
      <ol class="breadcrumb">
        <li class="breadcrumb-item">
          <a href="dashboard">Dashboard</a>
        </li>
        <li class="breadcrumb-item">
          <a href="addreport">Add Products</a>
        </li>
        <li class="breadcrumb-item active" aria-current="report">
          Products
        </li>
      </ol>
    </nav>
  </div>
</div>
</div>

<div class="row ">
  <div class="col-lg-12">
    <div class="content-wrapper">
      <!-- Table start -->
      <table id="sort-table" class="table table-responsive">
        <thead>
          <tr>
            <th class="nosort" style="width: 18px">
</th>

            <th>Product code</th>
            <th>Product Title</th>
            <th>Product Brand</th>
<th>Total Stock</th>
            <th>Cost Per Item</th>
            <th>Total cost</th>
            <th>SUBJECT</th>
          </tr>
          <tr *ngFor="let items of report">
            <td style="cursor: pointer"
(click)="nextPage(items.id)">

```

```

&#9998;
</td>
<td>{{ items.pcode }}</td>
<td>{{ items.ptitle }}</td>
<td>{{ items.pbrand }}</td>
<td>{{ items.tstock }}</td>
<td>{{ items.cpi }}</td>
<td>{{ items.tcost }}</td>
<td>{{ items.sub }}</td>
</tr>
</thead>
</table>
<!-- Table end -->
</div>
</div>
</div>
</div>
</div>
</section>
<!-- //PAGE END -->
</div>
<app-footer></app-footer>
</div>
</div> <app-header></app-header>
<div class="row">
  <div class="col-2">
    <app-navbar></app-navbar>
  </div>
  <div class="col-10 p-0">
    <div>
      <section class="mt-3">
        <div class="container-fluid">
          <div class="page-header ph-radius clearfix">
            <div class="float-left">
              <h3>Stocks Detail Report</h3>
            </div>
            <div class="float-right">

```

```
<div class="d-flex">
  <nav aria-label="breadcrumb">
    <ol class="breadcrumb">
      <li class="breadcrumb-item">
        <a href="dashboard">Dashboard</a>
      </li>
      <li class="breadcrumb-item">
        <a href="addreport">Add Products</a>
      </li>
      <li class="breadcrumb-item active" aria-current="report">
        Products
      </li> </ol>
    </nav>
  </div>
</div>
</div>
```



```

<div class="row ">
  <div class="col-lg-12">
    <div class="content-wrapper">
      <!-- Table start -->
      <table id="sort-table" class="table table-responsive">
        <thead>
          <tr>
            <th class="nosort" style="width: 18px">
            </th>
            <th>Product code</th>
            <th>Product Title</th>
            <th>Product Brand</th>
            <th>Total Stock</th>
            <th>Cost Per Item</th>
            <th>Total cost</th>
            <th>SUBJECT</th>
          </tr>
          <tr *ngFor="let items of report">
            <td style="cursor: pointer"
(click)="nextPage(items.id)">
              &#9998;
            </td>
            <td>{{ items.pcode }}</td>
            <td>{{ items.ptitle }}</td>
            <td>{{ items.pbrand }}</td>
            <td>{{ items.tstock }}</td>
            <td>{{ items.cpi }}</td>
            <td>{{ items.tcost }}</td>
            <td>{{ items.sub }}</td>
          </tr>
        </thead>
      </table>
      <!-- Table end -->
    </div>
  </div>
</div>


```

```

</section>
<!-- //PAGE END -->

```

```
</div>  
<app-footer></app-footer>
```



```
</div>  
</div>  
<app-header></app-header>  
<div class="row">  
  <div class="col-2">  
    <app-navbar></app-navbar>  
  </div>  
  <div class="col-10 p-0">  
    <div>
```



```

<section class="mt-3">
  <div class="container-fluid">
    <div class="page-header ph-radius clearfix">
      <div class="float-left">
        <h3>Stocks Detail Report</h3>
      </div>
      <div class="float-right">
        <div class="d-flex">
          <nav aria-label="breadcrumb">
            <ol class="breadcrumb">
              <li class="breadcrumb-item">
                <a href="dashboard">Dashboard</a>
              </li>
              <li class="breadcrumb-item">
                <a href="addreport">Add Products</a>
              </li>
              <li class="breadcrumb-item active" aria-current="report">
Products
              </li>
            </ol>
          </nav>
        </div>
      </div>
    </div>

    <div class="row ">
      <div class="col-lg-12">
        <div class="content-wrapper">
          <!-- Table start -->

```

```

<table id="sort-table" class="table table-responsive">
<thead>
    <tr>
        <th class="nosort" style="width: 18px">
        </th>
        <th>Product code</th>
        <th>Product Title</th>
        <th>Product Brand</th>
        <th>Total Stock</th>
        <th>Cost Per Item</th>
        <th>Total cost</th>
        <th>SUBJECT</th>
    </tr>
    <tr *ngFor="let items of report">
        <td style="cursor: pointer"
(click)="nextPage(items.id)">
            &#9998;
        </td>
        <td>{{ items.pcode }}</td>
        <td>{{ items.ptitle }}</td>
        <td>{{ items.pbrand }}</td>
        <td>{{ items.tstock }}</td>
        <td>{{ items.cpi }}</td>
        <td>{{ items.tcost }}</td>
        <td>{{ items.sub }}</td>
    </tr>
</thead>
</table>
<!-- Table end -->
</div>
</div>
</div>
</div>

</section>
<!-- //PAGE END -->
</div>
<app-footer></app-footer>

```

```
    </div>
  </div>
</app-header></app-header>
<div class="row">
  <div class="col-2">
    <app-navbar></app-navbar>
  </div>
  <div class="col-10 p-0">
    <div>
      <section class="mt-3">
        <div class="container-fluid">
          <div class="page-header ph-radius clearfix">
            <div class="float-left">
              <h3>Sell Products</h3>
            </div>
            <div class="float-right">
              <div class="d-flex">
                <nav aria-label="breadcrumb">
                  <ol class="breadcrumb border-0">
                    <li class="breadcrumb-item">
                      <a href="dashboard">Dashboard</a>
                    </li>
                    <li class="breadcrumb-item"><a
href="customer">Reports</a></li>
```

```

        <li class="breadcrumb-item active" aria-current="page">
            Sell Products
        </li>
    </ol>
</nav>
</div>
</div>
</div>
<div class="content-wrapper">
    <div class="row mx-0 mt-2">
        <div class="col-lg-12">
            <div class="form-row row">
                <div class="form-group col-md-4">
                    <label for="firstname">Customer Name</label>
<input type="text" class="form-control" id="name" placeholder="anand"
[(ngModel)]="name" />
                </div>
                <div class="form-group col-md-4">
                    <label for="Email">Email</label>
                    <input type="email" class="form-control" id="name"
placeholder="p*****@gmail"
[(ngModel)]="email" />
                </div>
                <div class="form-group col-md-4">
                    <label for="mobile">Mobile</label>
                    <input type="number" class="form-control" id="mobile"
placeholder="+1 916 920 0130"
[(ngModel)]="mobile" />
                </div>
                <div class="form-group col-md-4 mt-4">
                    <label for="lasttname">Material</label>
<ng-select [items]="report" #select
bindLabel="ptitle" dropdownPosition="auto" bindValue="ptitle"
labelForId="album" placeholder="Select album"
[virtualScroll]="true" [(ngModel)]="material"
(change)="onAdd($event)">

```



```


                <ng-template ng-option-tmp let-item="item"
letsearch="searchTerm">
                    <div><span>Title:
</span><span>{{item.ptitle}}</span></div>
                        <small><b>P-code:</b> {{item.pcode}}</small>
                    <small><b>Brand:</b> {{item.pbrand}}</small>

```

```
</ng-template>
```



```
</ng-select>
```



```
</div>  
<div class="form-group col-md-4 mt-4">  
<label for="price">price</label>  
  <input type="number" class="form-control" id="price"
```

```
placeholder="item" [(ngModel)]="price" readonly />
```

```
    </div>
    <div class="form-group col-md-4 mt-4">
      <label for="price">Quantity</label>
      <input type="number" class="form-control"
(change)="changeData()" id="quantity" placeholder="item" [(ngModel)]="qty" />
    </div>
    <div class="form-group col-md-4 mt-4">
      <label for="price">Discount</label>
      <input type="number" class="form-control" id="discount"
placeholder="item" [(ngModel)]="discount" />
    </div>
    <div class="form-group col-md-8 mt-4">
      <label for="inputAddress">Shipping Address</label>
<textarea type="text" class="form-control" id="inputAddress"
placeholder="1234 Main St"
      [(ngModel)]="address"></textarea>
    </div>
    <div class="form-group col-md-4 mt-4">
      <label for="price">Total</label>
      <input type="number" class="form-control" id="discount"
placeholder="item" readonly [(ngModel)]="total" />
    </div>
  </div>
  <br><br><br>
  <div class="row text-center">
    <div class="col-12 text-center">
      <button class="btn btn-success w-25"
(click)="onSubmit()">Sell Product</button>
    </div>
  </div>
</div>
</div>
</div>
</section>
<!-- //PAGE END -->

</div>
```

```
    <app-footer></app-footer>
  </div>
</div> <app-header></app-header>
<div classs="col-12">
  <div id="content ">
```




```
placeholder=""  
data-constraints="@Required @JustLetters"
```



```

        />
        <span class="empty-message">*This field is required.</span>
        <span class="error-message">*This is not a valid name.</span>
    </label>
</div>
<div class="coll-2">
    <p class="mbot4">E-mail*</p>
    <label class="email">
<input
        type="text"
placeholder=""
        data-
constraints="@Required @Email"
/>
        <span class="empty-message">*This field is required.</span>
<span class="error-message">*This is not a valid email.</span>
    </label>
</div>
<div class="coll-3">
    <p class="mbot4">Phone</p>
    <label class="phone">
<input
        type="text"
placeholder=""
        data-
constraints="@JustNumbers"
/>
        <span class="empty-message">*This field is required.</span>
<span class="error-message">*This is not a valid phone.</span>
    </label>
</div>
<label class="message">
    <span class="mbot4">Message*</span>
    <textarea
        placeholder=""
data-constraints="@Required @Length(min=20,max=999999)"
    ></textarea>
    <span class="empty-message">*This field is required.</span>
    <span class="error-message">*The message is too short.</span>
</label>
<div>
    <a href="dashboard" data-type="submit" class="btn-link btn-
link1"
        >Submit</a>
    >

```



```
fields</p>
    <p class="req">*required
    </div>
    </form>
    </article>
    </div>
    </div>
    </section>
    </div>
</div>
```

Common.css:



```
input[type=text], select,
```



```
textarea{ width: 100%;
```



```
padding: 12px; border: 1px
```



```
solid #ccc; border-radius: 4px;
```






```
box-sizing: border-box;  resize:
```



```
vertical;
```



```
} input[type=number], select,
```



```
textarea{  width: 100%;  padding:
```







```
12px;  border: 1px solid #ccc;
```



```
border-radius: 4px;  box-sizing:
```



```
border-box;  resize: vertical;
```



```
}
```




[REDACTED]

[REDACTED]

[REDACTED]



```
/* Style the label to display next to the inputs
```



```
*/  label {      padding: 12px 12px 12px 0;
```

```
display: inline-block;
```



```
}
```




```
/* Style the submit button
```




```
*/  input[type=submit] {
```






background-color: #04AA6D;



color: white; padding:



12px 20px; border: none;



border-radius: 4px;





`cursor: pointer; float:`



`right;`



`}`





```
/* Style the container */  
.container {  
  borderradius: 5px;  
  backgroundcolor: #f2f2f2;  
  padding: 20px;  
}
```





```
/* Floating column for labels: 25% width
*/
```



```
.col-25 {
```



```
float: left;
```





`width: 25%;`




`margin-top: 6px;`




`}`






```
/* Floating column for inputs: 75% width
*/
```



```
.col-75 {
```



```
float: left;
```



```
width: 75%;
```






margin-top: 6px;



}



/* Clear floats after the columns */







```
.row:after {
```



```
content: "";
```




```
display: table;
```



```
clear: both;
```





}



.job-card { border: 1px



solid #dee5f1;



background: #ffffff;






```
margin-top: 10px;
```



```
}
```



```
.job-card .card-header {
```



```
padding: 0.5rem 1.25rem;
```






`margin-bottom: 0;`



`background-color: #f4f6fc;`



`border: none; box-shadow:`



`none; font-weight: 600;`



[REDACTED]

[REDACTED]

}

[REDACTED]



```
.job-card .list-item {  borderbottom:
1px solid #dee5f1;  margintop: 10px;
}
.job-status .form-control {  fontsize:
11px;  height: calc(1.2em +
0.5rem + 2px);  padding:
0.15rem 0.15rem;
background: transparent;
font-weight: 700; width:
110px; } .job-status .btn
{  fontsize: 11px
!important;  font-weight:
600;
```






`padding: 5px 10px`



`!important; line-height:`



`11px; min-height: 22px;`



`margin: 0px !important;`



[REDACTED]

[REDACTED]

vertical-align: top;

[REDACTED]

}

[REDACTED]

/*--//Job ID Time Line--*/

[REDACTED]

/* Table sticky header */

[REDACTED]



`.table-sticky-header .table`



`{ position: relative;`



`width: 100%; float: left;`



`}`







.table-sticky-header .table thead tr th



```
{ position: sticky; top: 0; z-
```



```
index: 2;
```



```
background: #dee5f1;
```



[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]



background-color: transparent;



border-radius: 0; font-size:




13px; color: #fff; padding:



0.9rem;





```
.table-container.no-pagination .bottom  
{
```



```
display: none;
```




```
}
```





```
.stockin-stockout-container {  
display: flex; } .pageloading  
{ position: absolute;  
width: 100%; zindex: 999;  
background: rgb(255 255 255 / 50%); height:  
100%; margin: 0 auto; text-align: center;  
padding-top: 15%;  
} .page-loading h4 {  
font-weight: 600;
```



[REDACTED]

[REDACTED]

font-size: 24px;

[REDACTED]

color: #000000;

[REDACTED]

}

[REDACTED]

/*--Data Table--*/ table.dataTable thead

[REDACTED]



.sorting:before, table.dataTable thead



.sorting:after, table.dataTable thead



.sorting_asc:before, table.dataTable thead



.sorting_asc:after, table.dataTable thead





.sorting_desc:before, table.dataTable thead



.sorting_desc:after, table.dataTable thead





.sorting_asc_disabled:before, table.dataTable thead

.sorting_asc_disabled:after, table.dataTable thead

.sorting_desc_disabled:before, table.dataTable




```
thead .sorting_desc_disabled:after {  
position:
```

```
absolute; bottom: 0.9em; display:  
block;
```





opacity: 1;






SIDEBAR STYLE



.wrapper {




`display: flex;`



`width: 100%;`



`align-items: stretch;`



`}`






```
#sidebar { min-width:
```



```
100%; max-width:
```



```
100%; background:
```



```
#0277fd64; color:
```






#fff;





```
    transition: all 0.3s;
padding-top: 10px; }
#sidebar.active {
margin-left: -15%; }
#sidebar ul li { text-align:
    left; display: block;
    float: left; margin: 5px
    10px; width:
    100%;
} #sidebar ul li a
{ padding: 10px;
```





font-size: 1em;



display: block;



background-color: #fff;





border-radius: 5px;



font-weight: 600;



}



#sidebar ul li a:hover {





background-color: #0276fd;



color: #fff;



}



#sidebar ul li a.active {





background-color: #0276fd;



color: #fff;



}




#sidebar ul li a i {





width: 24px;



}



#content { width:



85%; min-height:






100vh; transition:



all 0.3s;



#content.active {





width: 100%;



}



@media (max-width: 768px) {



#my-header .navbar-brand {





`margin-left: 15px;`



`width: 190px;`



`}`



`#sidebar { min-`





width: 20%; max-



width: 20%;



```
        margin-left: -20%;    }
#sidebar.active {
margin-left: 0;    }
#sidebarCollapse span {
display: none;
    }
    #content {
width: 100%; }
    #sidebar ul li a {
padding: 10px;    fontsize:
1em;    display:
block;
```




`background-color: #fff;`



`border-radius: 5px; font-`



`weight: 600;`





}



```
#sidebar ul li a i {
```



```
width: 16px;
```



[REDACTED]

[REDACTED]

}

[REDACTED]

}

[REDACTED]

/*-- INDEX NEW DASHBOARD--*/

[REDACTED]

[REDACTED]



```
.ch-235 { min-
```



```
height: 235px;
```



```
}
```




```
.ch-250 { min-
```





height: 250px;



}




.ch-275 { min-



height: 275px;






.ch-300 { min-



height: 300px;





```
.index-card { background:
```



```
#ffffff; border: 1px
```



```
solid #dadfe5; box-
```






shadow: none;



-webkit-border-radius: 2px; -



moz-border-radius: 2px; border-



radius: 7px; margin-bottom: 1rem;



[REDACTED]

[REDACTED]

}

[REDACTED]




```
.index-card .card-header { background:
#fff; border-bottom: 1px solid #dadfe5;
padding: 0.75rem 1.05rem 0.75rem 1.05rem;
border-radius: 7px 7px 0 0;
}
.index-card .card-header .card-title {
margin:
0; font-size: 1.25rem;
font-weight: 600;
lineheight: 100%;
color:
#222222;
} .index-card .card-body { padding:
1.25rem 1.25rem;
```





```
position: relative;
```



```
.ticket-box {
```





```
text-align: center;
```



```
}
```



```
.ticket-box h5 { font-
```



```
weight: 600; color:
```





#aaaaaa; margin-bottom:



0; font-size: 1rem;



}



.ticket-box .chart







```
{ width: 150px;
```



```
height: 150px;
```



```
margin: 0 auto; }
```



```
.finance-box h2 { font-
```



[Redacted]

[Redacted]

```
weight: 700; margin-bottom:
```

[Redacted]

```
20px; font-size: 2.05rem;
```

[Redacted]

[Redacted]

```
.finance-box h6 { font-
```

[Redacted]



weight: 600; color:



#606569;



}



.progress {





```
height: 0.75rem !important; margin-
```



```
bottom: 5px;
```



```
}
```



```
.dot-label { width:
```





10px; height: 10px;



display: inline-block;



```
border-radius: 100%;
margin-right: 5px; } /*--
Customers--*/ .customersbox
.cbt-card h5 { background:
transparent; } .customers-box
h5 { fontweight: 600; color:
#ffffff; font-size: 1rem;
padding: 5px 10px; width:
85%; marginbottom: 15px;
background: #333;
```



`border-radius: 8px;`



`}`



`.customers-box h2 { font-`



`weight: 600; font-size:`





```
1.15rem; color: #333;
```



```
margin-bottom: 15px;
```



```
}
```



```
.customers-box h6 {
```



[Redacted]

[Redacted]

font-weight: 600; font-

[Redacted]

size: 0.9rem; color:


[Redacted]

#888; margin-bottom:

[Redacted]

5px;

[Redacted]



```
.customers-box .cbt-card i {
```



```
float: right; vertical-
```



```
align: middle; margin-top:
```



[REDACTED]

[REDACTED]

5px;

[REDACTED]

}

[REDACTED]

/*--Billing--*/ .billing-

[REDACTED]

box h2 { font-weight:


[REDACTED]




```
700;  font-size: 1.75rem;
```



```
color: #666;  margin-
```



```
bottom: 5px;
```



```
}
```







```
.billing-box h6 { font-
```



```
weight: 600; color:
```



```
#aaaaaa; margin-bottom:
```




```
7px; font-size: 1rem;
```





margin-top: 10px;



}



```
.billing-box span {  
font-weight: 600;  
color: #aaaaaa; }  
.billing-box .bill-icon {  
display: inline-flex;  
width: 80px; height:  
80px;
```



```
text-align: center;  
borderradius: 50%; align-  
items: center; justify-  
content:  
center;
```

```
background: #eee;
```

```
}  
.billing-box .bill-icon i {  fontsize:  
1.5rem;  
}
```

```
.action a {  
display: none;  
}  
.action:hover a {  
display: inline-block;  
}  
.print-des {  padding: 0px 15px  
15px 15px;  border: 1px solid  
#e3e3e3;  border-radius: 5px;  
box-shadow: 4px 4px 10px #e9e9e9;  
} label {  fontweight:  
bold;  fontsize: 15px;  
marginbottom: 0.8rem;  
color: #000;  
}
```

