## **SPRINT-3**

TEAM ID	PNT2022TMID14132
Project Title	Inventory Management System for Retailers
MARK	20 Points

### **Functional Requirement:**


- **O** Employee Dashboard Adding New Employee Managing the Employees
- Sell Report Dashboard Adding
   Materials Maintaining


   Materials Alert Message on Stock Out
   Materials
- O Suppliers Dashboard Adding


  New Suppliers Maintaining Bill on the

  Supplier's Account


# **OUTPUT:**













#### Code:

```
<div class="row">
 <div class="col-2">
 </div>
 <div class="col-10 p-0">
    <section class="mt-3">
      <div class="container-fluid">
       <div class="page-header ph-radius clearfix">
         <div class="float-left">
          <h3>Employee dashboard</h3>
         </div>
         <div class="float-right">
          <div class="d-flex">
            <nav aria-label="breadcrumb">
              <a href="dashboard">Dashboard</a>
               <a href="addemployee">New employee </a>
               employee
               </div>
         </div>
       </div>
       <div class="content-wrapper">
       <div class="row mx-0 mt-2">
           <div class="col-lg-12">
            <form class="theme-form">
              <div class="form-colum">
```

```
<div class="container">
              <div class="w3-container w3-content">
               <div>
                 Name
                   Email
                   Mobile
                   D-0-B
                   Address
                  <td style="cursor: pointer"
(click)="nextPage(items._id)">
                     &#9998;
                   {{ items.name }}
                   {{ items.email }}
                   {{ items.mobile }}
                   {{ items.dob }}
                   {{ items.address }}
                  </div>
              </div>
             </div>
           </div>
          </form>
         </div>
       </div>
      </div>
   </section>
   <!-- //PAGE END -->
  </div>
 </div>
</div>
```

```
<div class="float-left">
            <h3>New Employee</h3>
          </div>
          <div class="float-right">
            <div class="d-flex">
             <nav aria-label="breadcrumb">
               <a href="dashboard">Dashboard</a>
                 <a</pre>
href="employee">Employee</a>
                 New Employee
                 </nav>
            </div>
          </div>
        </div>
        <div class="content-wrapper">
          <div class="row mx-0 mt-2">
            <div class="col-lg-12">
             <form class="theme-form">
               <div class="form-row">
                 <div class="container">
                   <form action="action_page.php">
                    <div class="row">
                      <div class="col-12">
                        <label for="fname">Name</label>
</div>
                      <div class="col-12">
                        <input class="input-field" type="text" id="fname"</pre>
name="name" placeholder="Name"
                          [(ngModel)]="name" />
                      </div>
                    </div>
                    <div class="col-12 mt-2">
                      <label for="fname">Email</label>
                    </div>
                    <div class="col-12">
                      <input class="input-field" type="text" id="fname"</pre>
name="email" placeholder="Email'
```

```
[(ngModel)]="email" />
```

```
</div>
                                                                      <div
                                                                      class="row
                                                                      mt-2">
         <div class="col-12">
                             <label for="lname">Mobile</label>
                           </div>
                           <div class="col-12">
                             <input class="input-field" type="text" id="lname"</pre>
name="mobile" placeholder="+91 9965132865"
                               [(ngModel)]="mobile" />
                           </div>
                         </div>
                         <div class="row mt-2">
                           <div class="col-12">
                             <label for="lname">Address</label>
                           </div>
                           <div class="col-12">
                             <textarea class="input-field" type="text"</pre>
id="address" name="address" placeholder="Address"
                               [(ngModel)]="address" style="width:
100%;"></textarea>
                           </div>
                         </div>
                         <div class="row">
                           <div class="col-12">
                             <label for="fname">Date of Birth</label>
</div>
                           <div class="col-75">
                             <input class="input-field" type="date" id="fname"</pre>
name="dob" placeholder="05-01-1***"
                               [(ngModel)]="dob" />
                           </div>
                         </div>
                         <div class=" text-center">
                           <button class="btn btn-primary btn-block mt-4 "</pre>
(click)="onSubmit()">Save</button>
                         </div>
                                                                      </form>
                                                                      </div>
```

```
</div>
</form>
</div>
</div>
</div>
```

```
<app-header></app-header>
<div class="row">
 <div class="col-2">
   <app-navbar></app-navbar>
 </div>
 <div class="col-10 p-0">
   <div>
    <section class="mt-3">
      <div class="container-fluid">
        <div class="page-header ph-radius clearfix">
         <div class="float-left">
           <h3>Stocks Detail Report</h3>
         </div>
         <div class="float-right">
           <div class="d-flex">
            <nav aria-label="breadcrumb">
              <a href="dashboard">Dashboard</a>
                <a href="addreport">Add Products</a>
Products
                </nav>
           </div>
         </div>
        </div>
        <div class="row ">
         <div class="col-lg-12">
           <div class="content-wrapper">
            <!-- Table start -->
```

```
<table
id="sort-
table"
```

```
class="table table-responsive">
```

```
Cost Per Item
               Total cost
               SUBJECT
              <td style="cursor: pointer"
(click)="nextPage(items.id)">
                 ✎
               {{ items.pcode }}
               {{ items.ptitle }}
               {{ items.pbrand }}
               {{ items.tstock }}
               {{ items.cpi }}
               {{ items.tcost }}
               {{ items.sub }}
              </thead>
           </div>
        </div>
       </div>
     </div>
    </section>
    <!-- //PAGE END -->
  </div>
  <app-footer></app-footer>
</div>
<app-header></app-header>
<div class="row">
```

```
<div class="col-2">
  <app-navbar></app-navbar>
```

```
</div>
  <div
class="col-
10 p-0">
        <div>
```

<section

```
class="mt-3">
```

```
<a</pre>
href="report">Products</a>
                 Add Products
                 </nav>
            </div>
          </div>
         </div>
        <div class="content-wrapper mt-0 p-0">
          <div class="row ">
            <div class="col-lg-12">
              <div class="form-row">
                <div class="container">
                 <div class="row mt-2">
                   <div class="col-2">
                     <label for="fname">Product code</label>
                   </div>
                   <div class="col-10">
                     <input type="text" id="fname" name="Product code"</pre>
placeholder="product code"
                       [(ngModel)]="pcode" />
                   </div>
                 </div>
                 <div class="row mt-2">
                   <div class="col-2">
                     <label for="lname">Product Title</label>
</div>
                   <div class="col-10">
                     <input type="text" id="lname" name="Product name"</pre>
placeholder="Product name.."
                       [(ngModel)]="ptitle" />
                   </div>
                 </div>
                  <div class="row mt-2">
```

```
class="col-
                           <label
for="fname">Product Brand</label>
```



```
placeholder="product brand...."
                           [(ngModel)]="pbrand" />
                       </div>
                    </div>
                     <div class="row mt-2">
                       <div class="col-2">
                         <label for="fname">Total Stock</label>
                       </div>
                       <div class="col-10">
                         <input type="number" id="fname" name="stock"</pre>
placeholder="enter the total stock"
                           [(ngModel)]="tstock" />
                       </div>
                    </div>
                     <div class="row mt-2">
                       <div class="col-2">
                         <label for="fname">Cost Per Item </label>
                       <div class="col-10">
                         <input type="number" id="fname" name="costperitem"</pre>
placeholder="enter the cost one item"
                           [(ngModel)]="cpi" />
                       </div>
                    </div>
                     <div class="row mt-2">
                       <div class="col-2">
                         <label for="fname">Total Cost </label>
                       </div>
                       <div class="col-10">
                        <input type="number" id="fname" name="costperitem"</pre>
placeholder="Total Cost....."
                           [(ngModel)]="tcost" />
                       </div>
                    </div>
                    <div class="row mt-2">
                       <div class="col-2">
                         <label for="subject">Subject</label>
                       </div>
                       <div class="col-10">
                         <textarea id="subject" name="subject"
placeholder="Write something.." style="height: 200px"
                           [(ngModel)]="sub"></textarea>
                       </div>
                                </div>
       <div class="row mt-2">
```

```
</div>
       </div>
      </div>
    </div>
   </div>
 </div> </div>
</section>
        <!-- //PAGE END -->
      </div>
      <app-footer></app-footer>
     </div>
   </div>
   <app-header></app-header>
   <div class="row">
    <div class="col-2">
      <app-navbar></app-navbar>
    </div>
     <div class="col-10 p-0">
      <div>
        <section class="mt-3">
         <div class="container-fluid">
           <div class="page-header ph-radius clearfix">
             <div class="float-left">
              <h3>Suppliers dashboard</h3>
             </div>
             <div class="float-right">
              <div class="d-flex">
                <nav aria-label="breadcrumb">
                 <a href="dashboard">Dashboard</a>
                   <a href="addsuppliers">New Suppliers </a>
   Suppliers
                   </nav>
              </div>
             </div>
           </div>
```

```
<div>
                 Name
                    Mobile
                    Material
                    Payment
                    Address
                   <td style="cursor: pointer"
(click)="nextPage(items._id)">
                     ✎
                    {{ items.name }}
                    {{ items.mobile }}
                    {{ items.materials }}
                    {{ items.payment }}
                    {{ items.address }}
                  </div>
              </div>
             </div>
            </div>
          </form>
         </div>
        </div>
      </div>
</div>
  </div>
 <app-footer></app-footer>
</div>
<app-header></app-header>
<div class="row">
 <div class="col-2">
  <app-navbar></app-navbar>
 </div>
```

```
<div class="col-10 p-0">
<section class="mt-3">
```

<div

```
class="container-fluid">
        <div class="page-header ph-radius clearfix">
          <div class="float-left">
            <h3>New Suppliers</h3>
          </div>
          <div class="float-right">
           <div class="d-flex">
             <nav aria-label="breadcrumb">
               <a href="dashboard">Dashboard</a>
                 <a</pre>
href="suppliers">Suppliers</a>
                New Suppliers
               </nav>
           </div>
          </div>
        </div>
        <div class="content-wrapper">
          <div class="row mx-0 mt-2">
           <div class="col-lg-12">
             <div class="form-row">
               <div class="container">
                <div class="row">
                  <div class="col-12">
                    <label for="fname">Company Name</label>
                  </div>
                  <div class="col-12">
                    <input type="text" class="input-field" id="fname"</pre>
name="name" placeholder="mani tex"
                      [(ngModel)]="name" />
                  </div>
                </div>
                 <div class="row">
                  <div class="col-12">
                    <label for="lname">Mobile</label>
     </div>
```

```
</div>
```

```
</div>
                      <div class="col-12">
                        <input type="text" class="input-field" id="materials"</pre>
name="materials" placeholder="item"
                           [(ngModel)]="materials" />
                      </div>
                    </div>
                    <br>
                    <div class="row">
                      <div class="col-12">
                        <label for="trans">Payment
Transaction</label><br>
                                                 <select
placeholder="Please Select Payment" id="payment" class="input-field"
style="width: 100%;" [(ngModel)]="payment">
<option value="Paid">Paid</option>
                          <option value="Pending">Pending</option>
                          <option value="Advance">Advance</option>
                        </select>
                      </div>
                    </div>
                    <div class="row mt-2">
                      <div class="col-12">
                        <label for="lname">Address</label>
                      </div>
                      <div class="col-12">
                        <textarea class="input-field" type="text" id="address"</pre>
name="address" placeholder="Address"
                           [(ngModel)]="address" style="width:
100%;"></textarea>
                      </div>
                    </div>
                    <!-- <div class="row">
                           <div class="col-25">
                            <label for="fname">Receipt</label>
                           </div>
                           <div class="col-75">
                            <input type="file" id="fname" name="img"</pre>
placeholder="pdf" [(ngModel)]="receipt" />
                          </div>
```



```
<div class="form-row mt-5 text-center">
```

```
<div class="form-group col-md-4">
                         <button class="btn btn-secondary m-2"</pre>
(click)="navigate()">
                           <i class="ti-close font-weight-bold mr-1"></i></i>
Cancel
                         </button>
                         <button class="btn btn-primary m-2"</pre>
(click)="onSubmit()">
                           <i class="ti-check font-weight-bold mr-1"></i>
Submit
                         </button>
                       </div>
                     </div>
                   </div>
              </div>
            </div>
          </div>
        </div>
    </div>
    <app-footer></app-footer>
```

### Common.css:

```
.invoice-card { padding: 20px; border: 1px solid #dbe4f1; border-radius: 5px;
background: #fcfdff;
```

```
invoice-card h5 { textalign: right; font-size: 14px; line-height: 22px;

color: #455055; }
invoice-card hr {
 border-top: 1px solid #dbe4f1;
}
invoice-card .table th { padding: 0.5rem 1rem; font-weight: 600; text-transform:
 uppercase; border-bottom: 2px solid
 #dee5f1; } .invoice-card .table td { border-top: 1px solid #dee5f1; vertical-align:
 middle; padding:
 0.35rem 1rem;
```





```
.invoice-card .form-control-sm {
height: calc(1.05em + 0.5rem + 2px)
padding: 0.25rem 0.5rem; font-si
0.875rem; line-height: 1.5;
border-radius: 0.2rem;
.invoice-info {
background: #e2f4ff;
padding: 15px;
.invoice-info h6 {
color: #455055;
fontsize: 13px;
fontweight: 700;
.invoice-info address { marginbo
0px; line-height: 24px;
.invoice-info p {
margintop: 0; margin-
bottom: 0.2rem;
.invoice-info .badge {
 padding: 0.35em 0.45em 0.15em;
/*--//Invoice Card Section End--*/
.user-info { text-align:
center; border: 1px solid
#dbe4f1; border-radius:
5px;
 background:
                     #fcfdff;
padding: 15px; } .user-info h4 {
fontsize: 18px; fontweight:
700; marginbottom: 2px;
```

.user-info h6 {



```
font-size: 14px;
color: #455055;
.user-info .user-thumb img
{ width: 130px; height:
130px; border-radius:
50%; -o-object-fit:
cover; object-fit: cover; -o-
object-position: center right;
object-position: center right;
margin: 0px auto 5px; padding:
0.35rem; backgroundcolor: #fff;
border: 1px solid
#dbe4f1;
.user-info .nav { textalign:
      margin-top:
left;
20px;
.user-info .nav .nav-item {
                 border-top:
color: #455055;
1px solid #dbe4f1;
.user-info .nav .nav-item a
{ color: #96a2a7;
padding: 0.75rem 1rem;
.user-info .nav .nav-item a span { marginleft:
5px;
.user-info .nav .nav-item a:hover {
color: #455055;
.user-info .nav .nav-item .active {
color: #455055;
.user-info .nav .nav-item:last-child a {    paddingbottom:
0px;
```

```
} .user-details h2 { font-size:
22px; font-weight: 500;
paddingbottom: 7px; border-
bottom: 1px
solid #dbe4f1; color: #455055;
}
/*--FOOTER--*/ .footer {
background: #0276fd;
padding: 0.9rem 1.3rem;
font-size: 0.75rem;
color: #ffffff; margin:
0 0 1.25rem 0;
```

```
-webkit-border-radius: 0 0 10px 10px;
-moz-border-radius: 0 0 10px 10px;
border-radius: 0 0 10px 10px; textalign:
center;
.theme-form .custom-control label.mb-0 { marginbottom:
0 !important;
.datepicker-input {
position: relative;
.datepicker-input .form-control { paddingright:
.datepicker-input .input-group-addon
{ position: absolute; right:
15px; top: 9px; font-size: 20px;
color: #9bb1d9;
.select2-container--default .select2-selection--multiple
{ background-color: white; border: 1px solid #aaa;
border-radius: 4px; cursor: text; padding-bottom:
5px; padding-right: 5px; display: block; width:
100%; height: calc(1.5em + 0.75rem + 2px); padding:
0.375rem 0.75rem;
```

font-size: 1rem; fontweight: 400; line-height: 1.5; color: #495057; background-color: #fff; background-clip: padding-box; border: 1px solid #ced4da; border-radius: 0.25rem; transition: border-color 0.15s ease-in-out,

box-shadow 0.15s ease-in-out;

```
background: #fcfdff;
padding: 4px 5px;
height: auto; minheight:
41.3px; bordercolor:
#dbe4f1;
.select2-container {
width: 100% !important;
.select2-container--default.select2-container-
 .select2-selection--multiple
  border: solid #dbe4f1 1px;
width: 100%; float: left;
padding: 4px 5px;
.select2-container--default
.select2-selection-multiple
.select2selection choice {
background-color: #e4e4e4;
border: 1px solid #dbe4f1;
padding: 0; font-size:
12px;
.select2-container--default
 .select2-selection--multiple
 .select2-selection__choice__remove
{ border-right: 1px solid #cecece;
color: #7c95c5; cursor: pointer;
font-size: 13px; padding: 0 4px;
.select2-container--default
 .select2-selection--multiple
 .select2-selection__choice__display
#7c95c5;
```

.add-ticket-modal	.close,	

```
.add-ticket-modal .close:hover,
.add-ticket-modal
.close:active, .add-ticket-
modal .close:focus { margin-
right: 15px; margin-top:
7px; color: #fff; border:
none; outline: none; }
.input-with-add {
display: flex;
align-items: center;
}
/* .input-with-add .form-control {
```

```
.input-with-add .add-btn {
width: 45px; height:
45px; margin-left: 10px;
display: flex;
alignitems: center;
justifycontent: center;
border:
solid 1px #dbe4f1;
border-radius: 4px;
float: left; color:
#0978fa; cursor: pointer;
.show-labor-code {
display: none;
.popup-scroll { height:
315px; overflow-y: scroll
!important; display: block;
.popup-scroll-450 { height:
450px; overflow-y: scroll
!important; display: block;
.popup-scroll-550 { height:
550px; overflow-y: scroll
!important; display: block;
```

```
liststyle-type: none; margin: 0;
padding: 0; .timeline:before {
content: "";
```

```
position: relative; }
```

```
position: absolute;
top: 10px; bottom: 5px;
width: 2px; background:
#00489b;
```

```
.timeline > li {
position: relative; min-
height: 50px; padding:
10px 0;
.timeline .timeline-time {
position: absolute;
left: 0; width: 10%;
text-align: right; top:
40px;
.timeline .timeline-time .date,
.timeline .timeline-time .time
{ display: block;
fontweight: 600;
.timeline .timeline-time .date
{ line-height: 16px;
fontsize: 13px; color:
#00489b;
.timeline .timeline-time .time
{ line-height: 24px;
fontsize: 22px; color:
#455055;
.timeline .timeline-icon {
left: 0%; position:
absolute; width: 10%;
text-align: center;
```

left: 5%; margin-

left: 0; top: 20px;

```
}
.timeline .timeline-icon a { text-decoration: none; width:
38px; height: 38px; display: inline-block; border-radius:
40px; background: #00489b; lineheight: 10px; color: #fff;
padding: 5px 0; font-size:
16px; line-height: 28px; /* border: 2px solid #aaa; */
```

```
transition: border-color 0.2s linear; fontweight:
600;
.timeline .timeline-body {
margin-left: 9%; marginright:
3%; background:
#fcfdff;
          position:
relative; padding: 15px;
border-radius: 6px;
.timeline .timeline-body:before
{ content: ""; display:
block; position: absolute;
border: 10px solid transparent;
border-right-color: #fcfcfc;
left: -20px; top: 20px;
/* .timeline .timeline-body>div+div { */
/* margin-top: 15px */
/* } */
.timeline .timeline-body > div + div:last-child {
/* margin-bottom: -20px; */ padding-
bottom: 0px; border-radius:
0 0 6px 6px;
.timeline-header { lineheight:
30px;
.timeline-header .job-task { fontsize:
16px;
```

```
font-weight: 600; line-height: 14px; } .timeline-header .job-
task, .timeline-header .job-task a { color: #0276fd; }
.timeline-content { padding-top: 10px; bordertop: 1px solid
  #e2e7eb; letter-spacing: 0.25px; lineheight: 18px; font-size:
  13px;
}
.timeline-content:after,
```

```
.timeline-content:before {
content: ""; display:
table; clear:
both;
.timeline-footer {
background: #fff; border-top:
1px solid #e2e7ec; padding:
15px 15px 0;
.timeline-content .form-control { fontsize:
12px !important;
.timeline-notes {
background: #f2f3f4; margin-
left: -25px; margin-right: -
25px;
padding: 20px 25px;
.job-card { border: 1px
solid #dee5f1;
background: #ffffff;
margin-top: 10px;
.job-card .card-header {
padding: 0.5rem 1.25rem;
margin-bottom: 0;
background-color: #f4f6fc;
border: none; box-shadow:
none; font-weight: 600; }
```

```
.job-card .list-item {
```

```
border-bottom: 1px solid #dee5f1; margin-top: 10px;
}
.job-status .form-control {    fontsize: 11px;    height:
calc(1.2em + 0.5rem + 2px);    padding: 0.15rem 0.15rem;
background: transparent; font-weight: 700; width: 110px; } .job-
status .btn {    fontsize: 11px !important;    fontweight: 600;
padding: 5px
10px !important;
```



```
line-height: 11px;
min-height: 22px;
margin: 0px !important;
vertical-align: top;
}
/*--//Job ID Time Line--*/
/* Table sticky header */
.table-sticky-header .table
{ position: relative;
width: 100%; float: left;
.table-sticky-header .table thead tr
th { position: sticky; top: 0;
zindex: 2; background: #dee5f1;
.labour-header-info { marginbottom:
0; list-style: none; background-
color: transparent; border-radius:
0; font-size:
13px; color: #fff; padding:
0.9rem;
.table-container.no-pagination .bottom {
display: none;
.stockin-stockout-container {
```

```
display: flex; } .page-loading {    position: absolute;    width:
100%;    z-index: 999;    background: rgb(255 255 255 / 50%);
height: 100%;
```

```
margin: 0 auto; textalign: center;
padding-top: 15%;
.page-loading h4 {
font-weight: 600;
font-size: 24px;
color: #000000;
/*--Data Table--*/ table.dataTable thead
.sorting:before, table.dataTable thead
.sorting:after, table.dataTable thead
.sorting_asc:before, table.dataTable thead
.sorting_asc:after, table.dataTable thead
.sorting_desc:before, table.dataTable thead
.sorting_desc:after, table.dataTable thead
.sorting_asc_disabled:before, table.dataTable thead
.sorting_asc_disabled:after, table.dataTable thead
.sorting_desc_disabled:before, table.dataTable
thead .sorting_desc_disabled:after {     position:
absolute; bottom: 0.9em; display: block;
opacity: 1;
```