
## **SPRINT-3**


TEAM ID	PNT2022TMID14132
Project Title	Inventory Management System for Retailers
MARK	20 Points


### **Functional Requirement:**


- ➤ Employee Dashboard Adding New Employee ○ Managing the Employees
- Sell Report Dashboard o Adding Materials o Maintaining Materials
  - o Alert Message on Stock Out Materials
- ➤ Suppliers Dashboard Adding New Suppliers
  - o Maintaining Bill on the Supplier's Account

# **OUTPUT:**











TCE-Inventory\_Mananging\_system- copyright © 2022





#### Code:

```
<div class="row">
 <div class="col-2">
 </div>
 <div class="col-10 p-0">
  <div>
    <section class="mt-3">
     <div class="container-fluid">
       <div class="page-header ph-radius clearfix">
        <div class="float-left">
          <h3>Employee dashboard</h3>
        </div>
        <div class="float-right">
          <div class="d-flex">
           <nav aria-label="breadcrumb">
             <a href="dashboard">Dashboard</a>
              <a href="addemployee">New employee </a>
              employee
              </nav>
          </div>
        </div>
```

```
<div class="container">
               <div class="w3-container w3-content">
                <div>
                 Name
                    Email
                    Mobile
                    D-0-B
                    Address
                   <td style="cursor: pointer"
(click)="nextPage(items._id)">
                     ✎
                    {{ items.name }}
                    {{ items.email }}
                    {{ items.mobile }}
                    {{ items.dob }}
                    {{ items.address }}
                   </div>
               </div>
             </div>
            </div>
          </form>
         </div>
        </div>
      </div>
</div>
    </section>
  </div>
 </div>
</div>
<app-header></app-header>
<div class="row">
 <div class="col-2">
```

```
</div>
 <div class="col-10 p-0">
   <!-- PAGE START -->
   <div>
     <section class="mt-3">
      <div class="container-fluid">
        <div class="page-header ph-radius clearfix">
         <div class="float-left">
           <h3>New Employee</h3>
         </div>
         <div class="float-right">
           <div class="d-flex">
             <nav aria-label="breadcrumb">
              <a href="dashboard">Dashboard</a>
                <a</pre>
href="employee">Employee</a>
                New Employee
                </nav>
           </div>
         </div>
        </div>
        <div class="content-wrapper">
         <div class="row mx-0 mt-2">
           <div class="col-lg-12">
             <form class="theme-form">
              <div class="form-row">
                <div class="container">
                  <form action="action_page.php">
                   <div class="row">
                     <div class="col-12">
                       <label for="fname">Name</label>
                     </div>
```

```
<div class="col-12">
                             <input class="input-field" type="text" id="fname"</pre>
name="name" placeholder="Name"
                               [(ngModel)]="name" />
                           </div>
                         </div>
                         <div class="col-12 mt-2">
                           <label for="fname">Email</label>
                         </div>
                         <div class="col-12">
                           <input class="input-field" type="text" id="fname"</pre>
name="email" placeholder="Email"
                             [(ngModel)]="email" />
                        </div>
                         <div class="row mt-2">
                           <div class="col-12">
                             <label for="lname">Mobile</label>
                           </div>
                           <div class="col-12">
                             <input class="input-field" type="text" id="lname"</pre>
name="mobile" placeholder="+91 9965132865"
                               [(ngModel)]="mobile" />
                           </div>
                         </div>
                         <div class="row mt-2">
                           <div class="col-12">
                             <label for="lname">Address</label>
                           </div>
                           <div class="col-12">
                             <textarea class="input-field" type="text"</pre>
id="address" name="address" placeholder="Address"
                               [(ngModel)]="address" style="width:
100%;"></textarea>
                           </div>
                         </div>
                         <div class="row">
                           <div class="col-12">
                             <label for="fname">Date of Birth</label>
                           </div>
```

```
<app-header></app-header>
<div class="row">
 <div class="col-2">
   <app-navbar></app-navbar>
 </div>
 <div class="col-10 p-0">
   <div>
    <section class="mt-3">
      <div class="container-fluid">
       <div class="page-header ph-radius clearfix">
         <div class="float-left">
           <h3>Stocks Detail Report</h3>
         </div>
         <div class="float-right">
           <div class="d-flex">
            <nav aria-label="breadcrumb">
              <a href="dashboard">Dashboard</a>
                <a href="addreport">Add Products</a>
                Products
               </nav>
           </div>
         </div>
       </div>
       <div class="row ">
         <div class="col-lg-12">
           <div class="content-wrapper">
            <!-- Table start -->
```

```
 Product code
              Product Title
      Product Brand
      Total Stock
              Cost Per Item
               Total cost
               SUBJECT
             <td style="cursor: pointer"
(click)="nextPage(items.id)">
                ✎
               {{ items.pcode }}
               {{ items.ptitle }}
               {{ items.pbrand }}
               {{ items.tstock }}
               {{ items.cpi }}
               {{ items.tcost }}
               {{ items.sub }}
             </thead>
          </div>
        </div>
      </div>
     </div>
    </section>
  </div>
  <app-footer></app-footer>
 </div>
</div>
<app-header></app-header>
<div class="row">
```

```
<div class="col-2">
 <app-navbar></app-navbar>
<div class="col-10 p-0">
 <div>
   <section class="mt-3">
     <div class="container-fluid">
      <div class="page-header ph-radius clearfix">
        <div class="float-left">
          <h3>Product Management</h3>
        </div>
        <div class="float-right">
          <div class="d-flex">
           <nav aria-label="breadcrumb">
             <a href="dashboard">Dashboard</a>
```

```
<a</pre>
href="report">Products</a>
                  Add Products
                  </nav>
            </div>
          </div>
         </div>
         <div class="content-wrapper mt-0 p-0">
          <div class="row ">
            <div class="col-lg-12">
              <div class="form-row">
                <div class="container">
                  <div class="row mt-2">
                   <div class="col-2">
                     <label for="fname">Product code</label>
                   </div>
                    <div class="col-10">
                     <input type="text" id="fname" name="Product code"</pre>
placeholder="product code"
                       [(ngModel)]="pcode" />
                    </div>
                  </div>
                  <div class="row mt-2">
                   <div class="col-2">
                     <label for="lname">Product Title</label>
</div>
                   <div class="col-10">
                     <input type="text" id="lname" name="Product name"</pre>
placeholder="Product name.."
                       [(ngModel)]="ptitle" />
                   </div>
                  </div>
                  <div class="row mt-2">
```

```
<div class="col-2">
 <label for="fname">Product Brand</label>
```

<div class="col-10">

```
<input type="text" id="fname" name="Product brand"</pre>
placeholder="product brand...."
                           [(ngModel)]="pbrand" />
                       </div>
                     </div>
                     <div class="row mt-2">
                       <div class="col-2">
                         <label for="fname">Total Stock</label>
                       </div>
                       <div class="col-10">
                         <input type="number" id="fname" name="stock"</pre>
placeholder="enter the total stock"
                           [(ngModel)]="tstock" />
                       </div>
                     </div>
                     <div class="row mt-2">
                       <div class="col-2">
                         <label for="fname">Cost Per Item </label>
                       </div>
                       <div class="col-10">
                         <input type="number" id="fname" name="costperitem"</pre>
placeholder="enter the cost one item"
                           [(ngModel)]="cpi" />
                       </div>
                     </div>
                     <div class="row mt-2">
                       <div class="col-2">
                         <label for="fname">Total Cost </label>
                       </div>
                       <div class="col-10">
                         <input type="number" id="fname" name="costperitem"</pre>
placeholder="Total Cost....."
                           [(ngModel)]="tcost" />
                       </div>
                     </div>
                     <div class="row mt-2">
                       <div class="col-2">
                         <label for="subject">Subject</label>
                       </div>
                       <div class="col-10">
                         <textarea id="subject" name="subject"
placeholder="Write something.." style="height: 200px"
                           [(ngModel)]="sub"></textarea>
                       </div>
                     </div>
```

```
</section>
   </div>
   <app-footer></app-footer>
 </div>
</div>
<app-header></app-header>
<div class="row">
 <div class="col-2">
   <app-navbar></app-navbar>
 </div>
 <div class="col-10 p-0">
  <div>
    <section class="mt-3">
      <div class="container-fluid">
       <div class="page-header ph-radius clearfix">
         <div class="float-left">
          <h3>Suppliers dashboard</h3>
         </div>
         <div class="float-right">
          <div class="d-flex">
            <nav aria-label="breadcrumb">
             <a href="dashboard">Dashboard</a>
               <a href="addsuppliers">New Suppliers </a>
Suppliers
               </nav>
          </div>
         </div>
       </div>
```

```
<div class="content-wrapper">
 <div class="row mx-0 mt-2">
    <div class="col-lg-12">
    <form class="theme-form"> <div class="form-colum">
```

<div class="container">



<div class="w3-container w3-content">

```
<div>
                 Name
                    Mobile
                    Material
                    Payment
                    Address
                   <td style="cursor: pointer"
(click)="nextPage(items._id)">
                     ✎
                    {{ items.name }}
                    {{ items.mobile }}
                    {{ items.materials }}
                    {{ items.payment }}
                    {{ items.address }}
                   </div>
               </div>
             </div>
            </div>
           </form>
         </div>
        </div>
      </div>
</div>
    </section>
  </div>
 </div>
 <app-footer></app-footer>
</div>
<app-header></app-header>
<div class="row">
 <div class="col-2">
  <app-navbar></app-navbar>
 </div>
```

```
<div class="col-10 p-0">
<div>
```

```
<div class="container-fluid">
        <div class="page-header ph-radius clearfix">
          <div class="float-left">
            <h3>New Suppliers</h3>
          </div>
          <div class="float-right">
           <div class="d-flex">
             <nav aria-label="breadcrumb">
               <a href="dashboard">Dashboard</a>
                 <a</pre>
href="suppliers">Suppliers</a>
                New Suppliers
                </nav>
           </div>
          </div>
        </div>
        <div class="content-wrapper">
          <div class="row mx-0 mt-2">
           <div class="col-lg-12">
             <div class="form-row">
               <div class="container">
                 <div class="row">
                  <div class="col-12">
                    <label for="fname">Company Name</label>
                  <div class="col-12">
                    <input type="text" class="input-field" id="fname"</pre>
name="name" placeholder="mani tex"
                      [(ngModel)]="name" />
                  </div>
                 </div>
                 <div class="row">
                  <div class="col-12">
                    <label for="lname">Mobile</label>
                  </div>
```

<section class="mt-3">

```
</div>
                      <div class="col-12">
                        <input type="text" class="input-field" id="materials"</pre>
name="materials" placeholder="item"
                           [(ngModel)]="materials" />
                      </div>
                    </div>
                    <br>
                    <div class="row">
                      <div class="col-12">
                        <label for="trans">Payment
Transaction</label><br>
                                                 <select
placeholder="Please Select Payment" id="payment" class="input-field"
style="width: 100%;" [(ngModel)]="payment">
<option value="Paid">Paid</option>
                          <option value="Pending">Pending</option>
                          <option value="Advance">Advance</option>
                        </select>
                      </div>
                    </div>
                    <div class="row mt-2">
                      <div class="col-12">
                        <label for="lname">Address</label>
                      </div>
                      <div class="col-12">
                        <textarea class="input-field" type="text" id="address"</pre>
name="address" placeholder="Address"
                          [(ngModel)]="address" style="width:
100%; "></textarea>
                      </div>
                    </div>
                    <!-- <div class="row">
                          <div class="col-25">
                            <label for="fname">Receipt</label>
                          </div>
                          <div class="col-75">
                            <input type="file" id="fname" name="img"</pre>
placeholder="pdf" [(ngModel)]="receipt" />
                          </div>
```



<pre></pre>

```
<div class="form-group col-md-4">
                         <button class="btn btn-secondary m-2"</pre>
(click)="navigate()">
                           <i class="ti-close font-weight-bold mr-1"></i></i>
Cancel
                         </button>
                         <button class="btn btn-primary m-2"</pre>
(click)="onSubmit()">
                          <i class="ti-check font-weight-bold mr-1"></i></i>
Submit
                       </div>
                     </div>
                   </div>
                 </div>
              </div>
            </div>
        </div>
    </div>
    <app-footer></app-footer>
</div>
```

#### **Common.css:**

```
.invoice-card {
padding: 20px;
 border: 1px solid #dbe4f1;
border-radius: 5px;
background: #fcfdff;
.invoice-card h5 { text-
align: right; font-size:
14px; line-height: 22px;
  color: #455055;
.invoice-card hr {
  border-top: 1px solid #dbe4f1;
.invoice-card .table th { padding:
 0.5rem 1rem; font-weight: 600;
  text-transform: uppercase;
 border-bottom: 2px solid
 #dee5f1; }
.invoice-card .table td {
border-top: 1px solid #dee5f1;
vertical-align: middle; padding:
0.35rem 1rem;
```



}

```
.invoice-card .form-control-sm {
height: calc(1.05em + 0.5rem + 2px);
padding: 0.25rem 0.5rem; font-size:
0.875rem; line-height: 1.5;
border-radius: 0.2rem;
.invoice-info {
background: #e2f4ff;
padding: 15px;
.invoice-info h6 {
                font-
color: #455055;
size: 13px; font-
weight: 700;
.invoice-info address { margin-
bottom: 0px; line-height: 24px;
.invoice-info p { margin-
top: 0;
 margin-bottom: 0.2rem;
.invoice-info .badge {
 padding: 0.35em 0.45em 0.15em;
.user-info { text-align:
center; border: 1px solid
#dbe4f1; border-radius:
5px;
 background: #fcfdff;
padding: 15px; }
.user-info h4 { font-
size: 18px; font-
weight: 700; margin-
bottom: 2px;
```

.user-info h6 {

```
font-size: 14px;
color: #455055;
.user-info .user-thumb img
{ width: 130px; height:
130px; border-radius:
50%; -o-object-fit:
cover; object-fit: cover;
 -o-object-position: center
right; object-position: center
right; margin: 0px auto 5px;
padding: 0.35rem; background-
color: #fff; border: 1px solid
#dbe4f1;
.user-info .nav { text-
align: left; margin-top:
20px;
.user-info .nav .nav-item {
color: #455055; border-top:
1px solid #dbe4f1;
.user-info .nav .nav-item a
{ color: #96a2a7;
padding: 0.75rem 1rem;
.user-info .nav .nav-item a span { margin-
left: 5px;
.user-info .nav .nav-item a:hover {
color: #455055;
.user-info .nav .nav-item .active {
color: #455055;
.user-info .nav .nav-item:last-child a {    padding-
bottom: 0px;
```

```
} .user-details h2 { font-size:
22px; font-weight: 500; padding-
bottom: 7px; border-bottom: 1px
solid #dbe4f1; color: #455055;
}
/*--FOOTER--*/ .footer {
background: #0276fd;
padding: 0.9rem 1.3rem;
font-size: 0.75rem;
color: #ffffff; margin:
0 0 1.25rem 0;
```

```
-webkit-border-radius: 0 0 10px 10px;
-moz-border-radius: 0 0 10px 10px;
border-radius: 0 0 10px 10px; text-
align: center;
.theme-form .custom-control label.mb-0 { margin-
bottom: 0 !important;
.datepicker-input {
position: relative;
.datepicker-input .form-control { padding-
right: 25px;
.datepicker-input .input-group-addon
{ position: absolute; right:
15px; top: 9px; font-size: 20px;
color: #9bb1d9;
.select2-container--default .select2-selection--multiple
{ background-color: white; border: 1px solid #aaa;
border-radius: 4px; cursor: text; padding-bottom:
5px; padding-right: 5px; display: block; width:
100%; height: calc(1.5em + 0.75rem + 2px); padding:
0.375rem 0.75rem;
```

```
font-size: 1rem; font-
weight: 400; line-height:
1.5; color: #495057;
background-color: #fff;
```

background-clip: padding-box; border: 1px solid #ced4da; border-radius: 0.25rem; transition: border-color 0.15s ease-in-out, box-shadow 0.15s ease-in-out;

```
background: #fcfdff;
padding: 4px 5px;
height: auto; min-
height: 41.3px; border-
color: #dbe4f1;
.select2-container {
width: 100% !important;
.select2-container--default.select2-container--focus
 .select2-selection--multiple
{ border: solid #dbe4f1 1px;
width: 100%; float: left;
padding: 4px 5px;
.select2-container--default
  .select2-selection--
         .select2-
multiple
selection choice {
background-color: #e4e4e4;
border: 1px solid #dbe4f1;
padding: 0; font-size:
12px;
.select2-container--default
 .select2-selection--multiple
 .select2-selection choice remove
{ border-right: 1px solid #cecece;
color: #7c95c5; cursor: pointer;
font-size: 13px; padding: 0 4px;
.select2-container--default
  .select2-selection--multiple
 .select2-selection__choice__display
color: #7c95c5;
.add-ticket-modal .close,
```

```
.add-ticket-modal .close:hover,
.add-ticket-modal .close:active,
.add-ticket-modal .close:focus {
margin-right: 15px; margin-top:
7px; color: #fff; border:
none; outline: none;
} .input-with-add {
display: flex;
align-items: center;
}
/* .input-with-add .form-control {
```

```
.input-with-add .add-btn {
width: 45px; height:
45px; margin-left: 10px;
display: flex; align-
items: center; justify-
content: center; border:
solid 1px #dbe4f1;
border-radius: 4px;
float: left; color:
#0978fa; cursor: pointer;
.show-labor-code {
display: none;
.popup-scroll { height:
315px; overflow-y: scroll
!important; display: block;
.popup-scroll-450 { height:
450px; overflow-y: scroll
!important; display: block;
.popup-scroll-550 {
height: 550px;
 overflow-y: scroll !important;
display: block;
/*--Job ID Time Line--*/
.timeline { list-
```

```
.timeline { list-
style-type: none;
margin: 0; padding: 0;
position: relative; }
```

```
.timeline:before { content:
    "";
```

```
position: absolute;
top: 10px; bottom:
5px; width: 2px;
background:
#00489b;
```

```
.timeline > li {
position: relative;
min-height: 50px;
padding: 10px 0;
.timeline .timeline-time
{ position: absolute;
left: 0; width: 10%;
text-align: right; top:
40px;
.timeline .timeline-time .date,
.timeline .timeline-time .time
{ display: block; font-
weight: 600;
.timeline .timeline-time .date
{ line-height: 16px; font-
size: 13px; color: #00489b;
.timeline .timeline-time .time
{ line-height: 24px; font-
size: 22px; color: #455055;
.timeline .timeline-icon
{ left: 0%; position:
absolute; width: 10%;
text-align: center;
```

left: 5%; margin-

left: 0; top: 20px;

```
.timeline .timeline-icon a {
  text-decoration: none;
  width: 38px; height: 38px;
  display: inline-block;
  border-radius: 40px;
  background: #00489b; line-height: 10px; color: #fff;
  padding: 5px 0; font-size:
16px;
  line-height: 28px; /*
  border: 2px solid #aaa; */
```

```
transition: border-color 0.2s linear; font-
weight: 600;
.timeline .timeline-body {
margin-left: 9%; margin-
right: 3%; background:
#fcfdff; position:
relative; padding: 15px;
border-radius: 6px;
.timeline .timeline-body:before
{ content: ""; display:
block; position: absolute;
border: 10px solid transparent;
border-right-color: #fcfcfc;
left: -20px; top: 20px;
/* .timeline .timeline-body>div+div { */
/* margin-top: 15px */
.timeline .timeline-body > div + div:last-child {
/* margin-bottom: -20px; */
padding-bottom: 0px; border-radius:
0 0 6px 6px;
.timeline-header {    line-
height: 30px;
.timeline-header .job-task { font-
size: 16px;
```

```
font-weight: 600;
line-height: 14px; }
.timeline-header .job-task,
.timeline-header .job-task a {
color: #0276fd; }
.timeline-content {
  padding-top: 10px; border-
  top: 1px solid #e2e7eb;
  letter-spacing: 0.25px; line-
  height: 18px; font-size:
  13px;
}
.timeline-content:after,
```

```
.timeline-content:before
{ content: "";
display: table; clear:
both;
.timeline-footer {
background: #fff; border-top:
1px solid #e2e7ec; padding:
15px 15px 0;
.timeline-content .form-control {    font-
size: 12px !important;
.timeline-notes {
background: #f2f3f4;
margin-left: -25px;
margin-right: -25px;
padding: 20px 25px;
.job-card { border: 1px
solid #dee5f1;
background: #ffffff;
margin-top: 10px;
.job-card .card-header {
padding: 0.5rem 1.25rem;
margin-bottom: 0;
background-color: #f4f6fc;
border: none; box-shadow:
none; font-weight: 600;
```

.job-card	.list-item	{		

```
border-bottom: 1px solid #dee5f1;
margin-top: 10px;
}
.job-status .form-control {    font-
size: 11px;    height: calc(1.2em +
0.5rem + 2px);    padding: 0.15rem
0.15rem;    background: transparent;
font-weight: 700; width: 110px;
} .job-status .btn {    font-
size: 11px !important;    font-
weight: 600;    padding: 5px
10px !important;
```

```
line-height: 11px;
min-height: 22px;
margin: 0px !important;
vertical-align: top;
.table-sticky-header .table
{ position: relative;
width: 100%; float: left;
.table-sticky-header .table thead tr th
{ position: sticky; top: 0; z-
index: 2;
 background: #dee5f1;
.labour-header-info { margin-
bottom: 0; list-style: none;
background-color: transparent;
border-radius: 0; font-size:
13px; color: #fff; padding:
0.9rem;
.table-container.no-pagination .bottom {
display: none;
.stockin-stockout-container {
```

```
display: flex; } .page-loading {
position: absolute; width: 100%;
z-index: 999; background: rgb(255
255 255 / 50%); height: 100%;
```

```
margin: 0 auto; text-
  align: center;
padding-top: 15%;
.page-loading h4 {
font-weight: 600;
font-size: 24px;
color: #000000;
/*--Data Table--*/ table.dataTable thead
.sorting:before, table.dataTable thead
.sorting:after, table.dataTable thead
.sorting_asc:before, table.dataTable thead
.sorting_asc:after, table.dataTable thead
.sorting_desc:before, table.dataTable thead
.sorting_desc:after, table.dataTable thead
.sorting_asc_disabled:before, table.dataTable thead
.sorting_asc_disabled:after, table.dataTable thead
.sorting_desc_disabled:before, table.dataTable
thead .sorting_desc_disabled:after {     position:
absolute; bottom: 0.9em; display: block;
opacity: 1;
```