

Python Script

```
Import cv2
import numpy as np
import wiotp.sdk.device
import playsound
import random
import time
import datetime
import ibm_boto3
from ibm_botocore.client import Config, ClientError

#CloudantDB
from cloudant.client import Cloudant
from cloudant.error import CloudantException
from cloudant.result import Result, ResultByKey
from clarifai_grpc.channel.clarifai_channel import ClarifaiChannel
from clarifai_grpc.grpc.api import service_pb2_grpc
stub = service_pb2_grpc.V2Stub(ClarifaiChannel.get_grpc_channel())
from clarifai_grpc.grpc.api import service_pb2, resources_pb2
from clarifai_grpc.grpc.api.status import status_code_pb2

#This is how you authenticate
metadata = (('authorization', 'key 83ddcfb774c54cfd81d7a67ba69a0678'),)
COS_ENDPOINT = "https://s3.jp-tok.cloud-object-storage.appdomain.cloud"
COS_API_KEY_ID = "kn05el2QeCyawCFMRytUXLFirKVxw8v5HAIRvDKsIHmu"
COS_AUTH_ENDPOINT = "https://iam.cloud.ibm.com/identity/token"
COS_RESOURCE_CRN = "crn:v1:bluemix:public:cloudantnosqldb:eu-
gb:a/98d92dfd0ccf4f32a116d3d0fe24e15c:02d1fcad-1310-4403-93a6-a0eabc4c768b::"
clientdb = Cloudant("apikey-v2-d8mn8ful7bxv3pw2cq0o1p1d8z3icznh8qu8y2xsv5",
"400eef0a90d31fd7fa41c9dd0a2baa4b", url="https://cbf0b64e-c2d3-4404-be21-
36565dc150b9-bluemix.cloudantnosqldb.appdomain.cloud")
clientdb.connect()

#Create resource
cos = ibm_boto3.resource("s3",
    ibm_api_key_id=COS_API_KEY_ID,
    ibm_service_instance_id=COS_RESOURCE_CRN,
    ibm_auth_endpoint=COS_AUTH_ENDPOINT,
    config=Config(signature_version="oauth"),
```

```

        endpoint_url=COS_ENDPOINT
    )

def multi_part_upload(bucket_name, item_name, file_path):
    try:
        print("Starting file transfer for {0} to bucket: {1}\n".format(item_name,
bucket_name))
        #set 5 MB chunks
        part_size = 1024 * 1024 * 5
        #set threshold to 15 MB
        file_threshold = 1024 * 1024 * 15
        #set the transfer threshold and chunk size
        transfer_config = ibm_boto3.s3.transfer.TransferConfig(
            multipart_threshold=file_threshold,
            multipart_chunksize=part_size
        )

        #the upload_fileobj method will automatically execute a multi-part upload
        #in 5 MB chunks size
        with open(file_path, "rb") as file_data:
            cos.Object(bucket_name, item_name).upload_fileobj(
                Fileobj=file_data,
                Config=transfer_config
            )
        print("Transfer for {0} Complete!\n".format(item_name))
    except ClientError as be:
        print("CLIENT ERROR: {0}\n".format(be))
    except Exception as e:
        print("Unable to complete multi-part upload: {0}".format(e))

def myCommandCallback(cmd):
    print("Command received: %s" % cmd.data)
    command=cmd.data['command']
    print(command)

    if(commamd=="lighton"):
        print('lighton')
    elif(command=="lightoff"):
        print('lightoff')
    elif(command=="motoron"):
        print('motoron')
    elif(command=="motoroff"):
        print('motoroff')

```

```

myConfig = {
    "identity": {
        "orgId": "tw9ckq",
        "typeId": "jade",
        "deviceId": "7010"
    },
    "auth": {
        "token": "9944893843"
    }
}

```

```

client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()

```

```

database_name = "sample1"
my_database = clientdb.create_database(database_name)
if my_database.exists():
    print(f'"{database_name}" successfully created.')
cap=cv2.VideoCapture("garden.mp4")

```

```

if(cap.isOpened()==True):
    print('File opened')
else:
    print('File not found')

```

```

while(cap.isOpened()):
    ret, frame = cap.read()
    gray = cv2.cvtColor(frame, cv2.COLOR_BGR2GRAY)
    imS= cv2.resize(frame, (960,540))
    cv2.imwrite('ex.jpg',imS)
    with open("ex.jpg", "rb") as f:
        file_bytes = f.read()

```

#This is the model ID of a publicly available General model. You may use any other public or custom model ID.

```

request = service_pb2.PostModelOutputsRequest(
    model_id='a6100c6f4fb74e79ad8b57b1db2f0235',

```

```

inputs=[resources_pb2.Input(data=resources_pb2.Data(image=resources_pb2.Image(bas
e64=file_bytes))
    )])
response = stub.PostModelOutputs(request, metadata=metadata)
print(response)
if response.status.code != status_code_pb2.SUCCESS:
    raise Exception("Request failed, status code: " +
str(response.status.code))
detect=False
for concept in response.outputs[0].data.concepts:
    #print('%12s: %.f' % (concept.name, concept.value))
    if(concept.value>0.98):
        #print(concept.name)
        if(concept.name=="animal"):
            print("Alert! Alert! animal detected")
            playsound.playsound('alert.mp3')
            picname=datetime.datetime.now().strftime("%y-%m-%d-%H-%M")
            cv2.imwrite(picname+'.jpg',frame)
            multi_part_upload('Jade', picname+'.jpg', picname+'.jpg')
            json_document={"link":COS_ENDPOINT+'/'+'Jade+'/'+'picname+'.jpg'}
            new_document = my_database.create_document(json_document)

            if new_document.exists():
                print(f"Document successfully created.")
            time.sleep(5)
            detect=True

moist=random.randint(0,100)
humidity=random.randint(0,100)
myData={'Animal':detect,'moisture':moist,'humidity':humidity}
print(myData)
if(humidity!=None):
    client.publishEvent(eventId="status",msgFormat="json", data=myData,
qos=0, onPublish=None)
    print("Publish Ok..")

client.commandCallback = myCommandCallback
cv2.imshow('frame',imS)
if cv2.waitKey(1) & 0xFF == ord('q'):
    break

```

```
client.disconnect()  
cap.release()  
cv2.destroyAllWindows()
```