

# DEPLOYMENT OF APP IN IBM CLOUD

## DEPLOY IN KUBERNETES CLUSTER

Team ID	PNT2022TMID19710
Project Name	Smart Fashion Recommender Application


### KUBERNETES WORKER NODE:

Kubernetes clusters

Name	State	Location	Worker count	Created	Version	Infrastructure
mycluster-free	Normal	Amsterdam	1	Expires in 30 days	1.24.7_1542	Classic

Items per page: 25 1-1 of 1 item 1 1 of 1 page

## KUBERNETE DEPLOYMENT:



## KUBERNETES SERVICE PODS:

The screenshot displays the Kubernetes dashboard interface. At the top, there's a header with the Kubernetes logo, a namespace dropdown set to 'default', a search bar, and user icons. A blue navigation bar highlights the 'Workloads' section. On the left, a sidebar lists various Kubernetes resources: Workloads (selected), Cron Jobs, Daemon Sets, Deployments, Jobs, Pods, Replica Sets, Replication Controllers, Stateful Sets, Service, Ingresses, Ingress Classes, Services, Config and Storage (including Config Maps and Persistent Volume Claims).

The main content area is divided into three sections: Deployments, Pods, and Replica Sets. Each section contains a table of resources.

### Deployments

Name	Images	Labels	Pods	Created ↑
app-dep	<a href="#">Show all</a>	-	1 / 1	an hour ago

### Pods

Name	Images	Labels	Node	Status	Restarts	CPU Usage (cores)	Memory Usage (bytes)	Created ↑
app-dep-ff9596bdf-5hj8c	<a href="#">Show all</a>	<a href="#">Show all</a>	10.144.217.55	Running	0	9.00m	50.65Mi	an hour ago

### Replica Sets

Name	Images	Labels	Pods	Created ↑
app-dep-ff9596bdf	<a href="#">Show all</a>	<a href="#">Show all</a>	1 / 1	an hour ago