


DEVELOPMENT PHASE SPRINT - 2


Team ID	PNT2022TMID35639
Project Name	Personal Expense Tracker Application

SCREENSHOTS:

















CODE:

```
# -*- coding: utf-8 -*-
```

Spyder Editor

This is a temporary script file.

....

from flask import Flask, render_template, request, redirect, session , make_response, url_for, json, flash #from flask_mysqldb import MySQL

#import MySQLdb.cursors import re, ibm_db

import ibm_db_dbi ,pandas as pd

from flask_mail import Mail, Message

import os, datetime

from pandas import Timestamp

from pretty_html_table import build_table

import pdfkit

```
app = Flask(__name__)
```

app.secret_key = 'SECRET_KEY'

```
conn = ibm db.connect("DATABASE=bludb;
HOSTNAME=fbd88901-ebdb-4a4f-a32e-9822b9fb237b.c1ogj3sd0tgtu0lqde00.databases.appdo
main.cloud; PORT=32731; SECURITY=SSL; SSLServerCertificate=DigiCertGlobalRootCA.crt;
UID=rfh77431;PWD=1WClhcJWgdCoeAk5",",")
pd conn = ibm db dbi.Connection(conn)
#HOME--PAGE
@app.route("/home")
def home():
  return render_template("homepage.html")
@app.route("/")
def add():
  return render_template("home.html")
#SIGN--UP--OR--REGISTER
@app.route("/signup")
def signup():
  return render_template("signup.html")
@app.route('/register', methods =['GET', 'POST'])
def register():
  msg = "
  if request.method == 'POST':
    username = request.form['username']
    email = request.form['email']
    password = request.form['password']
    sql = 'SELECT * from REGISTER WHERE USERNAME = ?'
    stmt = ibm db.prepare(conn, sql)
    ibm_db.bind_param(stmt, 1, username)
    ibm db.execute(stmt)
    account = ibm_db.fetch_assoc(stmt)
    print(account)
    if account:
       msg = 'Account already exists!'
```

```
elif not re.match(r'[^@]+@[^@]+\.[^@]+', email):
       msg = 'Invalid email address!'
    elif not re.match(r'[A-Za-z0-9]+', username):
       msg = 'name must contain only characters and numbers !'
    else:
       sql = "INSERT INTO REGISTER(USER ID, USERNAME, EMAIL, PASSWORD)
VALUES(DEFAULT,?,?,?)"
       stmt=ibm db.prepare(conn,sql)
       ibm db.bind param(stmt,1,username)
       ibm db.bind param(stmt,2,email)
       ibm_db.bind_param(stmt,3,password)
       ibm_db.execute(stmt)
       msg = 'You have successfully registered!'
    return render template('signup.html', msg = msg)
#LOGIN--PAGE
@app.route("/signin")
def signin():
  return render_template("login.html")
@app.route('/login',methods =['GET', 'POST'])
def login():
  global userid
  msg = "
  if request.method == 'POST':
    username = request.form['username']
    password = request.form['password']
    sgl = 'SELECT * from REGISTER WHERE USERNAME = ? AND PASSWORD = ?'
    stmt = ibm_db.prepare(conn, sql)
    ibm db.bind param(stmt, 1, username)
    ibm_db.bind_param(stmt, 2, password)
    ibm db.execute(stmt)
    account = ibm_db.fetch_assoc(stmt)
    print (account)
    if account:
       session['loggedin'] = True
```

```
session['id'] = account['USER ID']
       userid = account['USER_ID']
       session['username'] = account['USERNAME']
       return redirect('/add')
    else:
       msg = 'Incorrect username / password !'
  return render_template('login.html', msg = msg)
#ADDING----DATA
@app.route("/add")
def adding():
  if session.get("id")== None or session.get("username") == None:
    return redirect('/')
  return render_template('add.html')
@app.route('/addexpense',methods=['GET', 'POST'])
def addexpense():
  if session.get("id")== None or session.get("username") == None:
    redirect('/')
  date = request.form['date']
  date = AlterDate(date)
  expensename = request.form['expensename']
  amount = request.form['amount']
  paymode = request.form['paymode']
  category = request.form['category']
  print(date)
  rep = generateReport('Monthly')
  monthly expense = rep['total'][0]
  print(type(monthly_expense),type(amount))
  sql = "INSERT INTO EXPENSES VALUES(DEFAULT,?,?,?,?,?,?)"
  stmt = ibm_db.prepare(conn, sql)
  ibm db.bind param(stmt, 1, session['id'])
  ibm_db.bind_param(stmt, 2, date)
```

```
ibm_db.bind_param(stmt, 3, expensename)
  ibm_db.bind_param(stmt, 4, amount)
  ibm db.bind param(stmt, 5, paymode)
  ibm_db.bind_param(stmt, 6, category)
  ibm_db.execute(stmt)
  sql = 'SELECT limitss FROM LIMITS WHERE USER_ID = {}'.format(session['id'])
  df = pd.read_sql(sql,pd_conn)
  row = df.values.tolist()
  if(len(row) > 0 and int(amount) + int(monthly_expense) > int(row[0][0]) ):
     flash("ALERT!!! You have crossed your monthly limit")
     sendLimitAlert(int(amount) + int(monthly_expense) - int(row[0][0]))
  print(date + " " + expensename + " " + amount + " " + paymode + " " + category)
  return redirect("/display")
def AlterDate(date):
  temp = date.split('T')
  time = temp[1].replace(':','.')
  return temp[0]+'-'+time
#DISPLAY---graph
@app.route("/display")
def display():
  if session.get("id")== None or session.get("username") == None:
    return redirect('/')
  print(session["username"],session['id'])
  id = str(session['id'])
  sql = 'SELECT * FROM EXPENSES WHERE USER ID = {} ORDER BY DATE
DESC'.format(id)
  df = pd.read_sql(sql,pd_conn)
  expense = df.values.tolist()
  print(expense)
```

```
return render_template('display.html' ,expense = expense)
#delete---the--data
@app.route('/delete/<string:id>', methods = ['POST', 'GET'])
def delete(id):
  sql = "DELETE FROM expenses WHERE EXPENSE ID = ?"
  stmt = ibm_db.prepare(conn, sql)
  ibm db.bind param(stmt, 1, id)
  ibm_db.execute(stmt)
  print('deleted successfully')
  return redirect("/display")
#UPDATE---DATA
@app.route('/edit/<id>', methods = ['POST', 'GET'])
def edit(id):
  sql = 'SELECT * FROM EXPENSES WHERE EXPENSE ID = {}'.format(id)
  df = pd.read_sql(sql,pd_conn)
  row = df.values.tolist()
  print(row[0])
  return render_template('edit.html', expenses = row[0])
@app.route('/update/<id>', methods = ['POST'])
def update(id):
  if request.method == 'POST':
    date = request.form['date']
    print(AlterDate(date))
    expensename = request.form['expensename']
    amount = request.form['amount']
    paymode = request.form['paymode']
    category = request.form['category']
    sql = "UPDATE expenses SET DATE = ?, EXPENSE_NAME = ?, AMOUNT = ?, PAYMODE
= ?, CATEGORY = ? WHERE EXPENSE ID = ?"
    stmt = ibm_db.prepare(conn, sql)
```

```
ibm db.bind param(stmt, 1, AlterDate(date))
    ibm_db.bind_param(stmt, 2, expensename)
    ibm db.bind param(stmt, 3, amount)
    ibm_db.bind_param(stmt, 4, paymode)
    ibm_db.bind_param(stmt, 5, category)
    ibm db.bind param(stmt, 6, id)
    ibm_db.execute(stmt)
    print('successfully updated')
    return redirect("/display")
#limit
@app.route("/limit" )
def limit():
    return redirect('/limitn')
@app.route("/limitnum", methods = ['POST'])
def limitnum():
  if request.method == "POST":
    if session.get("id")== None or session.get("username") == None:
       return redirect('/')
    number= request.form['number']
    sql = 'SELECT limitss FROM LIMITS WHERE USER ID = {}'.format(session['id'])
    df = pd.read sql(sql,pd conn)
    row = df.values.tolist()
    if(len(row) > 0):
       sql = "UPDATE LIMITS SET LIMITSS = ? WHERE USER_ID = ?"
       stmt = ibm db.prepare(conn, sql)
       ibm_db.bind_param(stmt,1,number)
       ibm_db.bind_param(stmt,2,session['id'])
       ibm_db.execute(stmt)
    else:
       sql = "INSERT INTO LIMITS VALUES(DEFAULT,?,?)"
       stmt = ibm db.prepare(conn, sql)
       ibm_db.bind_param(stmt, 1, session['id'])
       ibm db.bind param(stmt, 2, number)
       ibm db.execute(stmt)
```

```
return redirect('/limitn')
@app.route("/limitn")
def limitn():
  if session.get("id")== None or session.get("username") == None:
     return redirect('/')
  sql = 'SELECT limitss FROM LIMITS WHERE USER ID = {}'.format(session['id'])
  df = pd.read_sql(sql,pd_conn)
  row = df.values.tolist()
  s = 0
  if(len(row) > 0):
    s = row[0]
  rep = generateReport('Monthly')
  monthly_expense = list()
  for key, val in rep. items():
     if(key != 'texpense' and key!='total'):
       print(key)
       monthly_expense.append(val[0])
  return render_template("limit.html", type="Monthly",expense_data=monthly_expense, y=s)
#Generate Report Today, Monthly, Yearly
def generateReport(report_type):
  if(session.get('id') == None):
     return
  id = str(session['id'])
  total=0
  t food=0
  t_entertainment=0
  t business=0
  t_rent=0
  t_EMI=0
  t other=0
  expense = []
  texpense = []
```

```
if(report type == 'Today'):
    sql = 'SELECT TIME(date), AMOUNT FROM EXPENSES WHERE USER_ID = {} AND
DATE(date) = DATE(NOW())'.format(id)
    df = pd.read sql(sql,pd conn)
    texpense = df.values.tolist()
    sql = 'SELECT * FROM EXPENSES WHERE USER ID={} AND DATE(DATE) =
(CURRENT DATE) ORDER BY AMOUNT DESC, DATE DESC'.format(id)
    df = pd.read sql(sql,pd conn)
    expense = df.values.tolist()
  elif(report type == 'Monthly'):
    sql = 'SELECT DATE(date), SUM(AMOUNT) FROM EXPENSES WHERE USER ID = {}
AND MONTH(DATE(date)) = MONTH(CURRENT_DATE) GROUP BY DATE(date)'.format(id)
    df = pd.read sql(sql,pd conn)
    texpense = df.values.tolist()
    sql = 'SELECT * FROM EXPENSES WHERE USER ID={} AND MONTH(DATE(DATE)) =
MONTH(CURRENT_DATE) ORDER BY AMOUNT DESC, DATE DESC'.format(id)
    df = pd.read sql(sql,pd conn)
    expense = df.values.tolist()
  elif(report type == 'Yearly'):
    sql = 'SELECT YEAR(date), SUM(AMOUNT) FROM EXPENSES WHERE USER ID = {}
AND YEAR(DATE(date)) = YEAR(CURRENT_DATE) GROUP BY YEAR(date)'.format(id)
    df = pd.read sql(sql,pd conn)
    texpense = df.values.tolist()
    sql = 'SELECT * FROM EXPENSES WHERE USER ID={} AND YEAR(DATE(DATE)) =
YEAR(CURRENT_DATE) ORDER BY AMOUNT DESC, DATE DESC'.format(id)
    df = pd.read sql(sql,pd conn)
    expense = df.values.tolist()
  for x in expense:
    total += x[4]
    if x[6] == "food":
      t food += x[4]
    elif x[6] == "entertainment":
      t entertainment += x[4]
    elif x[6] == "business":
      t business += x[4]
```

```
elif x[6] == "rent":
       t_rent += x[4]
     elif x[6] == "EMI":
       t_EMI += x[4]
     elif x[6] == "other":
       t_{other} += x[4]
  return {'texpense':texpense,'t_food':[t_food],'t_entertainment':[t_entertainment],
                 't_business':[t_business],'t_rent':[t_rent],
                 't_EMI':[t_EMI],'t_other':[t_other],'total':[total] }
#REPORT
#daily report
@app.route("/today")
def today():
  if(session.get('id') == None):
     return redirect('/')
  rep = generateReport('Today')
  print(rep)
  return render_template("report.html", type="Today", texpense = rep['texpense'], total =
rep['total'][0],
                 t_food = rep['t_food'][0],t_entertainment = rep['t_entertainment'][0],
                 t_business = rep['t_business'][0], t_rent = rep['t_rent'][0],
                 t_{EMI} = rep['t_{EMI'}][0], t_{other} = rep['t_{other'}][0])
# Monthly report
@app.route("/month")
def month():
  if(session.get('id') == None):
     return redirect('/')
  rep = generateReport('Monthly')
  return render_template("report.html", type="Monthly", texpense = rep['texpense'], total =
rep['total'][0],
                 t_food = rep['t_food'][0],t_entertainment = rep['t_entertainment'][0],
                 t_business = rep['t_business'][0], t_rent = rep['t_rent'][0],
                 t_EMI = rep['t_EMI'][0], t_other = rep['t_other'][0])
```

```
# Yearly report
@app.route("/year")
def year():
  if(session.get('id') == None):
     return redirect('/')
  rep = generateReport('Yearly')
  return render_template("report.html", type="Yearly", texpense = rep['texpense'], total =
rep['total'][0],
                 t_food = rep['t_food'][0],t_entertainment = rep['t_entertainment'][0],
                 t_business = rep['t_business'][0], t_rent = rep['t_rent'][0],
                 t_{EMI} = rep['t_{EMI'}][0], t_{other} = rep['t_{other'}][0])
#log-out
@app.route('/logout')
def logout():
  session.pop('loggedin', None)
  session.pop('id', None)
  session.pop('username', None)
  return render_template('home.html')
if __name__ == "__main__":
  app.run(debug=True)
```