

MODEL BUILDING

ADDING CNN LAYERS

| | |
|---------------------|--|
| Team ID | PNT2022TMID20850 |
| Project Name | Emerging Methods for Early Detection of Forest Fires |

```
import keras
from keras.preprocessing.image import ImageDataGenerator
#Define the parameters/ arguments for ImageDataGenerator class
train_datagen= ImageDataGenerator (rescale=1./255,shear_range=0.2, rotation_range=180,
zoom_range=0.2, horizontal_flip=True)

test_datagen= ImageDataGenerator (rescale=1./255)
#Applying ImageDataGenerator functionality to trainset
x_train=train_datagen.flow_from_directory(r'C:\Users\dhine\Downloads\archive\Dataset\train_set',target_size=(128,128),batch_size=32,class_mode='binary')

Found 436 images belonging to 2 classes.

#Applying ImageDataGenerator functionality to testset
x_test=test_datagen.flow_from_directory(r'C:\Users\dhine\Downloads\archive\Dataset\test_set',target_size=(128,128),batch_size=32,class_mode='binary')

Found 121 images belonging to 2 classes.

#import model building libraries
```

```
#To define Linear initialisation import Sequential
from keras.models import Sequential
#To add layers import Dense
from keras.layers import Dense
#To Create Convolution kernel import Convolution2D
from keras.layers import Convolution2D
```

```
#import Maxpooling layer
from keras. layers import Maxpooling2D
#import flatten layer
from keras. layers import Flatten
import warnings
warnings.filterwarnings('ignore')
#initializing the model
model=Sequential( )
#add convolution layer
model . add (convolution2D(32,(3,3),
input_shape(128,128,3),activation='relu')) #add maxpooling layer
model . add (Maxpooling2D (pool_size=(2,2)))
#add flatten layer
model . add (flatten( ))
```