EMERGING METHODS FOR EARLY DETECTION OF FOREST FIRES

MODEL BUILDING

TRAINING THE MODEL

Date	06 November 2022
Team ID	PNT2022TMID 20837
Project Name	Emerging Methods for Early Detection of Forest Fires

Importing The ImageDataGenerator Library

```
import keras
from keras.preprocessing.image import ImageDataGenerator
```

Define the parameters/arguments for ImageDataGenerator class

```
train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.2,rot ati
on_range=180,zoom_range=0.2, horizontal_flip=True)
test_datagen=ImageDataGenerator(rescale=1./255)
```

Applying ImageDataGenerator functionality to trainset

```
x_train=train_datagen.flow_from_directory(r'/content/drive/MyDriv e/
Datase Collection t/train,target_size=(128,128),batch_size=32,
class_mode='binary')
```

Found 436 images belonging to 2 classes.

Applying ImageDataGenerator functionality to testset

```
x_test=test_datagen.flow_from_directory(r'/content/drive/MyDrive
/ Dataset Collection
/test,target_size=(128,128),batch_size=32,
class_mode='binary')
```

Found 121 images belonging to 2 classes.

Import model building libraries

```
#To define Linear initialisation import Sequential
from keras.models import Sequential
#To add layers import Dense
from keras.layers import Dense
#To create Convolution kernel import Convolution2D
from keras.layers import Convolution2D
#import Maxpooling layer
from keras.layers import MaxPooling2D
#import flatten layer
from keras.layers import Flattenimport warnings
warnings.filterwarnings('ignore')
```

Initializing the model

```
model=Sequential()
```

Add CNN Layer

```
model.add(Convolution2D(32,
(3,3),input_shape=(128,128,3),activation='relu'))#add maxpooling
layer
model.add(MaxPooling2D(pool_size=(2,2)))
#add flatten layer
model.add(Flatten())
```

Add Hidden Layer

```
  #add hidden layer
model.add(Dense(150,activation='relu')) #add output layer
model.add(Dense(1,activation='sigmoid')
)
```

Configure the learning process

```
model.compile(loss='binary_crossentropy',optimizer="adam",metrics=[ "ac curacy"])
```

Train the model

```
model.fit_generator(x_train,steps_per_epoch=14,epochs=10,validation_ da
ta=x_test,validation_steps=4)
```

```
Epoch 1/10
14/14 [==============================] - 97s 7s/step - loss:
1.3060 -
accuracy: 0.7775 - val_loss: 0.5513 - val_accuracy: 0.8512Epoch 2/10
14/14 [==============================] - 26s 2s/step - loss:
0.3178 -
accuracy: 0.8807 - val_loss: 0.1299 - val_accuracy: 0.9421Epoch 3/10
14/14 [==============================] - 26s 2s/step - loss:
0.2226 -
accuracy: 0.9106 - val_loss: 0.1311 - val_accuracy: 0.9421Epoch 4/10
14/14 [==============================] - 31s 2s/step - loss:
0.1836 -
accuracy: 0.9174 - val_loss: 0.1129 - val_accuracy: 0.9339Epoch 5/10
14/14 [==============================] - 30s 2s/step - loss:
0.1675 -
14/14 [==============================] - 26s
2s/step - loss:
accuracy: 0.9174 - val_loss: 0.0537 - val_accuracy: 0.9835
Epoch 10/10
14/14 [==============================] - 26s
2s/step - loss:
accuracy: 0.9312 - val_loss: 0.0573 - val_accuracy: 0.9835

<keras.callbacks.History at 0x7f05d66a9c90>
accuracy: 0.9243 - val_loss: 0.0925 - val_accuracy: 0.9669Epoch 6/10
14/14 [==============================] - 26s 2s/step - loss:
0.1884 -
accuracy: 0.9289 - val_loss: 0.1287 - val_accuracy: 0.9339Epoch 7/10
14/14 [==============================] - 28s 2s/step - loss:
0.1724 -
accuracy: 0.9335 - val_loss: 0.0926 - val_accuracy: 0.9752Epoch 8/10  0.173 -2

14/14 [==============================] - 26s 2s/step - loss:  0.154 –6
0.1510 -
accuracy: 0.9404 - val_loss: 0.0757 - val_accuracy: 0.9752Epoch 9/10
```