SPRINT-4

Date	16 November 2022
Team ID	PNT2022TMID47421
Project Name	Smart fashion Recommender application

Sendmail.py

```
Import smtplib
Import sendgrid
Import os
From sendgrid.helpers.mail import Mail, Email, To, Content
SUBJECT = "Interview Call"
S = smtplib.SMTP('smtp.gmail.com', 587)
Def sendmail(TEXT,email):
  Print("sorry we cant process your candidature")
  S = smtplib.SMTP('smtp.gmail.com', 587)
  s.starttls()
  s.login(<u>il.pradeepthi@gmail.com</u>, "oms@1Ram")
  message = 'Subject: {}\n\n{}'.format(SUBJECT, TEXT)
  s.sendmail(<u>il.pradeepthi@gmail.com</u>, email, message)
  s.quit()
def sendgridmail(user,TEXT):
  sg =
sendgrid.SendGridAPIClient('SG.nouVVZMwQTSYtih73r1TxQ.3H0kajWkEYpo0RV1iarxSVKbqvtjy
Z nhPbKi3zeZnc')
  from_email = Email(<u>sandeep@thesmartbridge.com</u>) # Change to your verified sender
  to_email = To(user) # Change to your recipient
```

```
subject = "Sending with SendGrid is Fun"
content = Content("text/plain",TEXT)
mail = Mail(from_email, to_email, subject, content)

# Get a JSON-ready representation of the Mail object
Mail_json = mail.get()
# Send an HTTP POST request to /mail/send
Response = sg.client.mail.send.post(request_body=mail_json)
Print(response.status_code)
Print(response.headers)
```

Deployment.yaml

```
apiVersion: apps/v1
kind: Deployment
metadata:
name: jobportal
spec:
replicas: 1
selector:
matchLabels:
app: flasknode
template:
metadata:
labels:
app: flasknode
spec:
```

```
containers:
```

- name: flasknode

image: icr.io/helloworld1/newhelloworld

imagePullPolicy: Always

ports:

- containerPort: 5000

Service.yaml

apiVersion: v1

kind: Service

metadata:

name: flask-node-deployment

spec:

ports:

- port: 5000

targetPort: 5000

selector:

app: flasknode