

Assignment -4

Assignment Date	3 November 2022
Student Name	Vignesh Ram
Role	Team Member
Student Roll Number	311619205031
Maximum Marks	2 Marks
Team ID	PNT2022TMID37370

Question-1:

Pull an Image from docker hub and run it in docker playground.

Solution:

- Pull an image *uifd/ui-for-docker* from the docker hub
- This image is used for viewing and managing the docker engine
- Use `docker pull image_name` and `docker run -it image_name` commands to
- run the above image in the Docker Playground

03:57:32

CLOSE SESSION

Instances

+ ADD NEW INSTANCE

192.168.0.8
node1

cddvkms0_cddvkvm0qau000a07j5g

IP: 192.168.0.8 OPEN PORT

Memory: 1.24% (49.52MiB / 3.906GiB) CPU: 0.31%

SSH: ssh ip172-18-0-22-cddvkms0qau000a07j50@direct.labs.pla

DELETE EDITOR

```
#####  
# WARNING!!!!  
# This is a sandbox environment. Using personal credentials  
# is HIGHLY! discouraged. Any consequences of doing so are  
# completely the user's responsibilities.  
#  
# The PWD team.  
#####  
[node1] (local) root@192.168.0.8 ~  
$ docker pull hello-world  
Using default tag: latest  
latest: Pulling from library/hello-world  
2db29710123e: Pull complete  
Digest: sha256:e18f0a777aefabe047a671ab3ec3eed05414477c951ab1a6f352a06974245fe7  
Status: Downloaded newer image for hello-world:latest  
docker.io/library/hello-world:latest  
[node1] (local) root@192.168.0.8 ~  
$ docker run hello-world
```

Activate Windows
Go to Settings to activate Windows.

Question-2:

Create a docker file for the jobportal application and deploy it in Docker desktop application.

Solution:

- Create a docker file for build and deploy flask app.
- Use `docker build -t image_name .` in the current directory to start building the
- docker image and deploy in our local docker

- Use `docker run -p 5000:5000 image_name` to run in local system

CODE

FROM ubuntu/apache2

FROM python

COPY ./requirements.txt /flaskApp/requirements.txt


WORKDIR /flaskApp

RUN pip install -r requirements.txt

COPY . /flaskApp

ENTRYPOINT ["python"]

CMD ["app.py"]




Question-3:


Create a IBM container registry and deploy helloworld app or jobportalapp.

Solution:

- Log into IBM cloud
- Create a container registry
- Using IBM Cloud CLI, install the container registry plugin in our system
- Push our docker image into the created container registry using docker push
- So, our job portal app is deployed in the IBM container registry



OUTPUT:
“HELLO WORLD”



Question-4:

Create a Kubernetes cluster in IBM cloud and deploy helloworld image or jobportal image and also expose the same app to run in nodeport.


Solution:

- Log into IBM cloud
- Create a kubernete
- Using IBM Cloud CLI, install the ks plugin in our system
- Create a cluster in the kubernetes
- Now, go to the kubernetes dashboard where we need to create a service based on a yml file (given below)
- In that file, we have to mention *which image we are going to use* and the *app name*
- Take the public IP address and Nodeport since we exposed the *flask app in nodeport*
- Finally, we got the url address where our flask app is hosted

CODE:

```
apiVersion: v1
kind: Service
metadata:
name: job-portal-app
spec:
selector:
app: job-portal-app
ports:
- port: 5000
type: NodePort
---
apiVersion: apps/v1
kind: Deployment
```

metadata:
name: job-portal-app
labels:
app: job-portal-app
spec:
selector:
matchLabels:
app: job-portal-app
replicas: 1
template:
metadata:
labels:
app: job-portal-app
spec:
containers:
- name: job-portal-app
image: image_name
ports:
- containerPort: 5000
env:
- name: DISABLE_WEB_APP
value: "false"



Kubernetes clusters						
Resource group: Filter...		Location: Filter...		Search	Create cluster +	
Name	State	Location	Worker count	Created	Version	Infrastructure
jaga-cluster	Normal	Amsterdam 03	1	Expires in 30 days	1.23.12_1546	Classic
Items per page: 25		1-1 of 1 item			1 1 of 1 page	