



NODE-RED SERVICE

Team Id	PNT2022TMID7601
Project Tittle	Smart crop protection System for agriculture

To create a web application create a Node-RED service Steps:




IBM App Development

cloud.ibm.com/developer/appservice/apps/4eadfde4-1d15-4951-971e-8ccc9bed8a4c

IBM Cloud

CatalogManage

Deployment Automation



Configure Continuous Delivery

Continuous Delivery is not enabled for this app. Enable Continuous Delivery to automate builds, tests, and deployments through Delivery Pipeline, GitLab, and more.

Deploy your app

Getting started quickly


Configuring your app

To connect services and DevOps toolchains to your app:

1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one.
[Learn more.](#)
2. If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.
3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.
4. After the deployment begins, you can view the status of the

ASK A QUESTION

Type here to search



25°C 20:59 14-11-2022

IBM App Development

IBM Cloud Account


cloud.ibm.com

cloud.ibm.com/developer/appservice/apps/4eadfde4-1d15-4951-971e-8ccc9bed8a4c

IBM Cloud

CatalogManage


Deploy, scale, and manage your containerized application workloads to highly available clusters.



Cloud Foundry

IBM

Deploy and run your applications without managing servers or clusters. A Lite plan is available for quick and easy deployment.



Code Engine

IBM

Run your app, job, or container on a managed serverless platform. Auto-scale workloads, and pay only for the resources that you consume.

Coordinated with any attached services resulting in quick, consistent and reliable iterating of applications. Cloud Foundry has a Lite plan that allows quick deployments for testing purposes.

Before you begin


- If your account doesn't have a Cloud Foundry org, you must create one.
[Create org.](#)

Steps


1. Select the number of instances, memory allocation, **region**, **org**, and **space**.
2. Select the **domain** and provide a **host** name.

ASK A QUESTION

Type here to search



25°C 21:04 14-11-2022



Delivery Pipelines

Name	ci-pipeline ↗
Status	✔ Success ↗
Last input	Last commit by IBM Cloud DevOps Services (7 minutes ago) Clone from zip ↗

Welcome to your new Node-RED instance on IBM Cloud

We know you're eager to start wiring up your flows, but first there are a couple of tasks you should do:

- Secure your Node-RED editor
- Learn how to install additional nodes

☐ Secure your editor so only authorised users can access it

☒ *Not recommended:* Allow anyone to access the editor and make changes

Your editor will not be secured. Anyone with the URL will be able to access your flows, data and bound services.

☒ Tick this box to confirm you want your editor to be insecure

