

Project Design Phase-II Technology Stack (Architecture & Stack)

| | |
|---------------|--|
| Date | 15 October 2022 |
| Team ID | PNT2022TMID06927 |
| Project Name | Project – Gas Leakage Monitoring and Alerting System |
| Maximum Marks | 4 Marks |

Technical architecture:




Table-1 : Components & Technologies:

| S.No | Component | Description | Technology |
|------|-------------------------|--|--|
| 1. | User Interface | User has to register and we can able to view the other device. ex: using web UI, mobile app etc., | HTML, CSS, JavaScript |
| 2. | IOT Application Logic-1 | Owner's device should be connected to the system | Python |
| 3. | IOT Application Logic-2 | Owner's device should be in on Condition | IBM Watson STT service |
| 4. | IOT Application Logic-3 | If gas leakage is detected the notification message is send to the owner | IBM Watson Assistant |
| 5. | Database | Data type can be any form such as text, User defined blob of data sent from cloud IOT core device etc., | SQ lite, In Flux DB |
| 6. | File Storage | File with be labelled with what they contain and how long they should be kept | IBM Block Storage or Local File system |
| 7. | External API-1 | Purpose of External API used in the device is to use the internet for communicating and conducting allotted operations efficiency. | Aadhar API, etc. |
| 8. | Machine Learning Model | IOT and machine learning delivers insights otherwise hidden in data for rapid automated response and improved decision making | Object Recognition Model, Danger prediction Model etc. |

Table-2: Application Characteristics:

| S.No | Characteristics | Description | Technology |
|------|--------------------------|--|---|
| 1. | Open-Source Frameworks | Device that removes much of the manual work needed to write and configure code. It provides rapid development ,iseasy to setup and has a strong support base | IOT Zeta for nonstop streaming of detectinggas leakage level, |
| 2. | Security Implementations | Alert notification Enabled with GPS module received in ownermobile. | e.g. SHA-256, Encryptions of data regarding gas level, firewalls, Antivirus, data loss prevention etc., |
| 3. | Scalable Architecture | If a problem arises owner can see the problems and check gas level simultaneously | Multiple Data store Technologies , Reliable, Micro services Automated Bootstrapping |
| 4. | Availability | <ul style="list-style-type: none">• sensor to detect the leakage and LCD Display to show gas level• whenever the gas leakageis sensed the message is delivered to the owner | GSM module, raspberry pi |
| 5. | Performance | <ul style="list-style-type: none">• the alert notification is sent to the owner without any delay when leakage is detected• immediate actions are taken after detection. | High durable device battery |