

# Emerging methods for early detection of forest fires

Veeraraghavan A , Thamarai kannan G, Yusuf Sameer Khan G, Sriram B  
Department of Electronics and Communication Engineering

Panimalar Institute of Technology, Chennai - 600123

---

## ABSTRACT :

Forest fire is an alarm in condition which occurs in boreal, tropical as well as temperal forests due to natural causes such as volcanic eruption, high atmospheric temperature and dryness (low humidity) and man made causes such as cigarettes discarded with flame, campus left unattended, burning of debris equipment use and malfunctions, leftovers of ignited flammable products which not only causes harmful effects on the ecosystem but also for human beings who are living in the forest (tribes) as well as the surrounding areas. So it is necessary to prevent fires that are occurring in the forest. Which saves not only the natural resources but also has a good impact in uplifting the quality of environment.

## INTRODUCTION:

The main objective of a project is to detect the fires occurring in the forest. For this we have created a convolution neural network that predicts the fire. This project is an attempt to use convolutional neural networks (CNN) to detect the presence or the start of a forest fire in an image. The model could be process in open cv and applied in real-time to low-framerate surveillance video (with fires not moving that much fast, this assumption is somewhat sound) and give alert in case of fire.

## EXISTING SOLUTIONS:

---

- 
- Aerial monitoring of forest fire using drone Cameras operated in remote locations
  - Use of various sensors such as smoke, flame, gas etc...to sense and detect fire
  - Human surveillance for forest
  - Thermal imaging of forest
  - Use of satellite images to detect fire

### **PROPOSED SOLUTION:**

Using deep learning (convolutional neural network) and processing it with opencv (video analysis ) to predict the forest fire in every frame.

The process is briefly described below:

### **COLLECTION OF DATASET:**

The model is trained on a provided dataset which contains images of : 'fire' and 'no fire', totally around 1900 images. These images are mostly of forest or forest-like environments like sea shore, river banks, ponds, beach, etc....

### **DATA PROCESSING:**


First importing the required libraries and then splitting the collected data into training as well as testing. 1520 images are used for training and 380 images are used for testing. Then we perform data augmentation where we increase our available datasets by rotating, flipping, shearing, scaling, cropping, etc.. This helps in reducing the chances of overfitting when training our model. Now we have more data to perform better.

### **BUILDING THE MODEL:**

Importing the required libraries and since we are building our model to get 1 input and give back 1 output we are initiating the model as sequential. Adding the convolution layer, max pooling layer as well as flatten layer. Then passing it to a fully connected layer which is nothing but an Artificial neural network layers (i.e. the input layer, hidden layer, output layer). The activation function for hidden layer is specified as relu (rectified linear activation function) and the activation function for output layer is given as sigmoid. Then the model is compiled with

---

optimizer as adam , loss function as binary-cross-entropy(since our model is a binary classification model and setting the metrics to accuracy. Training the model, setting epoch value as 10.



### Accuracy vs loss(during training):

Epoch	Accuracy	Loss	Val-loss	Val-accuracy
1	0.8612	0.5750	0.9289	0.2057
2	0.9151	0.2386	0.9151	0.1584
3	0.9461	0.1595	0.9316	0.1794
4	0.9526	0.1530	0.9026	0.2408
5	0.9480	0.1525	0.9237	0.1976
6	0.9342	0.1873	0.9289	0.1569
7	0.9507	0.1657	0.9421	0.1541
8	0.9533	0.1549	0.9316	0.1917
9	0.9513	0.1451	0.9368	0.1848
10	0.9520	0.1589	0.1496	0.9447

After this saving our model in .H5 format.


---

## TESTING THE OUTPUT:

Then the saved model is tested using the dataset allocated for testing.

## VIDEO PROCESSING USING OPEN CV:

The saved model is then used for video analysis, for this open cv is used. In this the video is split up into frames and in each frame the model which we loaded predicts if there is fire or not in that particular frame and then continues the process till the end of the video.



## TESTING THE OPENCV OUTPUT:

Then testing our model by providing the video to check whether fire is present or not.

## TWILIO API:

If fire occurred in any frame is detected and using TWILIO a communication api, sending alert message to respective person's mobile number.

## REFERENCES:

[1] Zhentian Jiao<sup>1</sup>, Youmin Zhang, Jing Xin, Lingxia Mu, Yingmin Yi, Han Liu and Ding Liu, "A Deep Learning based forest fire detection approach using UAV and YOLOv3," 1st International Conference on Industrial Artificial Intelligence (IAI), 2019

- 
- [2] Qingjie Zhang, Jiaolong Xu, Liang Xu and Haifeng Guo, "Deep Convolutional Neural Networks for forest fire detection," in Proceedings of the 2016 International Forum on Management, Education and Information Technology Application, Atlantis Press, 2016.
- [3] Qi-xing ZHANG, Gao-hua LIN, Yong-ming ZHANG, Gao XU, Jin-jun WANG, "Wildland forest fire smoke detection on Faster R-CNN using synthetic smoke images," 8th International Conference on Fire Science and Fire Protection Engineering(on the Development of Performance-based Fire Code), 2017.
- [4] Genovese, Angelo and Labati, Ruggero and Piuri, Vincenzo and Scotti, Fabio, "Wildfire smoke detection using computational intelligence techniques," IEEE International Conference on Computational Intelligence for Measurement Systems and Applications Proceedings, 2011.
- [5] C. Yuan, Z. X. Liu, and Y. M. Zhang, "UAV-based forest fire detection and tracking using image processing techniques," in 2015 International Conference on Unmanned Aircraft Systems. IEEE, 2015, pp. 639–643.
- [6] C. Yuan, Z. X. Liu, and Y. M. Zhang, "Aerial images based forest fire detection for firefighting using optical remote sensing techniques and unmanned aerial vehicles," Journal of Intelligent & Robotic Systems, vol. 88,no. 2-4, pp. 635–654, 2017.
- [7] X. Z. Chunyu Yu, Zhibin Mei, "A real-time video fire flame and smoke

---

detection algorithm,” in Asia-Oceania Symposium on Fire Science and Technology, 2013.

[8] YongMin Liu, YiMing Liu, HongLei Xu, Kok Lay Teo, ”Forest fire monitoring, detection and decision making systems by wireless sensor network,” IEEE Chinese Control And Decision Conference (CCDC), 2018.

[9] Pulkit Chugh, Eric Tom Mathews, G. Barath Kumar, ”Forest fire detection through UAV imagery using CNNs,” unpublished.

[10] A. Koubaa and B. Qureshi, ”Dronetrack: Cloud-based real-time object