Sprint 3

Date	06 November 2022
Team ID	PNT2022TMID27063
Project Name	IoT Based Safety Gadget for Child Safety Monitoring and notification
Maximum Marks	8 Marks

LOCAL FORAGE:

```
!function(a)
{if("object"==typeof exports&&"undefined"!=typeof module)module.exports=a();
else if("function"==typeof define&&define.amd)define([],a);
else{var b;
   b="undefined"!=typeof window?window:"undefined"!=typeof global?global:"undefined"!=typeof
self?self:this,b.localforage=a()}}(function(){
 return function a(b,c,d){
  function e(g,h){if(!c[g]){if(!b[g]){
   var i="function"==typeof require&&require;
   if(!h&&i)return i(g,!0);if(f)return f(g,!0);
   var j=new Error("Cannot find module ""+g+""");
   throw j.code="MODULE NOT FOUND",j}var k=c[g]={exports:{}};
                b[g][0].call(k.exports,function(a){
                 var c=b[g][1][a];return e(c||a)},k,k.exports,a,b,c,d)}
          return c[g].exports}
  for(var f="function"==typeof require&&require,g=0;g<d.length;g++)e(d[g]);
```

```
return e}({1:[function(a.b.c){(function(a){"use strict":
                          function c(){k=!0:for(var a.b.c=l.length:c:){
                           for(b=|.|=[].a=-1:++a<c:)b[a]():c=|.length}k=!1}
                          function d(a){1!==l.push(a)||k||e()}var
e,f=a.MutationObserver||a.WebKitMutationObserver;
                         if(f){var g=0.h=new
f(c),i=a.document.createTextNode("");h.observe(i,{characterData:!0}),e=function(){i.data=g=++g%2}}
else if(a.setImmediate void ea.MessageChannel)e="document"in all"onreadystatechange in
a.document.createElement("script") function(){var b=a.
document.createElement("script");b.onreadystatechange-function()(c(),b.
onreadystatechange=null.b.parentNode.removeChild
(b),b=null),a.document.documentElement.appendChild(b)}:function() (setTimeout(c,8));else{var i-new
a.MessageChannel:i.port1.onmessage=c.e-function(){i.port2.postMessage(0)}}var k.1-[]:b.exports-
d)).call(this, "undefined"!=typeof global?global: "undefined"!=typeof self?self: "undefined"!=typeof
window?window: {})},{}],2: [function(a,b,c){"use strict"; function d()() function e(a){if("function" I-typeof
a) throw new TypeError("resolver must be a function"); this.states, this.queue=[], this.outcome vald
0,aldi(this,a)} function f(a,b,c){this.promise-a, "function"==typeof b&&(this.onFulfilled-b, this.callFulfilled-
this.otherCallFulfilled). "function"typeof c&&(this.onRejected=c.
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
      <title>IOT Based Safety Gadget for Child Safety Monitoring and Notification</title>
<script src="./localforage.js"></script>
      <script>
            if (window.location.hostname !== "localhost") {
                  if (location.protocol !== "https:") {
                       location.replace(
                              `https:${location.href.substring(
                                   location.protocol.length
                             )}`
            async function check() {
    let data = localforage.getItem("userData")
    if (data == null) {
      window.location.href = "/login"
  check()
      </script>
</head>
<body
      style="
            height: 100%;
            margin: 0;
```

```
font-weight: 300;
           font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto,
                 Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue',
                 sans-serif;
      11
>
      <div
           class="wrapper"
           stvle="
                 height: 90%;
                 display: flex;
                 flex-direction: column;
                 align-items: center;
                 justify-content: center;
   text-align: center;
     >
           <div
                 class="details"
                 style="
                       display: flex;
                       flex-direction: column;
                       align-items: center;
                       gap: 20px;
                       padding: 1rem;
                       border-radius: 5px;
                       box-shadow: 0 0 8px 0px #44444444;
```

```
max-width: 80%:
                >
                     <h1 class="name" style="margin: 0"></h1>
                     <div
                           class="imageContainer"
                           style="padding: 10px; height: 10rem; width: 10rem"
                     >
                           <img class="image" alt="profile picture" />
                     </div>
                     <h2 class="email" style="margin: 0"></h2>
        <a style="text-decoration: none;text-align: center;font-size: 1.2rem;color: #0070f3;font-weight:</p>
400;" href="./dashboard">Go to Dashboard ?</a>
                </div>
          </div>
          <script>
                async function main() {
        let name = document.guerySelector(".name")
        let image = document.querySelector(".image")
        let email = document.querySelector(".email")
        let userData = await localforage.getItem("userData")
        if(userData == null) {
          window.location.href = "/login"
        name.innerHTML = `Welcome ${userData.firstName} ${userData.lastName}!`
        image.src = userData.profilePic
```