# Project Development Phase SPRINT-1

Date	29 October 2022
Team ID	PNT2022TMID06920
Project Name	Project - IOT Based Safety Gadget for Child Safety Monitoring&Notification

#### □ **REGISTRATION**:

<body>

```
HTML:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <link rel="stylesheet" href="/css/login.css">
  <title>Sign Up</title>
  <script> if (window.location.hostname
   !== "localhost") {
     if (location.protocol !== "https:") {
       location.replace(
         `https:${location.href.substring(
          location.protocol.length
        )}`
 </script>
  <script src="./localforage.js"></script>
</head>
```

```
<div class="wrapper">
   <div class="loginContainer">
     <span>Login to Continue</span>
     <div class="traditionalLoginContainer">
      <form class="signupForm" action="/" method="post">
        <input type="text" name="firstName" placeholder="First Name"</pre>
        id="firstName">
        <input type="text" name="lastName" placeholder="Last Name"</pre>
        id="lastName">
        <input type="text" name="username" placeholder="User Name"
        id="username">
        <input type="email" name="email" placeholder="Email" id="email">
        <input type="password" name="password" placeholder="Password"
                               id="password">
        <input class="loginButton" type="submit" value="Sign Up">
      </form>
     </div>
     <div class="loginWithFireContainer">
      <button type="button" class="fire" title="Login with SAFETY"</pre>
id="fire">Login with SAFETY</button>
     </div>
     </div>
 </div>
 <script>
   // Necessary for Fire OAuth to Function
   const fireBroadcastingChannel = new BroadcastChannel('fireOAuthChannel');
   fireBroadcastingChannel.addEventListener('message', async event => {
     let data = event.data
     /**
     * @typedef {Object<string, any>} Data
```

```
* @property {string} token - The data returned from the login i.e. Fire Token
     */
     // data.token is the message sent from the fireOAuthChannel after verification
     // data.success is a boolean that indicates whether the verification was successful
     // data.token is the fire token
     // What to do with the Fire Token?
     // * Fire Token is an unique token which uniquely identifies the user who
authorized your login attempt with Fire
     // * You can use this token ONLY ONCE as it will be destroyed after the first
     use
     // 1. Send the fire token to the Fire Server to verify the user
     //- You can do that client sided or server sided
     //- You need to send a POST Request to the Fire Server with the fire token
     //at the URL: http://localhost:3003/api/tokens/verify
     //- The Fire Server will verify the fire token and return a response
     // - If the verification was successful - CODE (200), the Fire Server will return a
response with the user's data
     // - If the verification was unsuccessful - CODE (400) or CODE (401), the Fire
Server will return a response with an error 'message'
     // - You can use the data returned from the Fire Server to create a new user
     in your database // This example will send the token to Fire Servers and
     console.log the response console.log("%c" + `Fire Token: ${data.token}`,
      `color: #f1c40f; font-weight: bold;`);
     const response = await fetch('https://fire.adaptable.app/api/tokens/verify', {
       method: 'POST',
       headers: {
         'Content-Type': 'application/json'
       },
       body: JSON.stringify({
```


\* @property {boolean} success - Whether the login was successful

```
token: data.token
       })
     })
     // get the response
     const responseData = await response.json()
     // console.log the response
     console.log(responseData)
     await localforage.setItem('userData', {...responseData, isFire: true})
     // Adding the user data to the user Database
     let database = await
     localforage.getItem("userDatabase") if
     (database == null) {
       database = []
     database.push(responseData)
     await localforage.setItem("userDatabase", database)
     // redirect to the home page
     window.location.href = '/'
   })
   function popupwindow(url, title, w, h) {
     var left = (screen.width/2)-
     (w/2); var top =
     (screen.height/2)-(h/2);
     return window.open(url, title, 'toolbar=no, location=no, directories=no,
     status=no, menubar=no,
scrollbars=no, resizable=no, copyhistory=no, width='+w+', height='+h+', top='+top+',
left='+left);
   }
   document.getElementById("fire").addEventListener("click", function() {
     popupwindow("/fireoauth.html", "Fire OAuth", 450, 600)
```

```
})
  </script>
  <script>
   // this. Website's Scripts / App Logic
   document.querySelector(".signupForm").addEventListener("submit", async (e)
     => { e.preventDefault()
     let firstName =
     document.getElementById("firstName").value
     let lastName =
     document.getElementById("lastName").value let
     username =
     document.getElementById("username").value let
     email =
     document.getElementById("email").value let
     password =
     document.getElementById("password").value
     let profilePic = `https://avatars.dicebear.com/api/adventurer-
neutral/${firstName}${lastName}.svg?backgroundColor=vari
     ant03` let data = { firstName, lastName, username,
     email, password, profilePic } await
     localforage.setItem("userData", data) let database =
     await localforage.getItem("userDatabase") if (database
     == null) {
       database = []
     }
     database.push(data)
     await localforage.setItem("userDatabase", database)
     window.location.href = "/"
```

```
})
</script>
</body>
```

</html>



#### ☐ CONFIRMATION EMAIL:


## **INDEX:**

```
location.replace(
                                       `https:${location.href.substring(
                                               location.protocol.length
                                      )}`
                               )
                        }
                 }
                 async function check() {
  let data =
  localforage.getItem("userData")
  if (data == null) {
  window.location.href = "/login"
check()
         </script>
  </head>
  <body
         style=" height: 100%; margin: 0; font-weight: 300; font-
                 family: -apple-system, BlinkMacSystemFont, 'Segoe
                 UI', Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans',
                 'Helvetica Neue', sans-serif;
         "
 > <div class="wrapper" style=" height:
         90%; display: flex; flex-
         direction: column;
                      align-items: center;
```

}

```
justify-content: center;
text-align: center;
       >
              <div
                     class="deta
                     ils"
                              display: flex;
                     style="
                            flex-direction:
                                        align-
                            column;
                            items: center;
                            gap: 20px;
                             padding: 1rem;
                             border-radius:
                             5px;
                            box-shadow: 0 0 8px 0px #44444444;
 max-width: 80%;
                <h1 class="name" style="margin: 0"></h1>
                     <div
                            class="imageCont
                             ainer"
                 style="padding: 10px; height: 10rem; width: 10rem"
                     >
                            <img class="image" alt="profile picture" />
                     </div>
                <h2 class="email" style="margin: 0"></h2>
```

```
<a style="text-decoration: none;text-align: center;font-size: 1.2rem;color:
                                                          #0070f3;font-weight:
400;" href="./dashboard">Go to Dashboard <a></a></a>
                      </div>
              </div>
              <script>
                      async function main() {
       let name =
       document.querySelector(".name") let
       image =
       document.querySelector(".image") let
       email =
       document.querySelector(".email") let
       userData = await
       localforage.getItem("userData")
       if(userData == null) {
       window.location.href = "/login"
       }
       name.innerHTML = `Welcome ${userData.firstName}
       ${userData.lastName}!`image.src = userData.profilePic
       email.innerHTML = `Your email is: <a style="text-decoration: none;color:
       #0072B5;"
href="mailto:${userData.email}">${userData.email}</a>`
     }
     main()
              </script>
       </body>
</html>
```



#### LOCALFORAGE:

```
/*!
 localForage -- Offline Storage,
  Improved Version 1.10.0
 https://localforage.github.io/localFor
  age
  (c) 2013-2017 Mozilla, Apache License 2.0
*/
!function(a)
{if("object"==typeof exports&&"undefined"!=typeof
module)module.exports=a(); else if("function"==typeof
define&&define.amd)define([],a); else{var b;
                b="undefined"!=typeof window?window:"undefined"!=typeof
                                           global?global:"undefined"!=typeof
self?self:this,b.localforage=a()}}(funct
ion(){ return function a(b,c,d){
 function e(g,h)\{if(!c[g])\{if(!b[g])\}
  var i="function"==typeof
  require&&require;
```

```
if(!h\&\&i)return i(g,!0);if(f)return f(g,!0);
  var j=new Error("Cannot find module ""+g+""");
  throw j.code="MODULE_NOT_FOUND",j}var k=c[g]={exports:{}};
             b[g][0].call(k.exports,function(a){
              var c=b[g][1][a];return
 e(c||a), k, k. exports, a, b, c, d) return c[g]. exports for (var
 f="function"==typeof
 require&&require,g=0;g<d.length;g++)e(d[g]);
 return e}({1:[function(a,b,c){(function(a){"use strict";
                     function c()\{k=!0;for(var\ a,b,c=l.length;c;)\} for (b=l,l=[],a=-l.length;c;)
                      1;++a< c; b[a](); c=1.length k=!1
                     function d(a)\{1!==l.push(a)||k||e()\}var
e,f=a.MutationObserver||a.WebKitMutationObserver;
                     if(f){var g=0,h=new
f(c),i=a.document.createTextNode("");h.observe(i,{characterData:!0}),e=function(){i.
data=g=++g\%2}
                     else if(a.setImmediate||void
                     0===a.MessageChannel)e="document"in
                                   a.document.createElement("script")?function(){var
a&&"onreadystatechange"in
b=a.document.createElement("script");b.onreadystatechange=function(){c(),b.onread
ystatechange=null,b.pa
rentNode.removeChild(b),b=null},a.document.documentElement.appendChild(b)}:fu
nction(){setTimeout(c,0)};
                                                 else{var
                                                                               j=new
a.MessageChannel;j.port1.onmessage=c,e=function(){j.port2.postMessage(0)}}var
k,l=[];b.exports=d}).call(this,"undefined"!=typeof global?global:"undefined"!=typeof
self?self:"undefined"!=typeof window?window:{})},{}],2:[function(a,b,c){"use
strict":function d(){}function
e(a){if("function"!=typeof a)throw new TypeError("resolver must
be
          function");this.state=s,this.queue=[],this.outcome=void
0,a!==d\&\&i(this,a) function
f(a,b,c){this.promise=a,"function"==typeof
b&&(this.onFulfilled=b,this.callFulfilled=this.otherCallFulfilled),"function"==typeof
c&&(this.onRejected=c,this.callRejected=this.otherCallRejected)}function
g(a,b,c){o(function()}{var d;try}{d=b(c)}{catch(b)}{return}
p.reject(a,b)}d===a?p.reject(a,new TypeError("Cannot resolve promise with
itself"):p.resolve(a,d)})function h(a){var b=a&&a.then;if(a&&("object"==typeof")):p.resolve(a,d)})
a||"function"==typeof a)&&"function"==typeof b)return
```

```
function(){b.apply(a,arguments)}}function i(a,b){function
c(b)\{f||(f=!0,p.reject(a,b))\} function d(b)\{f||(f=!0,p.resolve(a,b))\} function
e()\{b(d,c)\}var
f=!1,g=j(e); "error"===g.status&&c(g.value)} function j(a,b){var
c={};try{c.value=a(b),c.status="success"}catch(a){c.status="error",c.value=a}return
c}function k(a){return a instance of this?a:p.resolve(new this(d),a)}function l(a){var
b=new this(d);return p.reject(b,a)}function m(a){function b(a,b){function
reject(j,a))})}var c=this;if("[object Array]"!==Object.prototype.toString.call(a))return
this.reject(new TypeError("must be an array"));var e=a.length,f=!1;if(!e)return
this.resolve([]);for(var g=new Array(e),h=0,i=-1,j=new this(d);++i<e;)b(a[i],i);return
i}function n(a){function
b(a) \{c.resolve(a).then(function(a) \{f || (f=!0,p.resolve(h,a)) \}, function(a) \{f || (f=!0,p.reject) \}, function(a) \{f || (f=!0,p.reject) \}, function(a) \{f || (f=!0,p.reject) \}
(h,a))})}var c=this;if("[object Array]"!==Object.prototype.toString.call(a))return
this.reject(new TypeError("must be an array"));var e=a.length,f=!1;if(!e)return
this.resolve([]);for(var g=-1,h=new this(d);++g<e;)b(a[g]);return h}var
o=a(1),p={},q=["REJECTED"],r=["FULFILLED"],s=["PENDING"];b.exports=e,e.pr
ototype.catch=function(a){ret urn
this.then(null,a)},e.prototype.then=function(a,b){if("function"!=typeof
a&&this.state===r||"function"!=typeof b&&this.state===q)return this;var c=new
this.constructor(d);if(this.state!==s)\{g(c,this.state===r?a:b,this.outcome)\}else
this.queue.push(new f(c,a,b));return
c},f.prototype.callFulfilled=function(a){p.resolve(this.promise,a)},f.prototype.otherCa
llFulfilled=function(a){g(
this.promise,this.onFulfilled,a)},f.prototype.callRejected=function(a){p.reject(this.pro
mise,a)},f.prototype.oth
erCallRejected=function(a){g(this.promise,this.onRejected,a)},p.resolve=function(a,b)
{var c=j(h,b);if("error"===c.status)return p.reject(a,c.value);var
d=c.value;if(d)i(a,d);else{a.state=r,a.outcome=b;for(var
e=1,f=a.queue.length;++e<f;)a.queue[e].callFulfilled(b)}return
a},p.reject=function(a,b){a.state=q,a.outcome=b;for(var
c=1,d=a.queue.length;++c<d;)a.queue[c].callRejected(b);return
a},e.resolve=k,e.reject=l,e.all=m,e.race=n},{1:1}],3:[function(a,b,c){(function(b){"us
e strict";"function"!=typeof
b.Promise&&(b.Promise=a(2))}).call(this,"undefined"!=typeof
global?global:"undefined"!=typeof self?self:"undefined"!=typeof
window?window:{})},{2:2}],4:[function(a,b,c){"use strict";function d(a,b){if(!(a
instanceof b))throw new TypeError("Cannot call a class as a function")}function
e(){try{if("undefined"!=typeof indexedDB)return indexedDB;if("undefined"!=typeof
webkitIndexedDB)return webkitIndexedDB;if("undefined"!=typeof
mozIndexedDB)return mozIndexedDB;if("undefined"!=typeof OIndexedDB)return
OIndexedDB;if("undefined"!=typeof msIndexedDB)return
msIndexedDB}catch(a){return}}function f(){try{if(!ua||!ua.open)return!1;var
a="undefined"!=typeof
openDatabase&&/(Safari|iPhone|iPad|iPod)/.test(navigator.userAgent)&&!/Chrome/.t
est(navigator.userAgent)
```

```
&&!/BlackBerry/.test(navigator.platform),b="function"==typeof fetch&&-
1!==fetch.toString().indexOf("[native
code");return(!a||b)&&"undefined"!=typeof indexedDB&&"undefined"!=typeof
IDBKeyRangecatch(a){return!1}}function g(a,b){a=a||[],b=b||{};try{return new
Blob(a,b){catch(f){if("TypeError"!==f.name)throw f;for(var c="undefined"!=typeof
BlobBuilder?BlobBuilder:"undefined"!=typeof
MSBlobBuilder?MSBlobBuilder:"undefined"!=typeof
MozBlobBuilder?MozBlobBuilder:WebKitBlobBuilder,d=new
c,e=0;e<a.length;e+=1)d.append(a[e]);return d.getBlob(b.type)}}function
h(a,b)\{b\&\&a.then(function(a)\{b(null,a)\},function(a)\{b(a)\})\} function
i(a,b,c){"function"==typeof b&&a.then(b),"function"==typeof
c&&a.catch(c)}function j(a){return"string"!=typeof a&&(console.warn(a+" used as a
key, but it is not a string."),a=String(a)),a}function
k(){if(arguments.length&&"function"==typeof arguments[arguments.length-
1])return arguments[arguments.length-1]}function l(a){for(var b=a.length,c=new
ArrayBuffer(b),d=new Uint8Array(c),e=0;e<b;e++)d[e]=a.charCodeAt(e);return
c}function m(a){return new va(function(b){var
c=a.transaction(wa,Ba),d=g([""]);c.objectStore(wa).put(d,"key"),c.onabort=function(a
){a.preventDefault(),a.st opPropagation(),b(!1)},c.oncomplete=function(){var
a=navigator.userAgent.match(/Chrome\/(\d+)/),c=navigator.userAgent.match(/Edge\//)
b(c||a||parseInt(a[1],10)
>=43)}}).catch(function(){return!1})}function n(a){return"boolean"==typeof
xa?va.resolve(xa):m(a).then(function(a){return xa=a})}function o(a){var
b=ya[a.name],c={};c.promise=new
va(function(a,b){c.resolve=a,c.reject=b}),b.deferredOperations.push(c),b.dbReady?b.
dbReady=b.dbReady.th en(function(){return
c.promise}):b.dbReady=c.promise}function p(a){var
b=ya[a.name],c=b.deferredOperations.pop();if(c)return c.resolve(),c.promise}function
q(a,b){var c=ya[a.name],d=c.deferredOperations.pop();if(d)return
d.reject(b),d.promise}function r(a,b){return new
va(function(c,d)\{if(va[a.name]=va[a.name]||B(),a.db)\{if(!b)return\}\}
c(a.db);o(a),a.db.close()}var e=[a.name];b&&e.push(a.version);var
f=ua.open.apply(ua,e);b&&(f.onupgradeneeded=function(b){var
c=f.result;try{c.createObjectStore(a.storeName),b.oldVersion<=1&&c.createObjectSt
ore(wa)}catch(c){if("Con straintError"!==c.name)throw c;console.warn("The database
"'+a.name+" has been upgraded from version
'+b.oldVersion+" to version "+b.newVersion+', but the storage "'+a.storeName+"
already
exists.')}}),f.onerror=function(a){a.preventDefault(),d(f.error)},f.onsuccess=function()
{var
b=f.result;b.onversionchange=function(a){a.target.close()},c(b),p(a)}})function
s(a){return r(a,!1)}function t(a){return r(a,!0)}function u(a,b){if(!a.db)return!0;var
c=!a.db.objectStoreNames.contains(a.storeName),d=a.version<a.db.version,e=a.versio
n>a.db.version;if(d&&
(a.version!==b&&console.warn('The database "'+a.name+"\" can't be downgraded
from version
```

```
"+a.db.version+" to version "+a.version+"."),a.version=a.db.version),e||c){if(c){var
f=a.db.version+1;f>a.version&&(a.version=f)}return!0}return!1}function v(a){return
new va(function(b,c){var d=new FileReader;d.onerror=c,d.onloadend=function(c){var
d=btoa(c.target.result||"");b({__local_forage_encoded_blob:!0,data:d,type:a.type})},d.
readAsBinaryString(a)})} function w(a){return
g([l(atob(a.data))],{type:a.type})}function x(a){return
a&&a.__local_forage_encoded_blob}function y(a){var
b=this,c=b._initReady().then(function(){var
a=ya[b._dbInfo.name];if(a&&a.dbReady)return a.dbReady});return i(c,a,a),c}function
z(a)\{o(a);for(var\ b=ya[a.name],c=b.forages,d=0;d< c.length;d++)\{var\}
e=c[d];e._dbInfo.db&&(e._dbInfo.db.close(),e._dbInfo.db=null)}return
a.db=null,s(a).then(function(b){return
a.db=b,u(a)?t(a):b).then(function(d){a.db=b.db=d;for(var
e=0;e<c.length;e++)c[e]._dbInfo.db=d}).catch(function(b){throw
q(a,b),b})function A(a,b,c,d){void
0 = = d\&\&(d=1);try{var}
e=a.db.transaction(a.storeName,b); c(null,e) catch(e) \{if(d>0&&(!a.db||"InvalidStateEr e=a.db.transaction(a.storeName,b); c(null,e) \} catch(e) \} catch(e) \{if(d>0&(!a.db||"InvalidStateEr e=a.db.transaction(a.storeName,b); c(null,e) \} catch(e) \} catch(e) \{if(d>0&(!a.db)|"InvalidStateEr e=a.db.transaction(a.storeName,b); c(null,e) \} catch(e) \}
ror"===e.name||"NotFou ndError"===e.name))return
va.resolve().then(function(){if(!a.db||"NotFoundError"===e.name&&!a.db.objectStor
eNames.contains(a.store Name)&&a.version<=a.db.version)return
a.db&&(a.version=a.db.version+1),t(a)}).then(function(){return
z(a).then(function(){A(a,b,c,d-1)})).catch(c);c(e)}}function
B(){return{forages:[],db:null,dbReady:null,deferredOperations:[]}}function
C(a) {function b() {return va.resolve()} var c=this,d={db:null}; if(a) for(var e in
a)d[e]=a[e];var
f=ya[d.name];f||(f=B(),ya[d.name]=f),f.forages.push(c),c._initReady||(c._initReady=c.r
eady,c.ready=y);for(var g=[],h=0;h<f.forages.length;h++){var
i=f.forages[h];i!==c&&g.push(i._initReady().catch(b))}var j=f.forages.slice(0);return
va.all(g).then(function(){return d.db=f.db,s(d)}).then(function(a){return
d.db=a,u(d,c._defaultConfig.version)?t(d):a}).then(function(a){d.db=f.db=a,c._dbInfo
=d;for(var b=0;b<j.length;b++){var
e=j[b];e!==c\&\&(e\_dbInfo.db=d.db,e\_dbInfo.version=d.version)\}) function
D(a,b){var c=this;a=j(a);var d=new
va(function(b,d) \{ c.ready().then(function() \} A(c.\_dbInfo,Aa,function(e,f) \} if(e) return
d(e);try{var
g=f.objectStore(c._dbInfo.storeName),h=g.get(a);h.onsuccess=function(){var
a=h.result;void
0===a\&\&(a=null),x(a)\&\&(a=w(a)),b(a)\},h.onerror=function()\{d(h.error)\}\} catch(a)\{d(a),d(a)\}
(a)}})).catch(d)});return h(d,b),d}function E(a,b){var c=this,d=new
va(function(b,d)\{c.ready().then(function()\{A(c.\_dbInfo,Aa,function(e,f)\{if(e)return\}\})\}
d(e);try{var
g=f.objectStore(c._dbInfo.storeName),h=g.openCursor(),i=1;h.onsuccess=function(){
var c = h.result; if(c) \{ var d = c.value; x(d) & & (d = w(d)); var e = a(d, c.key, i++); void \}
0!==e?b(e):c.continue()}else
b()},h.onerror=function(){d(h.error)}}catch(a){d(a)}})}).catch(d)});return
h(d,b),d function F(a,b,c) {var d=this;a=j(a);var e=new va(function(c,e) {var
```

```
f;d.ready().then(function(){return f=d._dbInfo,"[object
Blob]"===za.call(b)?n(f.db).then(function(a){return
a?b:v(b)}):b}).then(function(b){A(d._dbInfo,Ba,function(f,g){if(f)return e(f);try{var
h=g.objectStore(d._dbInfo.storeName);null===b&&(b=void 0);var
i=h.put(b,a);g.oncomplete=function(){void
0===b\&\&(b=null),c(b), g.onabort=g.onerror=function(){var
a=i.error?i.error:i.transaction.error;e(a)}}catch(a){e(a)}})}).catch(e)});return
h(e,c),e function G(a,b) {var c=this;a=j(a);var d=new
va(function(b,d) \{c.ready().then(function() \{A(c.\_dbInfo,Ba,function(e,f) \} if(e) \})
d(e);try{var
g=f.objectStore(c._dbInfo.storeName),h=g.delete(a);f.oncomplete=function(){b()},f.o
nerror=function(){d(h.err or)},f.onabort=function(){var
a=h.error?h.error:h.transaction.error;d(a)}}catch(a){d(a)}})}).catch(d)});return
h(d,b),d function H(a) {var b=this,c=new
va(function(a,c)\{b.ready().then(function()\{A(b.\_dbInfo,Ba,function(d,e)\{if(d)return\}\})\}
c(d);try{var
f=e.objectStore(b._dbInfo.storeName),g=f.clear();e.oncomplete=function(){a()},e.ona
bort=e.onerror=function() {var
a=g.error?g.error:g.transaction.error;c(a)}catch(a){c(a)}}).catch(c)});return
h(c,a),c function I(a) { var b=this,c=new
va(function(a,c)\{b.ready().then(function()\{A(b.\_dbInfo,Aa,function(d,e)\{if(d)returnation(d,e)\}\})\} \\
c(d);try{var
f=e.objectStore(b._dbInfo.storeName),g=f.count();g.onsuccess=function(){a(g.result)}
g.onerror=function()\{c(g.error)\}\}catch(a)\{c(a)\}\})\}.catch(c)\};return
h(c,a),c function J(a,b) {var c=this,d=new va(function(b,d){if(a<0)return void
b(null);c.ready().then(function(){A(c._dbInfo,Aa,function(e,f){if(e)return d(e);try{var
g=f.objectStore(c._dbInfo.storeName),h=!1,i=g.openKeyCursor();i.onsuccess=functio
n(){var c=i.result;if(!c)return void
b(null);0===a?b(c.key):h?b(c.key):(h=!0,c.advance(a))},i.onerror=function(){d(i.error
) catch(a) \{d(a)\}\} . catch(d); return h(d,b),d\} function K(a) \{var b=this,c=new\}
va(function(a,c)\{b.ready().then(function()\{A(b.\_dbInfo,Aa,function(d,e)\{if(d)return\}\})\}
c(d);try{var
f=e.objectStore(b._dbInfo.storeName),g=f.openKeyCursor(),h=[];g.onsuccess=functio
n(){var b=g.result;if(!b)return void
a(h);h.push(b.key),b.continue()\},g.onerror=function()\{c(g.error)\}\}catch(a)\{c(a)\}\})\}.c
atch(c)});return h(c,a),c}function L(a,b){b=k.apply(this,arguments);var
c=this.config();a="function"!=typeof
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.storeName||c.storeName);v
ar d,e=this;if(a.name){var
f=a.name===c.name&&e._dbInfo.db,g=f?va.resolve(e._dbInfo.db):s(a).then(function(
b){var c=ya[a.name],d=c.forages;c.db=b;for(var
e=0;e<d.length;e++)d[e]._dbInfo.db=b;return
b));d=a.storeName?g.then(function(b){if(b.objectStoreNames.contains(a.storeName))
{var c=b.version+1;o(a);var d=ya[a.name],e=d.forages;b.close();for(var
f=0;f<e.length;f++){var g=e[f];g._dbInfo.db=null,g._dbInfo.version=c}return new
va(function(b,d){var
```

```
e=ua.open(a.name,c);e.onerror=function(a){e.result.close(),d(a)},e.onupgradeneeded=
function(){e.result.delet eObjectStore(a.storeName)},e.onsuccess=function(){var
a=e.result; a.close(),b(a)).then(function(a){d.db=a;for(var b=0;b<e.length;b++){var}
c=e[b];c.\_dbInfo.db=a,p(c.\_dbInfo)\}).catch(function(b){throw(q(a,b)||va.resolve()).c
atch(function(){}),b})}):g.t hen(function(b){o(a);var
c=ya[a.name],d=c.forages;b.close();for(var
e=0;e<d.length;e++){d[e]. dbInfo.db=null}return new va(function(b,c){var}
d=ua.deleteDatabase(a.name);d.onerror=function(){var
a=d.result;a&&a.close(),c(d.error)},d.onblocked=function(){console.warn('dropInstan
ce blocked for database
"'+a.name+" until all open connections are closed')},d.onsuccess=function(){var
a=d.result;a&&a.close(),b(a)}}).then(function(a){c.db=a;for(var
b=0;b<d.length;b++)p(d[b]._dbInfo).catch(function(b){throw(q(a,b)||va.resolve()).catch(function(b))}.catch(function(b)){throw(q(a,b)||va.resolve()).catch(function(b))}.catch(function(b)){throw(q(a,b)||va.resolve()).catch(function(b))}.catch(function(b)){throw(q(a,b)||va.resolve()).catch(function(b))}.catch(function(b)){throw(q(a,b)||va.resolve()).catch(function(b))}.catch(function(b)){throw(q(a,b)||va.resolve()).catch(function(b))}.catch(function(b)){throw(q(a,b)||va.resolve()).catch(function(b))}.catch(function(b)){throw(q(a,b)||va.resolve()).catch(function(b))}.catch(function(b)){throw(q(a,b)||va.resolve()).catch(function(b))}.catch(function(b)){throw(q(a,b)||va.resolve()).catch(function(b))}.catch(function(b)){throw(q(a,b)||va.resolve()).catch(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw(function(b))}.catch(function(b)){throw
tch(function(){}),b})}els
e d=va.reject("Invalid arguments");return h(d,b),d}function
M(){return"function"==typeof openDatabase}function N(a){var
2]&&g--);var j=new ArrayBuffer(g),k=new
Uint8Array(j);for(b=0;b<h;b+=4)c=Da.indexOf(a[b]),d=Da.indexOf(a[b+1]),e=Da.ind
exOf(a[b+2]),f=Da.indexOf(
a[b+3], k[i++]=c<<2|d>>4, k[i++]=(15&d)<<4|e>>2, k[i++]=(3&e)<<6|63&f; return
j}function O(a){var b,c=new
Uint8Array(a),d="";for(b=0;b<c.length;b+=3)d+=Da[c[b]>>2],d+=Da[(3&c[b])<<4|c[b]>>2]
b+1>>4, d+=Da[(15&c[b+1])
<<2|c[b+2]>>6],d+=Da[63&c[b+2]];return
c.length%3==2?d=d.substring(0,d.length1)+"=":c.length%3==1
&&(d=d.substring(0,d.length-2)+"=="),d}function
                                                                                        P(a,b){var
c="";if(a&&(c=Ua.call(a)),a&&("[object
ArrayBuffer]"===c||a.buffer&&"[object
ArrayBuffer]"===Ua.call(a.buffer))){var d,e=Ga;a instanceof
ArrayBuffer?(d=a,e+=Ia):(d=a.buffer,"[object
Int8Array]"===c?e+=Ka:"[object Uint8Array]"===c?e+=La:"[object
Uint8ClampedArray]"===c?e+=Ma:"[object Int16Array]"===c?e+=Na:"[object
Uint16Array]"===c?e+=Pa:"[object Int32Array]"===c?e+=Oa:"[object
Uint32Array]"===c?e+=Qa:"[object Float32Array]"===c?e+=Ra:"[object
Float64Array]"===c?e+=Sa:b(new
Error("Failed to get type for BinaryArray"))),b(e+O(d))}else if("[object
Blob]"===c){var f=new
FileReader;f.onload=function(){var
c=Ea+a.type+"~"+O(this.result);b(Ga+Ja+c)},f.readAsArrayBuffer(a)}else
try{b(JSON.stringify(a))}catch(c){console.error("Couldn't convert value into a JSON
string:
a),b(null,c)}}function Q(a){if(a.substring(0,Ha)!==Ga)return JSON.parse(a);var
b,c=a.substring(Ta),d=a.substring(Ha,Ta);if(d===Ja&&Fa.test(c)){var
e=c.match(Fa);b=e[1],c=c.substring(e[0].length)}var f=N(c);switch(d){case Ia:return
```

```
f;case Ja:return g([f],{type:b});case Ka:return new Int8Array(f);case La:return new
Uint8Array(f);case Ma:return new Uint8ClampedArray(f);case Na:return new
Int16Array(f);case Pa:return new Uint16Array(f);case Oa:return new
Int32Array(f);case Qa:return new Uint32Array(f);case Ra:return new
Float32Array(f);case Sa:return new Float64Array(f);default:throw new
Error("Unkown type: "+d)}}function R(a,b,c,d){a.executeSql("CREATE
TABLE IF NOT EXISTS "+b.storeName+" (id INTEGER PRIMARY KEY, key
unique, value)",[],c,d)}function S(a){var b=this,c={db:null};if(a)for(var d in
a)c[d]="string"!=typeof a[d]?a[d].toString():a[d];var e=new
va(function(a,d){try{c.db=openDatabase(c.name,String(c.version),c.description,c.size
)}catch(a){return
d(a)\c.db.transaction(function(e)\{R(e,c,function()\\ b. dbInfo=c,a()\},function(a,b)\\ d(b)
)})},d)});return c.serializer=Va,e}function
T(a,b,c,d,e,f){a.executeSql(c,d,e,function(a,g){g.code===g.SYNTAX_ERR?a.execute}
Sql("SELECT name FROM sqlite_master WHERE type='table' AND name
?",[b.storeName],function(a,h){h.rows.length?f(a,g):R(a,b,function(){a.executeSql(c,d
va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM "+e.storeName+"
WHERE key = ? LIMIT
1",[a],function(a,c){var
d=c.rows.length?c.rows.item(0).value:null;d&&(d=e.serializer.deserialize(d)),b(d)},fu
nction(a,b)\{d(b)\}\}\}).catc h(d)\}; return h(d,b),d\} function V(a,b)\{var c=this,d=new\}
va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM
"+e.storeName,[],function(c,d){for(var f=d.rows,g=f.length,h=0;h<g;h++){var
i=f.item(h),j=i.value;if(j&&(j=e.serializer.deserialize(j)),void
0!==(j=a(j,i.key,h+1)))return void b(j)b(), function(a,b)\{d(b)\})\}).catch(d));return
h(d,b),d function W(a,b,c,d) { var e=this;a=j(a);var f=new
va(function(f,g)\{e.ready().then(function()\{void 0===b\&\&(b=null);var\})\}
h=b,i=e._dbInfo;i.serializer.serialize(b,function(b,j){j?g(j):i.db.transaction(function(c)
{T(c,i,"INSERT OR
REPLACE INTO "+i.storeName+" (key, value) VALUES
?)",[a,b],function()\{f(h)\},function(a,b)\{g(b)\}),function(b)\{if(b.code===b.QUOTA\_E
RR)\{if(d>0)return\ void\ f(W.apply(e,[a,h,c,d-1]));g(b)\}\})\}.catch(g)\};return
h(f,c),f function X(a,b,c) {return W.apply(this,[a,b,c,1])} function Y(a,b) {var
c=this;a=j(a);var d=new va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"DELETE FROM "+e.storeName+"
WHERE key = ?",[a],function(){b()},function(a,b){d(b)})}).catch(d)});return
h(d,b),d}function
Z(a){var b=this,c=new va(function(a,c){b.ready().then(function(){var
d=b._dbInfo;d.db.transaction(function(b){T(b,d,"DELETE FROM
```

```
+d.storeName, [], function(){a()}, function(a,b){c(b)})}).catch(c)}); return
h(c,a),c function (a) var b=this,c=new
va(function(a,c){b.ready().then(function(){var
d=b._dbInfo;d.db.transaction(function(b){T(b,d,"SELECT COUNT(key) as c FROM
"+d.storeName,[],function(b,c){var
d=c.rows.item(0).c;a(d), function(a,b){c(b)})}).catch(c)});return h(c,a),c}function
_(a,b){var c=this,d=new va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT key FROM
"+e.storeName+" WHERE id = ? LIMIT
1",[a+1],function(a,c){var
d=c.rows.length?c.rows.item(0).key:null;b(d)},function(a,b){d(b)})}).catch(d)});ret
urn h(d,b),d}function aa(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){var
d=b._dbInfo;d.db.transaction(function(b){T(b,d,"SELECT key FROM
"+d.storeName,[],function(b,c){for(var
d=[],e=0;e<c.rows.length;e++)d.push(c.rows.item(e).key);a(d)],function(a,b){c(b)})
}).catch(c)});return
h(c,a),c}function ba(a){return new
va(function(b,c){a.transaction(function(d){d.executeSql("SELECT name
FROM sqlite_master WHERE type='table' AND name <>
'__WebKitDatabaseInfoTable__'",[],function(c,d){for(var
e=[],f=0;f<d.rows.length;f++)e.push(d.rows.item(f).name);b({db:a,storeNames:e})},fu
nction(a,b)\{c(b)\}\}, function(a)\{c(a)\}\}\} function
ca(a,b){b=k.apply(this,arguments);var c=this.config();a="function"!=typeof
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.storeName||c.storeName);v
ar d,e=this;return d=a.name?new va(function(b){var
d;d=a.name===c.name?e._dbInfo.db:openDatabase(a.name,"","",0),b(a.storeName?{d
b:d,storeNames:[a.stor eName]}:ba(d))}).then(function(a){return new
va(function(b,c){a.db.transaction(function(d){function
e(a){return new va(function(b,c){d.executeSql("DROP TABLE IF EXISTS
"+a,[],function()\{b()\},function(a,b)\{c(b)\})\})for(var
f=[],g=0,h=a.storeNames.length;g<h;g++)f.push(e(a.storeNames[g]));va.all(f).then(fu
nction()\{b()\}).catch(function(a)\{c(a)\})\},function(a)\{c(a)\})\}):va.reject("Invalid")
arguments"),h(d,b),d}function
da(){try{return"undefined"!=typeof localStorage&&"setItem"in
localStorage&&!!localStorage.setItem}catch(a){return!1}}function
                                                      c=a.name+"/";return
ea(a,b){ var
a.storeName!==b.storeName&&(c+=a.storeName+"/"),c}function fa(){var
a="_localforage_support_test";try{return
localStorage.setItem(a,!0),localStorage.removeItem(a),!1}catch(a){return!0}}function
ga(){return!fa()||localStorage.length>0}function ha(a){var b=this,c={};if(a)for(var d
in a)c[d]=a[d];return
c.keyPrefix=ea(a,b. defaultConfig),ga()?(b. dbInfo=c,c.serializer=Va,va.resolve()):va
.reject()}function ia(a){var b=this,c=b.ready().then(function(){for(var
a=b._dbInfo.keyPrefix,c=localStorage.length-1;c>=0;c-){var
```

```
d=localStorage.key(c);0===d.indexOf(a)&&localStorage.removeItem(d)}});return
h(c,a),c function ja(a,b) {var c=this;a=j(a);var d=c.ready().then(function() {var
b=c._dbInfo,d=localStorage.getItem(b.keyPrefix+a);return
d\&\&(d=b.serializer.deserialize(d)),d);return h(d,b),d}function ka(a,b){var
c=this,d=c.ready().then(function(){for(var
b=c._dbInfo,d=b.keyPrefix,e=d.length,f=localStorage.length,g=1,h=0;h<f;h++){var
i=localStorage.key(h);if(0===i.indexOf(d)){var
j=localStorage.getItem(i);if(j&&(j=b.serializer.deserialize(j)),void
0!==(j=a(j,i.substring(e),g++)))return j}});return h(d,b),dfunction la(a,b){var
c=this,d=c.ready().then(function(){var
b,d=c._dbInfo;try{b=localStorage.key(a)}catch(a){b=null}return
b&&(b=b.substring(d.keyPrefix.length)),b});return h(d,b),d}function ma(a){var
b=this,c=b.ready().then(function(){for(var
a=b._dbInfo,c=localStorage.length,d=[],e=0;e<c;e++){var
f=localStorage.key(e);0===f.indexOf(a.keyPrefix)&&d.push(f.substring(a.keyPrefix.l
ength))}return d});return h(c,a),c}function na(a){var
b=this,c=b.keys().then(function(a){return a.length});return h(c,a),c}function
oa(a,b){var c=this;a=j(a);var d=c.ready().then(function(){var
b=c._dbInfo;localStorage.removeItem(b.keyPrefix+a)});return h(d,b),d}function
pa(a,b,c){var d=this;a=j(a);var e=d.ready().then(function(){void
0===b&&(b=null);var c=b;return new va(function(e,f){var
g=d._dbInfo;g.serializer.serialize(b,function(b,d){if(d)f(d);else
try{localStorage.setItem(g.keyPrefix+a,b),e(c)}catch(a){"QuotaExceededError"!==a.
name&&"NS ERROR DO
M QUOTA REACHED"!==a.name||f(a),f(a)\}\})\});return
                                                                  h(e,c),e}function
qa(a,b){if(b=k.apply(this,arguments),a="function"!=typeof a&&a||{},!a.name){var
c=this.config();a.name=a.name||c.name,a.storeName=a.storeName||c.storeName|var
d,e=this;return d=a.name?new
va(function(b){b(a.storeName?ea(a,e._defaultConfig):a.name+"/")}).then(function(a){
for(var b=localStorage.length-1;b>=0;b--){var
c=localStorage.key(b);0===c.indexOf(a)&&localStorage.removeItem(c)}}):va.reject(
"Invalid
arguments"),h(d,b),dfunction ra(a,b){a[b]=function(){var c=arguments;return}
a.ready().then(function(){return a[b].apply(a,c)})}}function sa(){for(var
a=1;a<arguments.length;a++){var b=arguments[a];if(b)for(var c in
b)b.hasOwnProperty(c)&&(a(b[c])?arguments[0][c]=b[c].slice():arguments[0][c]=b[
c])}return arguments[0]}var ta="function"==typeof Symbol&&"symbol"==typeof
Symbol.iterator?function(a){return typeof a}:function(a){return
a&&"function"==typeof
Symbol&&a.constructor===Symbol&&a!==Symbol.prototype?"symbol":typeof
a},ua=e();"undefined"==typeof
Promise&&a(3);var va=Promise,wa="local-forage-detect-blob-support",xa=void
0,ya={},za=Object.prototype.toString,Aa="readonly",Ba="readwrite",Ca={_driver:"as
yncStorage",_initStorage:
C,_support:f(),iterate:E,getItem:D,setItem:F,removeItem:G,clear:H,length:I,key:J,keys
:K,dropInstance:L},Da=
```

```
+/",Ea="~~local_forage_type
\sim",Fa=/\sim-local_forage_type\sim([\sim]+)\sim/,Ga="__lfsc__:",Ha=Ga.length,Ia="arbf",Ja="
blob",Ka="si08",La="ui08",
Ma="uic8",Na="si16",Oa="si32",Pa="ur16",Qa="ui32",Ra="fl32",Sa="fl64",Ta=Ha+
Ia.length, Ua=Object.prototy
pe.toString,Va={serialize:P,deserialize:Q,stringToBuffer:N,bufferToString:O},Wa={
driver: "webSQLStorage",
_initStorage:S,_support:M(),iterate:V,getItem:U,setItem:X,removeItem:Y,clear:Z,leng
th:$,key:_,keys:aa,dropIn
stance:ca},Xa={_driver:"localStorageWrapper",_initStorage:ha,_support:da(),iterate:k
a,getItem:ja,setItem:pa,
removeItem:oa,clear:ia,length:na,key:la,keys:ma,dropInstance:qa},Ya=function(a,b){r
eturn a===b||"number"==typeof a&&"number"==typeof
b&&isNaN(a)&&isNaN(b)},Za=function(a,b){for(var
c=a.length,d=0;d<c;){if(Ya(a[d],b))return!0;d++}return!1},$a=Array.isArray||function
(a){return"[object
Array]"===Object.prototype.toString.call(a)},_a={},ab={},bb={INDEXEDDB:Ca,W
EBSQL:Wa,LOCALSTORAGE:
Xa},cb=[bb.INDEXEDDB. driver,bb.WEBSQL. driver,bb.LOCALSTORAGE. driv
er],db=["dropInstance"],eb=["
clear", "getItem", "iterate", "key", "keys", "length", "removeItem", "setItem"].concat(db), f
b={description:"",driver:
cb.slice(),name:"localforage",size:4980736,storeName:"keyvaluepairs",version:1},gb=
function(){function a(b){d(this,a);for(var c in bb)if(bb.hasOwnProperty(c)){var
e=bb[c],f=e._driver;this[c]=f,_a[f]||this.defineDriver(e)}this._defaultConfig=sa({},fb),
this._config=sa({},this._de
faultConfig,b),this._driverSet=null,this._initDriver=null,this._ready=!1,this._dbInfo=n
ull,this._wrapLibraryMet
hodsWithReady(),this.setDriver(this._config.driver).catch(function(){})}return
a.prototype.config=function(a){if("object"===(void
0===a?"undefined":ta(a))){if(this._ready)return new
Error("Can't call config() after localforage has been used.");for(var b in
a)\{if("storeName"===b\&\&(a[b]=a[b].replace(/\W/g,"_")),"version"===b\&\&"number"\}
!=typeof a[b])return new Error("Database version must be a
number.");this._config[b]=a[b]}return!("driver"in
a&&a.driver)||this.setDriver(this._config.driver)}return"string"==typeof
a?this. config[a]:this. config},a.prototype.defineDriver=function(a,b,c){var d=new
va(function(b,c){try{var d=a._driver,e=new Error("Custom driver not compliant; see
https://mozilla.github.io/localForage/#definedriver");if(!a._driver)return void
c(e):for(var
f=eb.concat("_initStorage"),g=0,i=f.length;g<i;g++){var
j=f[g];if((!Za(db,j)||a[j])\&\&"function"!=typeof a[j])return
```

"ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789

```
void c(e)}(function(){for(var b=function(a){return function()}{var b=new}})
Error("Method "+a+" is not implemented by the current driver"),c=va.reject(b);return
h(c,arguments[arguments.length-
1]),c}},c=0,d=db.length;c<d;c++)\{var e=db[c];a[e]||(a[e]=b(e))}})();var
k=function(c){_a[d]&&console.info("Redefining LocalForage driver:
"+d),_a[d]=a,ab[d]=c,b()};"_support"in a?a._support&&"function"==typeof
a. support?a. support().then(k,c):k(!!a. support):k(!0)} catch(a){c(a)}});return
i(d,b,c),d},a.prototype.driver=function(){return
this._driver||null},a.prototype.getDriver=function(a,b,c){var
d= a[a]?va.resolve( a[a]):va.reject(new Error("Driver not found."));return
i(d,b,c),d},a.prototype.getSerializer=function(a){var b=va.resolve(Va);return
i(b,a),b},a.prototype.ready=function(a){var
b=this,c=b._driverSet.then(function(){return
null===b._ready&&(b._ready=b._initDriver()),b._ready});return
i(c,a,a),c},a.prototype.setDriver=function(a,b,c){function
d(){g._config.driver=g.driver()}function e(a){return
g_extend(a),d(),g_ready=g_initStorage(g_config),g_ready}function f(a){return
function(){function b(){for(;c<a.length;){var f=a[c];return}
c++,g._dbInfo=null,g._ready=null,g.getDriver(f).then(e).catch(b)}d();var h=new
Error("No available storage method found.");return
g._driverSet=va.reject(h),g._driverSet}var c=0;return b()}}var
g=this;$a(a)||(a=[a]);var
h=this._getSupportedDrivers(a),j=null!==this._driverSet?this._driverSet.catch(functio
n()\{return\ va.resolve()\}): va.resolve(); return\ this.\_driverSet=j.then(function()\{varantee for the content of the content 
a=h[0];return
g._dbInfo=null,g._ready=null,g.getDriver(a).then(function(a){g._driver=a._driver,d(),
g._wrapLibraryMethodsW ithReady(),g._initDriver=f(h)})}).catch(function(){d();var
a=new Error("No available storage method found.");return
g._driverSet=va.reject(a),g._driverSet}),i(this._driverSet,b,c),this._driverSet},a.protot
ype.supports=function(a)
{return!!ab[a]},a.prototype._extend=function(a){sa(this,a)},a.prototype._getSupported
Drivers=function(a){for( var b=[],c=0,d=a.length;c<d;c++){var
e=a[c];this.supports(e)&&b.push(e)}return
b},a.prototype._wrapLibraryMethodsWithReady=function(){for(var
a=0,b=eb.length;a<b;a++)ra(this,eb[a])},a.prototype.createInstance=function(b){retur
n new a(b),a}(),hb=new gb;b.exports=hb},\{3:3\}]},\{\},\{4\})(4)});
☐ AUTHENTICATION:
FIREOAUTH:
<!DOCTYPE html>
<html lang="en">
<head>
```

```
<meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  k rel="stylesheet" href="/css/fireoauth.css">
  link rel="stylesheet"
  href="https://cdnjs.cloudflare.com/ajax/libs/nprogress/0.2.0/nprogress.min.css">
 <link rel="shortcut icon"</pre>
href="https://raw.githubusercontent.com/tharunoptimuspd/firepwa/main/favicon.ico?t
oken=GHSAT0AAAAAABR46HVJ5M5L3QGFRZRQXOISYUJUWAA"
type="image/x-icon">
 <style>
   html,
   body {
     height: 100%; margin: 0; font-family: -apple-system,
     BlinkMacSystemFont, "Segoe UI", Roboto, Oxygen,
       Ubuntu, Cantarell, "Open Sans", "Helvetica Neue", sans-
     serif; font-weight: 300;
   }
   a {
     text-decoration:
     none; color:
     #007bff; font-
     weight: 500; font-
     size: 1.2rem;
   }
   h3 {
     font-size: 1.4rem;
   }
```

```
h3, h4 { margin:
 0; padding:
 0.3rem 0;
}
.wrapper
            {
 display:
 flex; flex-
 direction:
 column;
 align-items:
 center;
 justify-
 content:
 center;
 height: 100%;
 text-align: center;
}
.oneClickSignin {
 padding: 0.5rem;
 border: 1px solid
 #4444444; border-
 radius: 5px;
 box-shadow: 0 0 3px 0px #44444444;
 opacity: 0.2; pointer-
  events: none;
```

```
}
.qrcode {
 opacity:
 0.1;
}
.learnAboutFire {
 padding-top: 1.25em;
}
.qrHolder
              {
 display: none;
 margin-top:
 3rem;
}
.qrContainer { align-items: center;
 display: flex; justify-content:
 center; padding: 8px; margin:
 2rem auto; box-shadow: 0 0px
 6px 1px rgb(0 0 0 / 16%);
 border: 1px solid
  #4444444; border-
 radius: 6px; width:
  200px;
 height: 200px;
```

```
</style>
  <title>Fire OAuth</title>
  <script> if (window.location.hostname
   !== "localhost") { if
   (location.protocol !== "https:") {
   location.replace(
         `https:${location.href.substring(
          location.protocol.length
        )}`
       )
     }
 </script>
</head>
<body>
 <div class="wrapper">
   <h3 class="pageTitle">Login with SAFETY</h3>
   <div class="qrAuthorize">
<h4 class="subTitle">Scan QR from your Fire OAuth App </h4>
     <div class="qrContainer">
       <canvas id="qr-code" class="qrcode"></canvas>
     </div>
   </div>
   <div class="oneClickSignin">
     <h4>Have Fire PWA on this device?</h4>
     <a target="_blank" id="authorizeOverLink"
href="https://firepwa.netlify.app/authorize?sessionId" rel="noopener">Click to
Authorize
              </a>
```

```
</div>
 <div class="learnAboutFire">
   <a target="_blank" href="https://fireoauth.netlify.app" rel="noopener">Learn
   More about SAFETY</a>
 </div>
</div>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/nprogress/0.2.0/nprogress.min.js"></scri
<script
src="https://cdnjs.cloudflare.com/ajax/libs/qrious/4.0.2/qrious.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/socket.io/4.2.0/socket.io.js"></script>
<script>
 const FIRE_API_KEY = "635b790a3bcc6b59c4b772d0"
 const FIRE_ENDPOINT = "https://fire.adaptable.app/api/apis/generate"
 const CHANNEL_NAME = "fireOAuthChannel" const
 broadCastingChannel = new
 BroadcastChannel(CHANNEL_NAME) const
 FIRE_SERVER_SOCKET_ENDPOINT =
 "https://fire.adaptable.app" let socket =
 io(FIRE_SERVER_SOCKET_ENDPOINT)
 let qr
 let grcode = document.querySelector(".grcode")
 let oneClickSignin =
 document.querySelector(".oneClickSignin") let
```

```
pageTitle = document.querySelector(".pageTitle")
let subTitle = document.querySelector(".subTitle")
function setOpacity(opacity) {
 oneClickSignin.style.opacity = opacity
 oneClickSignin.style.pointerEvents = opacity === "1"?
 "auto": "none" qrcode.style.opacity = opacity
}
async function getSessionID() { let response try {
 response = await
 fetch(`${FIRE_ENDPOINT}/${FIRE_API_KEY}`,
 { method: "GET", headers: {
       "Content-Type": "application/json",
     }
   })
 } catch (error) {
   console.log(error)
   return null
 }
 let data = await response.json()
 let { sessionId, chatRoomId } =
 data return { sessionId,
 chatRoomId }
}
function generateQR(value) {
```

```
(qr = new QRious({
       element:
       document.getElementById("qr-
       code"), size: 200, level: 'M', value:
       value,
     }))
   }
   function changeHREF ({sessionId, chatRoomId})
     { let firePwaUrlHostname =
     "https://firepwa.netlify.app" let originURL =
     encodeURIComponent(window.location.origin)
     let url =
`${firePwaUrlHostname}/authorize.html?sessionId=${sessionId}&chatRoomId=${ch
atRoomId}&url=${originU
RL}` let a =
     document.getElementById("authorizeOver
     Link")
     a.href = url
   }
   async function fire() { NProgress.set(0.4)
     let { sessionId, chatRoomId } = await
     getSessionID()
     if(sessionId === undefined || chatRoomId === undefined || sessionId === null ||
       chatRoomId === null) { pageTitle.innerHTML = "Something went wrong "
       subTitle.innerHTML = "Please try again later
                                                         " return
```

```
}
   setOpacity("1")
   NProgress.done
   () let data = {
   sessionId,
     url: encodeURIComponent(window.location.origin)
   }
   data = JSON.stringify(data)
   generateQR(data)
   changeHREF({sessionId,
   chatRoomId}) socket.emit("join
   room", sessionId)
 }
 fire()
 socket.on("trusted token", (token) => {
   let data = \{ \}
   data.success = true
   data.token = token
   broad Casting Channel.post Message (data) \\
   window.close()
 })
</script>
```

```
</body>
</html>
☐ LOGIN:
HTML:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  k rel="stylesheet" href="/css/login.css">
  <title>Sign Up</title>
  <script> if (window.location.hostname
   !== "localhost") { if
   (location.protocol !== "https:") {
   location.replace(
         `https:${location.href.substring(
          location.protocol.length
        )}`
       )
     }
  </script>
  <script src="./localforage.js"></script>
</head>
<body>
  <div class="wrapper">
   <div class="loginContainer">
     <span>SignUp To Continue/span>
```

```
<div class="traditionalLoginContainer">
     <form class="signupForm" action="/" method="post">
       <input type="email" name="email" placeholder="Email" id="email">
       <input type="password" name="password" placeholder="Password"
       id="password">
       <input class="loginButton" type="submit" value="Login">
     </form>
   </div>
   <div class="loginWithFireContainer">
<button type="button" class="fire" title="Login with Safety" id="fire">Login with
                                                                Safety</button>
   </div>
   <a class="hyperLink" href="/register">Don't have an Account? Register \[ \subset \] </a>
 </div>
</div>
<script>
 // Necessary for Fire OAuth to Function const
 fireBroadcastingChannel = new
 BroadcastChannel('fireOAuthChannel');
 fireBroadcastingChannel.addEventListener('message', async
 event => {
   let data = event.data
   /**
   * @typedef {Object<string, any>} Data
   * @property {boolean} success - Whether the login was successful
   * @property {string} token - The data returned from the login i.e. Fire Token
   */
   // data.token is the message sent from the fireOAuthChannel after verification
   // data.success is a boolean that indicates whether the verification was successful
```

```
// data.token is the fire token
     // What to do with the Fire Token?
     // * Fire Token is an unique token which uniquely identifies the user who
authorized your login attempt with Fire
     // * You can use this token ONLY ONCE as it will be destroyed after the first
     // 1. Send the fire token to the Fire Server to verify the user
     //- You can do that client sided or server sided
     //- You need to send a POST Request to the Fire Server with the fire token
     //at the URL: http://localhost:3003/api/tokens/verify
     //- The Fire Server will verify the fire token and return a response
     // - If the verification was successful - CODE (200), the Fire Server will return a
response with the user's data
     // - If the verification was unsuccessful - CODE (400) or CODE (401), the Fire
Server will return a response with an error 'message'
     // - You can use the data returned from the Fire Server to create a new
      user in your database // This example will send the token to Fire Servers
      and console.log the response console.log("%c" + `Fire Token:
      ${data.token}`, `color: #f1c40f; font-weight: bold;`); const response =
      await fetch('https://fire.adaptable.app/api/tokens/verify', { method:
      'POST', headers: {
         'Content-Type': 'application/json'
       },
       body:
         JSON.stringify({
         token: data.token
       })
      })
```

```
// get the response const
     responseData = await
     response.json()
     // console.log the response
     console.log(responseData) await
     localforage.setItem('userData', {...responseData,
     isFire: true})
     // Adding the user data to the user Database
     let database = await
     localforage.getItem("userDatabase") if
     (database == null) { database = []
     database.push(responseData) await
     localforage.setItem("userDatabase",
     database)
     // redirect to the home page
     window.location.href = '/'
    })
   function popupwindow(url,
     title, w, h) { var left =
     (screen.width/2)-(w/2); var
     top = (screen.height/2)-
     (h/2);
     return window.open(url, title, 'toolbar=no, location=no, directories=no,
     status=no, menubar=no,
scrollbars=no, resizable=no, copyhistory=no, width='+w+', height='+h+', top='+top+',
left='+left);
   }
```

```
document.getElementById("fire").addEventListener("click", function() {
   popupwindow("/fireoauth.html", "Fire OAuth", 450, 600)
 })
</script>
<script>
 // this.Website's Scripts / App Logic
 document.querySelector(".signupForm").addEventListener("subm
 it", async (e) => { e.preventDefault() let email =
 document.getElementById("email").value let password =
 document.getElementById("password").value let flag = false let
 userData = await localforage.getItem("userDatabase")
 if(userData) { userData.forEach(e => { if(e.email === email) {
 if(e.password === password || e.isFire === true) {
 localforage.setItem("userData", e) flag = true
 window.location.href = "/"
        }
       }
     })
   } else { alert("User
     Not Found")
   }
   if(!flag) {
     alert("Invalid
     Credentials")
   }
 })
```

```
</script>
</body>
</html>
egdb.com/online_html_compiler
                                                                           A 6 6 @ @
   A Save ( } Beautify
                                                                             Language HTML,JS,C > 1
                  if(userData) {
                     userData.forEach(e => {
  SignUp To Continue
                                   Login
   Login with Safety
  Don't have an Account? Register ✓
CSS:
html,
body {
       height: 100%; margin: 0; font-weight: 300; font-family: -
       apple-system, BlinkMacSystemFont, "Segoe UI", Roboto,
       Oxygen,
               Ubuntu, Cantarell, "Open Sans", "Helvetica Neue", sans-serif;
}
.wrapper { height: 100%;
       display:
                     flex;
       align-items:
                  justify-
       center;
```

content: center;


}

```
. log in Container \\
                       {
       display:
                    flex;
       flex-direction:
       column;
       gap: 1rem; min-width:
       25rem; padding: 1rem
       3rem; border: 1px
       solid #4444444; box-
       shadow: 0px 3px 2px
       1px #4444444;
       border-radius: 8px;
}
.loginContainer span {
       text-align: center;
       font-size: 3rem;
       font-weight: 500;
       margin: 1rem 1rem
       3rem;
}
. traditional Login Containe \\
       r form { display:
       flex;
                     flex-
       direction: column;
       align-items:
```

```
justify-
       center;
       content: center;
}
.traditionalLoginContainer :is(input[type="text"], input[type="password"],
       input[type="email"]) { margin: 0.3rem; padding: 0.3em 0.5em;
       border: 1px solid #44444444; border-radius: 5px; outline: none;
       min-width: 200px; font-size: 1.3rem;
}
. traditional Login Container \\
       .loginButton { background-
       color: #0070f3; font-size:
       1.6rem;
       padding: 0.2em 0.8em;
       color: white;
       margin:
       0.4rem; border:
       none; border-
       radius: 5px;
 cursor: pointer;
       margin-top:
       2rem;
}
.traditionalLoginContainer .loginButton:hover {
 background-color: #0071f3d6;
}
```

```
. log in With Fire Contain \\
       er { display:
       grid; display: -
       ms-grid; place-
       items: center;
}
.fire { background-color:
       #f8f9fa; border: 1px
       solid #3c404321;
       border-radius: 4px;
       color: #3c4043;
       font-family: arial, sans-serif;
       margin: 11px 4px;
       padding: 0.4em
       0.8em; line-height:
       27px;
       min-width: 54px;
       text-align: center;
       cursor: pointer;
       user-select: none;
       font-size: 1.3rem;
       font-weight: 500;
}
.hyperLink {
```

```
text-decoration:
 none; text-align:
 center; font-size:
  1.2rem; color:
 #0070f3; font-weight:
 400;
}
@media screen and (max-width: 480px) { .loginContainer { border: none; box-
shadow: none;
   min-width: fit-content;
   min-width: -moz-fit-
   content; min-width: -
   webkit-fill-available;
   padding: 1rem;
  }
}
```




#### □ DASHBOARD:

```
HTML:
```

```
<span class="right">
       <span class="username">Hello User</span>
       <span>
        <img class="profilePic"
src="https://avatars.dicebear.com/api/avataaars/asdfasdfds.svg" alt="User Profile"
height="30" width="30">
       </span>
     </span>
   </div>
   <div class="actionCenter">
     <div class="action">
       <span>Create Child Card</span>
     </div>
     <div class="action">
       <span class="logout">Log out</span>
     </div>
   </div>
   <div class="childCardContainer">
     <div class="childCard">
       <div class="childCardHeader">
        <span>Child Name</span>
        <span>Age
       12</span> </div>
       <div class="actions">
        <span>View</span>
        <span>GeoFence</span>
       </div>
     </div>
   </div>
```

```
</div>
  <script> async
   function main() {
   let userData =
   await
   localforage.getIte
   m('userData')
   if(userData ==
   null) {
   window.location.
   href = "/login"
     }
     document.querySelector(".username").innerHTML = `Hello
     ${userData.firstName}` document.querySelector(".profilePic").src =
     userData.profilePic
   }
   main()
   document.query Selector (".logout"). add Event Listener ("cli
   ck", async () => { await localforage.setItem('userData',
   null) window.location.href = "/login"
   })
  </script>
</body>
</html>
```



### CSS:

```
html, body {
  margin: 0;
  padding: 0;
  font-family: system-ui, -apple-system, BlinkMacSystemFont, 'S
```

font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;

```
}
.wrapper {
 display:
               flex;
  flex-direction:
           height:
  column;
  100vh; margin: 0
  auto;
}
.header { display: flex;
 justify-content:
                    space-
              align-items:
 between;
 center;
```

```
padding: 1rem;
 background-color:
 #f1f1f1;
}
.heading {
 font-size:
 1.3rem;
.right { display:
           align-
 flex;
 items: center;
 gap: 0.5rem;
}
.actionCenter {
 display: flex;
 justify-content:
 flex-end; align-
 items: center; gap:
 1rem; padding:
 0.5rem 0;
}
.actionCenter .action {
 padding: 0.5rem
 0.8rem; border: 1px
 solid #4444444;
 border-radius: 12px;
```

```
margin-right: 0.5rem;
 cursor: pointer;
}
.actionCenter .action:hover
 { background-color:
 #0070f3; color: white;
}
.childCardContaine
 r { display: flex;
 flex-wrap: wrap;
 padding: 0.5rem
 1rem;
}
. child Card Container \\
 .childCard { display:
 flex; flex-direction:
 column; border: 1px
 solid #4444444;
 border-radius: 12px;
 max-width: 300px;
 font-size: 1.4rem;
}
.childCardContainer
                            .childCard
 .childCardHeader { display: flex; gap:
```

```
3rem; margin: 0.1rem 0.1rem 0.8rem;
 padding: 1rem 0.8rem 0;
}
.childCardContainer .childCard
 .actions { background-color:
 #0070f3; padding: 2rem
 0.5rem 1rem; color: white;
 display: flex; justify-content:
 space-around; border-radius:
 12px; border-top-left-radius:
 0; border-top-right-radius: 0;
}
.childCardContainer .childCard
 .actions span { border: 1px solid
 #0070f3; background-color: white;
 color: #0070f3; padding: 0.3rem
 0.9rem; border-radius: 12px;
       cursor:
      pointer;
}
```

