

## ASSIGNMENT - 2

Student Name	ASEERA SHABANA R
Student Roll Number	2019115022

### 1. Create a user table with a user with email, username, roll number Password.

CREATE TABLE user ( roll\_number int, username varchar(300), email varchar(300), password varchar(300) );

### 2. Perform UPDATE, DELETE Queries with user table INSERT Statement.

INSERT INTO user ( roll\_number, username, email, password) VALUES (25, 'Aseera', 'aseera11@gmail.com', 'asee11'), (71, 'Preetha', 'pre18@gmail.com', 'preeth18'), (74, 'Rahul', 'rah.ul5@gmail.com', 'rahul123'), (4, 'Shagithiya', 'shagii2022@gmail.com', 'shagi3');

UPDATE query:

UPDATE users SET username = 'Aseera' WHERE roll\_number = '22'

DELETE query:

insert into user values(22,'shabana','sha@gmail.com', 'shaba22');

delete from user where roll\_number='22'

### 3. Connect python with db2.

```
conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=824dfd4d99de-440d-9991-629c01b3832d.bs2io90l08kqb1od8lcg.databases.appdomain.cloud; PORT=30119;SECURITY=SSL; SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=lvq43963;PWD=B snsG1l2sBgIRhVN",'')
```

### 4. Create a flask app with a registration page, login page, and welcome page. by default load the registration page once the user enters all the fields store the data in the database and navigate to the login page to authenticate the user username and password. if the user is valid show the welcome page.

```
from flask import Flask, render_template, request, redirect, url_for, session
from flask_mysqldb import MySQL
import MySQLdb.cursors
```

```

app = Flask(__name__)
app.secret_key = 'your secret key'
app.config['MYSQL_HOST'] = 'localhost'
app.config['MYSQL_USER'] = 'root'
app.config['MYSQL_PASSWORD'] = 'your password'
app.config['MYSQL_DB'] = 'userlogin'
mysql = MySQL(app)

@app.route('/')
@app.route('/login', methods=['GET', 'POST'])
def login():
    msg = 'if request.method == 'POST' and 'username' in request.form and
'password' in request.form:
        username = request.form['username']
        password = request.form['password']
        cursor = mysql.connection.cursor(MySQLdb.cursors.DictCursor)
        cursor.execute('SELECT * FROM accounts WHERE username = % s AND
password = % s', (username, password, )) account = cursor.fetchone()
        if account:
            session['loggedin'] = True
            session['id'] = account['id']
            session['username'] = account['username']
            msg = 'Logged in successfully !'
            return render_template('index.html', msg = msg)
        else:
            msg = 'Incorrect username / password !'
            return render_template('login.html', msg = msg)

@app.route('/logout')
def logout():
    session.pop('loggedin', None)
    session.pop('id', None)
    session.pop('username', None)
    return redirect(url_for('login'))

@app.route('/register', methods=['GET', 'POST'])
def register():
    msg = '

```

```

        if request.method == 'POST' and 'username' in request.form and
'password' in request.form and 'email' in request.form :
            username = request.form['username']
            password = request.form['password']
            email = request.form['email']
            cursor = mysql.connection.cursor(MySQLdb.cursors.DictCursor)
            cursor.execute('SELECT * FROM accounts WHERE username = % s',
(username, ))
            account = cursor.fetchone()
            if account:
                msg = 'Account already exists !'
            elif not re.match(r'[^@]+@[^@]+\.[^@]+', email):
                msg = 'Invalid email address !'
            elif not re.match(r'[A-Za-z09]+', username):
                msg = 'Username must contain only characters and numbers !'
            elif not username or not password or not email:
                msg = 'Please fill out the form !'
            else:
                cursor.execute('INSERT INTO accounts VALUES (NULL, % s, % s, %
s)', (username, password, email, ))
                mysql.connection.commit()
                msg = 'You have successfully registered !'
        elif request.method == 'POST':
            msg = 'Please fill out the form !'
        return render_template('register.html', msg = msg)

```

## Register.html

```

{% extends 'header.html'%}
{% block head %}
<title>REGISTER</title>
{% endblock %}
{% block body%}
<div class="container">
    <div class="row justify-content-center">
        <div class="col-lg-7">

            <div class="card shadow-lg border-0 rounded-lg mt-5">

```

```

        <div class="card-header bg-warning"><h3 class="text-center
font-weight-light my-4" style="color:white">CREATE ACCOUNT</h3></div>
        <div class="card-body">
            <form method="post" action="./regcode.php">
                <div class="row mb-3">
                    <div class="col-md-6">
                        <div class="form-floating mb-3 mb-md-0">
                            <input class="form-control"
name="firstname" required type="text" placeholder="Enter your first name"
/>
                            <label for="inputFirstName">First
name</label>
                        </div>
                    </div>
                    <div class="col-md-6">
                        <div class="form-floating">
                            <input class="form-control"
name="lastname" required type="text" placeholder="Enter your last name"
/>
                            <label for="inputLastName">Last
name</label>
                        </div>
                    </div>
                </div>
                <div class="form-floating mb-3">
                    <input class="form-control" name="email"
required type="email" placeholder="name@example.com" />
                    <label for="inputEmail">Email address</label>
                </div>
                <div class="row mb-3">
                    <div class="col-md-6">
                        <div class="form-floating mb-3 mb-md-0">
                            <input class="form-control"
name="password" required type="password" placeholder="Create a password"
/>
                            <label
for="inputPassword">Password</label>
                        </div>
                    </div>
                </div>
            </form>
        </div>
    </div>

```

```

        <div class="col-md-6">
            <div class="form-floating mb-3 mb-md-0">
                <input class="form-control"
name="passwordc" required type="password" placeholder="Confirm password"
/>
                <label
for="inputPasswordConfirm">Confirm Password</label>
            </div>
        </div>
    </div>
    <div class="mt-4 mb-0">
        <button class="d-grid btn btn-primary
btn-block" name="user_register" type="submit">Register</button>
    </div>
</form>
</div>

</div>
</div>
</div>
</div>
{% endblock %}

```

## Login.html

```

{% extends 'header.html' %}
{% block head %}
<title>LOGIN</title>
{% endblock %}
{% block body%}
<div class="container">
    <div class="row justify-content-center">
        <div class="col-lg-5">
            <div class="card border-2 rounded-lg mt-5">
                <div class="card-header bg-warning"><h3 class="text-center
font-weight-light my-4 text-white ">LOGIN</h3></div>
                <div class="card-body">
                    <form method="post" action="./code.php">
                        <div class="form-floating mb-3">

```

```

                <input class="form-control" name="email"
type="email" placeholder="xyz@example.com" />
                <label for="inputEmail">User Name</label>
            </div>
            <div class="form-floating mb-3">
                <input class="form-control" name="password"
type="password" placeholder="Password" />
                <label for="inputPassword">Password</label>
            </div>

            <div class="d-flex align-items-center
justify-content-between mt-4 mb-0">
                <button class="btn btn-primary" type="submit"
name="user_login">Login</button>
            </div>
        </form>
    </div>

</div>
</div>
</div>
</div>

{% endblock %}

```

blog.html

```

<nav class="navbar navbar-expand-lg bg-dark">
    <div class="container-fluid">
        <a class="navbar-brand text-white" href="#">PRIYADHARSHINI</a>
        <button class="navbar-toggler" type="button"
data-bs-toggle="collapse" data-bs-target="#navbarNavAltMarkup"
aria-controls="navbarNavAltMarkup" aria-expanded="false"
aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
    </div>

```

```

        <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
            <div class="navbar-nav">
                <a class="nav-link active" aria-current="page" href="/"
>HOME</a>
                <a class="nav-link" href="/blog" >BLOG</a>

            </div>

        </div>
    </div>
<!--<div class="btn-group" role="group" aria-label="Basic example">-->
    <a href="/login"><button type="button" class="btn btn-warning"
style="color:white; margin-right: 20px;"
><b>LOGIN</b></button></a>

    <a href="/register"><button type="button" class="btn
btn-warning" style="color:white; margin-right: 20px;"
><b>REGISTER</b></button></a>
    <!--</div>-->
</nav>
{%block body %} {% endblock %}

```

## navbar.html

```

<nav class="navbar navbar-expand-lg bg-dark">
    <div class="container-fluid">
        <a class="navbar-brand text-white" href="#">PRIYADHARSHINI</a>
        <button class="navbar-toggler" type="button"
data-bs-toggle="collapse" data-bs-target="#navbarNavAltMarkup"
aria-controls="navbarNavAltMarkup" aria-expanded="false"
aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
            <div class="navbar-nav">
                <a class="nav-link active" aria-current="page" href="/"
>HOME</a>

```

```

        <a class="nav-link" href="/blog" >BLOG</a>

    </div>
</div>
</div>
<!--<div class="btn-group" role="group" aria-label="Basic example">-->
    <a href="/login"><button type="button" class="btn btn-warning"
style="color:white; margin-right: 20px;"
><b>LOGIN</b></b></b></button></a>

    <a href="/register"><button type="button" class="btn
btn-warning" style="color:white; margin-right: 20px;"
><b>REGISTER</b></b></b></button></a>
    <!--</div>-->
</nav>
{%block body %} {% endblock %}

```

## Home.html

```

{% extends 'home.html' %}<!--python scripts-->

{% block head %}
<title>HOME</title>
{% endblock %}

{% block body %}
<h1>This is home page</h1>
{% endblock %}

```