Create UI To Interact With Application

Date	12 November 2022
Project Name	Personal Expense Tracker Application

REGISTER:

```html
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>TODO-SignUp</title>
  <link rel="stylesheet" href="./style.css" />
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.
min.css

 </head>
 <body>
  <div class="container">
   <div class="logland">
    <div class="login">
     <h3>Sign Up!</h3>
     <form class="frm">
      <div class="icon-input">
        <i class="fa fa-user" aria-hidden="true"></i>
        <input type="text" placeholder="Enter Name"/><br />
      </div>
      <div class="icon-input">
        <i class="fa fa-envelope" aria-hidden="true"></i>
        <input type="text" placeholder="Enter Email"/><br />
      </div>
      <div class="icon-input">
       <i class="fa fa-address-book-o" aria-hidden="true"></i>
       <input type="text" placeholder="Enter Phone no."/><br />
     </div>
      <div class="icon-input">
        <i class="fa fa-key" ></i>
        <input type="text" placeholder="Enter Password"/><br />
      </div>
      <div class="icon-input">
        <i class="fa fa-repeat" aria-hidden="true"></i>
```

```
            <input type="text" placeholder="Re-Enter Password"/><br />
        </div>
        <button>SignUp</button>
      </form>
    </div>
  </div>
  </div>
  </body>
</html>
```

Output:

Login:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>TODO-Login</title>
    <link rel="stylesheet" href="./style.css" />
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min .css

  </head>
  <body>
    <div class="container">
      <div class="logland">
        <div class="login">
          <h3>LOGIN</h3>
          <form class="frm">
```

```html
        <div class="icon-input">
            <i class="fa fa-envelope" aria-hidden="true"></i>
            <input type="text" placeholder="Enter Email"/><br />
        </div>
        <div class="icon-input">
            <i class="fa fa-key" ></i>
            <input type="text" placeholder="Enter Password"/><br />
        </div>
        <button>Login</button>
      </form>
    </div>
   </div>
  </div>
 </body>
</html>
```

Output:

Image Uploading Page:

```html
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <link rel="stylesheet" href="./style.css" />
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.
min.css

 </head>
 <body>
  <div class="container">
    <div class="logland" style="overflow:hidden">
```

```html
    <div style="width:350px;background-
image:url('./my_app_side.jpg');background-positi on:right;h eight:100%">
    </div>
    <div class="login" style="padding:0px 30px">
     <h3>Upload Image</h>
     <form class="frm">
     <br/>
     <p style="font-size:12px;font-weight:lighter">Please Upload an image to get
     your
<br/>food nutrition</p>
        <div class="icon-input">
          <input type="file" placeholder="Enter Email"/><br />
        </div>
        <button>Upload</button>
      </form>
    </div>
   </div>
  </div>
  </body>
</html>
```

Style.css @import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@300;400&display
=swa

p'):

 @import
url('https://fonts.googleapis.com/css2?family=Quicksand&display=swap');
body {
   margin: 0px 0px;
   font-family: 'Poppins', sans-serif;

 .navbar(position:
  absolute; top:
  40px;
  left: 0px; width: 100vw;
  height: 50px; display: flex;
  justify-content: space-
  between; align-items:
  center;
 .container (background-color:
  #262a41;

```css
width:
100vw;
height:
100vh;
display: flex; justify-
content: center; align-
items:
center;

.logland            {
background-color:
white; border-radius:
10px;      width:max-
content;       height:
500px;  display:  flex;
justify-content:
center; align-items:
center;

.login  ,.login  >  form(
display:  flex;  flex-
direction:    column;
align-items:
center; justify-
content: center;

.line{
height:90%     ;     width:3px;
border-radius:0px  50%  Opx
50%; background-color:black;

.dash{ background-
color: white; border-
radius: 10px; width:
90%; height:
70%;
display: flex;
align-items:
center; margin-
top: 50px;
```

```css
.task,.inprog {
  display: flex;
```

```css
  flex-direction: column;
  height: 100%; width:
  50%;       align-items:
  center;

.task,.inprog >
 p{  font-size:
 25px;

.addtask( padding: 10px;
 border-radius: 10px;
 margin-bottom: 20px;
 justify-self: flex-end;
 width: 80%; border: 2px
 solid #17b31f;

.addtask > input(
 width:
 92%; height:
 30px; font-size:
 20px; border:
 none; outline:
 none;

.addtask > button{ font-
 size: 25px; background-
 color:   white;   border:
 none;
 color: #E91E63;

#tasks( height:
 100%; width:
 80%;

.eachtask,.eachtaskp(
 display:
 flex; width:
 100%;
 align-items: center;
```

```css
  justify-content:
  space-between;
  border-radius:   Spx;
  margin-bottom: 10px;
  background-color:
  #e8eaf6;

.eachtask>p,.eachtaskp >p{
  font-size: 18px;

.eachtask>p>i,.eachtaskp>
  p>i{ font-size: 20px; margin:
  Opx 10px;

.eachtask>i,.eachtaskp
  >i( font-size: 30px;
  margin-right: 15px;


.eachtaskp( background: linear-gradient(to right,#e8eaf6
  30%,#40b84686 70%);

.eachtaskp:nth-child(2){ background: linear-gradient(to
  right,#e8eaf6 30%,#ff3c0088 70%);

.eachtaskp > button{
  cursor:
  pointer; margin-
  right: 15px;
  border-radius:
  10px; padding:
  Spx 10px; border:
  none;      background-color:
  #D9D9D9;         font-family:
  'Poppins', sans-serif;


h3(
   font-size: 30px;
   letter-spacing: 1.5px;
```

```
.frm input{
```

```css
    height:30px;    border-radius:0px
    10px 10px Opx; border:2px solid
    gray; border-left: none; transition:
    1s    ease;    outline:none;    min-
    width:250px; padding-left: 10px;

.frm input[type=file]( border:none;

.frm>input:focus{ border:2px solid
    rgb(29, 98, 247);

.icon-input{
    /* border:2px solid red;
    */ display: flex; align-
    items: center;
    margin:10px Opx;

.icon-input>i            {
 display: flex; align-
 items:        center;
 justify-content:
 center;          min-
 width:30px;
 color:white;    background-
 color:#262a41;       border-
 radius:10px Opx Opx 10px;
 font-size:16px;
 height:36px;


input{
    font-family: 'Quicksand', sans-serif;

.frm button( margin-
    top: 20px; border:
    none; border-radius:
    10px; padding: Spx
    20px; font-size:
    15px; font-family:
    'Poppins', sans-serif;
    background-color:
```

```css
    #00E676; cursor: pointer;

.frm button:hover{ color:
    #00E676; background-
    color: black;
```