botpy

```
bot.pv
                                               bankbot.html ×
templates > ♦ bankbot.html > ♦ html > ♦ script
                    <!DOCTYPE html>
                                           <title>Home page</title>
<link rel="stylesheet" href="">
                                 <br/> <body style="background-color: \square royalblue;">
                                             <a style="font-size: 25px; margin-left: 210px;font-weight: bold; font-style: oblique; color: ■#EEA47FFF; text-decoration: none; "href="" >Home</a>
<a style="font-size: 25px; margin-left: 210px;font-weight: bold; font-style: oblique; color: ■#EEA47FFF; text-decoration: none; "href="" >Login</a>
                                             <a style="font-size: 25px; margin-left: 210px; font-weight: bold; font-style: oblique; color: #EEA47FFF; text-decoration: none; mref="">Register</a>
<a style="font-size: 25px; margin-left: 210px; font-weight: bold; font-style: oblique; color: #EEA47FFF; text-decoration: none; href="">Register</a>
<a style="font-size: 25px; margin-left: 210px; font-weight: bold; font-style: oblique; color: #EEA47FFF; text-decoration: none; href="">About us</a>
<a style="font-size: 80px; margin-left: 210px; font-weight: bold; color: #EEA47FFF; font-style: oblique;">Welcome User</a>
<a style="font-size: 80px; margin-left: 210px; font-weight: bold; color: #EEA47FFF; font-style: oblique;">Welcome User</a>
<a style="font-size: 80px; margin-left: 210px; font-weight: bold; color: #EEA47FFF; font-style: oblique;">Welcome User</a>
<a style="font-size: 80px; margin-left: 210px; font-weight: bold; color: #EEA47FFF; font-style: oblique;">Welcome User</a>
<a style="font-size: 80px; margin-left: 210px; font-weight: bold; color: #EEA47FFF; font-style: oblique;">Welcome User</a>
<a style="font-size: 80px; margin-left: 210px; font-weight: bold; color: #EEA47FFF; font-style: oblique;">Welcome User</a>
<a style="font-size: 80px; margin-left: 210px; font-weight: bold; color: #EEA47FFF; font-style: oblique;">Welcome User</a>
<a style="font-size: 80px; margin-left: 210px; font-weight: bold; color: #EEA47FFF; font-style: oblique; ">Welcome User</a>
<a style="font-size: 80px; margin-left: 210px; font-weight: bold; color: #EEA47FFF; font-style: oblique; ">Welcome User</a>
<a style="font-size: 80px; margin-left: 210px; font-weight: bold; color: #EEA47FFF; font-style: oblique; ">Welcome User</a>
<a style="font-size: 80px; margin-left: 210px; font-weight: bold; color: #EEA47FFF; font-style: oblique; ">Welcome User</a>
<a style="font-size: 80px; margin-left: 210px; font-weight: bold; color: #EEA47FFF; font-style: oblique; ">Welcome User</a>
<a style="font-size: 80px; margin-left: 210px; font-weight: bold; font-weight: bold; font-size: 80px; margin-left
                                              <h1 style="margin-left: 200px;margin-top:12%; font-weight:bold;font-style:italic;color: ■#EEA47FFF;">Get rid of your queries via our interactor</h1>
                                 window.watsonAssistantChatOptions = {
                                       integrationID: "4c1c59d8-23f9-4a93-9a61-e55e8770ad0b", // The ID of this integration.
region: "jp-tok", // The region your integration is hosted in.
serviceInstanceID: "f64bf6ce-4916-415f-a06c-043268b460e8", // The ID of your service instance.
                                      onLoad: function(instance) { instance.render(); }
                                 setTimeout(function(){
                                       const t=document.createElement('script');
                                       t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssista
                                       document.head.appendChild(t);
```







