

Project Development Phase Sprint - II

Date	05 November 2022
Team ID	PNT2022TMID35901
Project Name	Natural Disasters Intensity Analysis And Classification Using Artificial Intelligence
Maximum Marks	4 Marks

Building the CNN Model for Natural Disaster Classification, Training and Validating it, and Testing results

Link:

https://dataplatform.cloud.ibm.com/analytics/notebooks/v2/6cbeecfd-214b-4a41-aea0-dcd3dafabe61/view?access_token=cc793da694f128bd71a83af2dd03af6db746baa06c11850fce55b299b697b05a

The screenshot displays the IBM Watson Studio web interface. The top navigation bar includes the IBM Watson Studio logo, a search bar, and user account information for Raakesh Kumar C's Account in Dallas. The breadcrumb trail indicates the current location: Projects / Natural Disaster Intensity Analys... / Disaster Classification.

The main workspace shows a Jupyter Notebook with the following code and output:

```
In [27]: #Model Fitting - training and validation
history=model.fit_generator(x_train,steps_per_epoch=len(x_train),epochs=20,validation_data=x_val,validation_steps=len(x_val))
#steps_per_epoch = no of train images/batch size
#validation_steps = no of test images/batch size
```

The output displays the training progress for 20 epochs. Each epoch shows the time taken, steps per epoch, loss, accuracy, validation loss, and validation accuracy. The training loss decreases from 1.1158 to 0.2992, while the validation accuracy increases from 0.6244 to 0.8213.

Epoch	Time	Steps	Loss	Accuracy	Val Loss	Val Accuracy
Epoch 1/20	384s	1s/step	1.1158	0.5341	1.0172	0.6244
Epoch 2/20	380s	1s/step	0.7026	0.7391	0.6189	0.7862
Epoch 3/20	378s	1s/step	0.6090	0.7785	0.5414	0.8032
Epoch 4/20	378s	1s/step	0.5252	0.8082	0.5541	0.8133
Epoch 5/20	375s	1s/step	0.4850	0.8205	0.5834	0.7805
Epoch 6/20	376s	1s/step	0.4537	0.8305	0.4234	0.8450
Epoch 7/20	378s	1s/step	0.4294	0.8437	0.4307	0.8529
Epoch 8/20	379s	1s/step	0.4033	0.8524	0.3810	0.8767
Epoch 9/20	379s	1s/step	0.3695	0.8631	0.3842	0.8586
Epoch 10/20	383s	1s/step	0.3419	0.8760	0.3953	0.8620
Epoch 11/20	380s	1s/step	0.3305	0.8728	0.4521	0.8541
Epoch 12/20	383s	1s/step	0.3426	0.8731	0.4412	0.8529
Epoch 13/20	378s	1s/step	0.3359	0.8763	0.4537	0.8541
Epoch 14/20	384s	1s/step	0.3157	0.8834	0.4474	0.8439
Epoch 15/20	380s	1s/step	0.2992	0.8967	0.5975	0.8213

The right sidebar shows the 'Data' section with a 'Files' tab. It includes an upload area with the text 'Drag and drop files here or upload.' and a list of files, including 'Cyclone_Wildfi...ake_Database.zip'.


1. Indexing Disaster Classes

```
In [19]: #Classes of Disasters  
x_train.class_indices
```

```
Out[19]: {'Cyclone': 0, 'Earthquake': 1, 'Flood': 2, 'Wildfire': 3}
```

2. Sample Plot for each of the Classes

```
In [20]: #Sample Plot for each of the Classes  
from skimage import io  
f=['/home/wsuser/work/dataset/train/Cyclone/1.jpg', '/home/wsuser/work/dataset/train/Earthquake/0.jpg', '/home/wsuser/work/dataset/train/Flood/0.jpg', '/home/wsuser/work/dataset/train/Wildfire/0.jpg']  
class_names=['Cyclone', 'Earthquake', 'Flood', 'Wildfire']  
x, axarr = plt.subplots(1,4,figsize=(15,15))  
for i in range(4):  
    axarr[i].imshow(io.imread(f[i]))  
    axarr[i].title.set_text(class_names[i])
```



3. CNN Model Architecture

```
In [21]: model=Sequential()
```

```
In [22]: #Input Convolution Layer
model.add(Convolution2D(32, kernel_size=(3, 3), input_shape=(299, 299, 3), strides=(1, 1), activation='relu'))
model.add(MaxPooling2D(pool_size=(2, 2)))
#Convolution Layer 2
model.add(Convolution2D(64, kernel_size=(3, 3), input_shape=(299, 299, 3), strides=(1, 1), activation='relu'))
model.add(MaxPooling2D(pool_size=(2, 2)))
model.add(Dropout(0.3))
#Convolution Layer 3
model.add(Convolution2D(32, kernel_size=(3, 3), input_shape=(299, 299, 3), strides=(1, 1), activation='relu'))
model.add(MaxPooling2D(pool_size=(2, 2)))
model.add(Dropout(0.3))
#Flattening of Output
model.add(Flatten())
#FCN or Dense Layer
model.add(Dense(units=256, kernel_initializer="random_uniform", activation="relu"))
model.add(Dropout(0.4))
#Output Layer
model.add(Dense(units=4, activation="softmax"))
```

4. Summary of the Model

```
model.summary()
```

Model: "sequential"

Layer (type)	Output Shape	Param #
conv2d (Conv2D)	(None, 297, 297, 32)	896
max_pooling2d (MaxPooling2D)	(None, 148, 148, 32)	0
conv2d_1 (Conv2D)	(None, 146, 146, 64)	18496
max_pooling2d_1 (MaxPooling2D)	(None, 73, 73, 64)	0
dropout (Dropout)	(None, 73, 73, 64)	0
conv2d_2 (Conv2D)	(None, 71, 71, 32)	18464
max_pooling2d_2 (MaxPooling2D)	(None, 35, 35, 32)	0
dropout_1 (Dropout)	(None, 35, 35, 32)	0
flatten (Flatten)	(None, 39200)	0
dense (Dense)	(None, 256)	10035456
dropout_2 (Dropout)	(None, 256)	0
dense_1 (Dense)	(None, 4)	1028

Total params: 10,074,340

Total params: 10,074,340

5. Compiling the Model

```
In [24]: #Compiling the Model
model.compile(loss="categorical_crossentropy", optimizer="adam", metrics=["accuracy"])
```

6. Training and Validating the Model

```
In [27]: #Model Fitting - training and validation
history=model.fit_generator(x_train,steps_per_epoch=len(x_train),epochs=20,validation_data=x_val,validation_steps=len(x_val),
#steps_per_epoch = no of train images/batch size
#validation_steps = no of test images/batch size
<
Epoch 1/20
310/310 [=====] - 384s 1s/step - loss: 1.1158 - accuracy: 0.5341 - val_loss: 1.0172 - val_accuracy: 0.6244
Epoch 2/20
310/310 [=====] - 380s 1s/step - loss: 0.7026 - accuracy: 0.7391 - val_loss: 0.6189 - val_accuracy: 0.7862
Epoch 3/20
310/310 [=====] - 378s 1s/step - loss: 0.6090 - accuracy: 0.7785 - val_loss: 0.5414 - val_accuracy: 0.8032
Epoch 4/20
310/310 [=====] - 378s 1s/step - loss: 0.5252 - accuracy: 0.8082 - val_loss: 0.5541 - val_accuracy: 0.8133
Epoch 5/20
310/310 [=====] - 375s 1s/step - loss: 0.4850 - accuracy: 0.8205 - val_loss: 0.5834 - val_accuracy: 0.7805
Epoch 6/20
310/310 [=====] - 376s 1s/step - loss: 0.4537 - accuracy: 0.8305 - val_loss: 0.4234 - val_accuracy: 0.8450
Epoch 7/20
310/310 [=====] - 378s 1s/step - loss: 0.4294 - accuracy: 0.8437 - val_loss: 0.4307 - val_accuracy: 0.8529
Epoch 8/20
310/310 [=====] - 379s 1s/step - loss: 0.4033 - accuracy: 0.8524 - val_loss: 0.3810 - val_accuracy: 0.8767
Epoch 9/20
310/310 [=====] - 379s 1s/step - loss: 0.3695 - accuracy: 0.8631 - val_loss: 0.3842 - val_accuracy: 0.8586
Epoch 10/20
310/310 [=====] - 383s 1s/step - loss: 0.3419 - accuracy: 0.8760 - val_loss: 0.3953 - val_accuracy: 0.8760
```

```

Epoch 11/20
310/310 [=====] - 380s 1s/step - loss: 0.3305 - accuracy: 0.8728 - val_loss: 0.4521 - val_ac
curacy: 0.8541
Epoch 12/20
310/310 [=====] - 383s 1s/step - loss: 0.3426 - accuracy: 0.8731 - val_loss: 0.4412 - val_ac
curacy: 0.8529
Epoch 13/20
310/310 [=====] - 378s 1s/step - loss: 0.3359 - accuracy: 0.8763 - val_loss: 0.4537 - val_ac
curacy: 0.8541
Epoch 14/20
310/310 [=====] - 384s 1s/step - loss: 0.3157 - accuracy: 0.8834 - val_loss: 0.4474 - val_ac
curacy: 0.8439
Epoch 15/20
310/310 [=====] - 380s 1s/step - loss: 0.2992 - accuracy: 0.8967 - val_loss: 0.5975 - val_ac
curacy: 0.8213
Epoch 16/20
310/310 [=====] - 380s 1s/step - loss: 0.2774 - accuracy: 0.8999 - val_loss: 0.4088 - val_ac
curacy: 0.8597
Epoch 17/20
310/310 [=====] - 384s 1s/step - loss: 0.2534 - accuracy: 0.9109 - val_loss: 0.3894 - val_ac
curacy: 0.8643
Epoch 18/20
310/310 [=====] - 379s 1s/step - loss: 0.2779 - accuracy: 0.9015 - val_loss: 0.4040 - val_ac
curacy: 0.8665
Epoch 19/20
310/310 [=====] - 379s 1s/step - loss: 0.2430 - accuracy: 0.9093 - val_loss: 0.4831 - val_ac
curacy: 0.8529
Epoch 20/20
310/310 [=====] - 381s 1s/step - loss: 0.2490 - accuracy: 0.9073 - val_loss: 0.4113 - val_ac
curacy: 0.8801

```

7. Saving the Model as .h5 file and json file

```
In [28]: len(x_train)
```


```
Out[28]: 310
```

```
In [29]: #saving the Model
model.save('Disaster_Classifier.h5')
model_json=model.to_json()
with open("model-bw.json","w") as json_file:
    json_file.write(model_json)
```


8. Plots for training vs validation accuracies and losses

```
In [30]: #Training and Validation Accuracy Plots
epochs_range = range(20)

plt.figure(figsize=(8, 8))
plt.plot(epochs_range, history.history['accuracy'], label='Training Accuracy')
plt.plot(epochs_range, history.history['val_accuracy'], label='Validation Accuracy')
plt.legend()
plt.title('Training and Validation Accuracy')
plt.show()
```



```
In [31]: #Training and Validation Loss Plot
plt.figure(figsize=(8, 8))
plt.plot(epochs_range, history.history['loss'], label='Training Loss')
plt.plot(epochs_range, history.history['val_loss'], label='Validation Loss')
plt.legend()
plt.title('Training and Validation Loss')
plt.show()
```



9. Testing the CNN Model with test data

```
In [35]: #Testing the CNN Model with test data
test_generator=test_datagen.flow_from_directory(r"/home/wsuser/work/dataset/test",
                                                target_size=(299,299),
                                                batch_size=447,
                                                color_mode='rgb',
                                                class_mode='categorical')
```

Found 447 images belonging to 4 classes.

```
In [36]: x_test, y_test = test_generator.__getitem__(0)
```

```
In [37]: y_test
```

```
Out[37]: array([[1., 0., 0., 0.],
                [0., 1., 0., 0.],
                [0., 0., 0., 1.],
                ...,
                [0., 0., 0., 1.],
                [0., 0., 0., 1.],
                [0., 0., 1., 0.]], dtype=float32)
```

```
In [38]: #predicting the labels of test data
y_pred = model.predict(x_test)
```

```
In [39]: y_pred = np.argmax(y_pred,axis=1)
```

```
In [40]: y_pred
```

```
Out[40]: array([0, 1, 3, 3, 1, 3, 2, 1, 1, 0, 0, 2, 3, 0, 2, 3, 3, 1, 1, 2, 2, 3,
                2, 0, 1, 3, 1, 3, 0, 1, 3, 0, 1, 3, 0, 1, 3, 2, 2, 1, 3, 1, 1, 0,
                2, 3, 2, 3, 2, 1, 3, 1, 2, 0, 1, 3, 0, 3, 3, 0, 0, 2, 0, 2, 0, 1,
                3, 1, 3, 0, 0, 0, 2, 1, 0, 1, 1, 0, 2, 2, 1, 0, 1, 0, 3, 3, 3, 2,
                2, 1, 1, 2, 2, 1, 1, 3, 1, 2, 3, 3, 1, 3, 0, 0, 1, 1, 1, 0, 0, 1,
                1, 2, 1, 0, 0, 1, 2, 2, 1, 2, 3, 1, 1, 2, 2, 1, 0, 1, 1, 1, 2, 1,
                3, 1, 0, 3, 2, 1, 2, 1, 3, 2, 2, 0, 1, 2, 0, 1, 1, 3, 0, 1, 0, 1,
                3, 1, 2, 1, 1, 1, 0, 1, 0, 3, 2, 0, 3, 0, 0, 0, 1, 0, 0, 2, 3, 2,
                0, 0, 1, 0, 0, 2, 2, 1, 0, 3, 1, 1, 1, 2, 0, 3, 1, 2, 3, 2, 0, 0,
                3, 1, 2, 1, 3, 3, 2, 0, 0, 2, 3, 1, 2, 2, 3, 1, 3, 1, 0, 0, 3, 1,
                3, 0, 1, 2, 2, 3, 1, 2, 2, 1, 1, 2, 1, 0, 1, 1, 2, 2, 2, 1, 0, 2,
                2, 3, 0, 1, 1, 3, 1, 0, 2, 2, 3, 0, 0, 3, 1, 0, 1, 1, 1, 1, 2, 0,
                3, 2, 0, 0, 3, 2, 3, 1, 1, 0, 1, 1, 2, 3, 1, 2, 0, 3, 3, 3, 1, 2,
                2, 2, 2, 2, 3, 3, 2, 1, 1, 1, 1, 3, 2, 3, 2, 1, 2, 2, 3, 2, 3, 2,
                2, 1, 3, 2, 2, 1, 1, 2, 0, 1, 2, 2, 3, 1, 2, 1, 2, 1, 2, 1, 3, 2,
                3, 2, 2, 3, 1, 3, 1, 3, 1, 0, 1, 2, 2, 2, 3, 0, 0, 2, 3, 3, 3, 1,
                2, 1, 3, 1, 1, 2, 0, 3, 2, 2, 0, 3, 1, 1, 1, 1, 1, 0, 1, 2, 0, 3,
                2, 0, 2, 2, 0, 1, 3, 3, 3, 2, 2, 2, 1, 1, 2, 0, 3, 1, 2, 1, 1, 1,
                2, 0, 3, 1, 2, 0, 2, 1, 3, 2, 3, 3, 1, 3, 2, 2, 1, 0, 3, 0, 0, 1,
                3, 3, 2, 2, 0, 1, 0, 2, 1, 2, 0, 1, 2, 1, 1, 3, 2, 3, 3, 1, 1, 1,
                3, 3, 0, 0, 3, 3, 2])
```

```
In [41]: y_test = np.argmax(y_test, axis=1)
```



```
In [42]: y_test
```

```
Out[42]: array([0, 1, 3, 3, 1, 3, 2, 1, 1, 0, 0, 2, 3, 0, 2, 3, 3, 2, 1, 3, 2, 3,
                0, 0, 1, 3, 1, 3, 0, 1, 3, 0, 1, 3, 0, 1, 3, 1, 2, 1, 3, 1, 1, 0,
                2, 3, 1, 3, 2, 1, 3, 0, 2, 0, 1, 3, 2, 3, 3, 0, 0, 2, 0, 2, 0, 1,
                3, 1, 3, 0, 0, 0, 2, 1, 0, 1, 1, 0, 2, 2, 1, 0, 1, 0, 3, 3, 3, 2,
                2, 1, 1, 2, 2, 2, 1, 3, 1, 2, 3, 3, 1, 3, 0, 0, 1, 1, 1, 0, 0, 3,
                1, 2, 1, 0, 0, 1, 2, 2, 1, 2, 3, 1, 1, 2, 2, 2, 0, 1, 2, 1, 1, 0,
                3, 1, 0, 3, 2, 1, 2, 1, 3, 2, 2, 3, 1, 2, 0, 1, 3, 2, 3, 1, 0, 1,
                3, 3, 3, 1, 1, 1, 0, 1, 0, 3, 2, 0, 3, 0, 0, 0, 2, 0, 0, 2, 3, 2,
                0, 0, 1, 0, 0, 2, 2, 1, 0, 3, 1, 1, 1, 2, 0, 3, 1, 3, 3, 2, 0, 0,
                3, 1, 2, 1, 3, 3, 2, 0, 1, 1, 3, 1, 2, 0, 1, 1, 3, 3, 0, 0, 3, 0,
                3, 0, 2, 2, 2, 3, 1, 2, 2, 1, 1, 2, 1, 0, 1, 1, 2, 2, 2, 1, 0, 2,
                2, 3, 0, 2, 1, 3, 1, 0, 2, 1, 3, 0, 0, 3, 0, 0, 1, 0, 1, 1, 2, 0,
                3, 2, 1, 0, 3, 2, 3, 1, 1, 0, 1, 1, 1, 3, 1, 2, 0, 3, 3, 3, 1, 2,
                3, 2, 2, 1, 3, 3, 3, 1, 1, 1, 1, 3, 2, 3, 1, 1, 2, 3, 3, 2, 3, 2,
                2, 1, 3, 2, 2, 1, 1, 1, 0, 1, 2, 2, 3, 1, 2, 1, 2, 1, 2, 1, 3, 1,
                3, 2, 2, 3, 1, 3, 1, 3, 1, 0, 1, 2, 2, 2, 3, 0, 0, 2, 3, 0, 3, 1,
                2, 2, 3, 1, 1, 2, 0, 3, 2, 2, 0, 3, 1, 0, 0, 1, 1, 0, 1, 2, 0, 3,
                2, 0, 2, 2, 0, 1, 3, 3, 3, 1, 2, 2, 1, 1, 2, 0, 3, 1, 2, 1, 1, 1,
                2, 0, 3, 2, 2, 0, 0, 1, 3, 2, 3, 3, 1, 3, 2, 2, 1, 0, 3, 0, 0, 1,
                3, 3, 2, 2, 0, 1, 0, 2, 1, 1, 0, 1, 2, 1, 1, 3, 1, 3, 3, 1, 1, 1,
                3, 3, 0, 0, 3, 3, 2])
```

10. Generating Classification Report with F1 Score

```
In [44]: import keras.backend as K
def accuracy(y_true, y_pred):
    '''Calculates the mean accuracy rate across all predictions for binary
    classification problems.
    '''
    return K.mean(K.equal(y_true, K.round(y_pred)))
```

```
In [45]: #Classification report with Accuracy (F1 Score) for each Class
print("CNN Disaster Classification Model Accuracy on test set: {:.4f}".format(accuracy(y_test, y_pred)))
print(classification_report(y_test, y_pred))
```

CNN Disaster Classification Model Accuracy on test set: 0.8881

	precision	recall	f1-score	support
0	0.94	0.88	0.91	94
1	0.86	0.88	0.87	136
2	0.82	0.90	0.85	108
3	0.97	0.89	0.93	109
accuracy			0.89	447
macro avg	0.90	0.89	0.89	447
weighted avg	0.89	0.89	0.89	447

11. Weighted Accuracy of the model

```
In [50]: #Weighted Accuracy of the model
accu = np.count_nonzero(np.equal(y_pred,y_test))/x_test.shape[0]
print("Accuracy: {} %".format(accu*100))
```

Accuracy: 88.81431767337807 %

12. Confusion Matrix for test data

```
In [50]: #Weighted Accuracy of the model
accu = np.count_nonzero(np.equal(y_pred,y_test))/x_test.shape[0]
print("Accuracy: {} %".format(accu*100))
```

Accuracy: 88.81431767337807 %

```
In [51]: classes = list(x_train.class_indices.keys())
```

```
In [53]: #Confusion matrix for test data Classification
import pandas as pd
df_cmatrix = pd.DataFrame(confusion_matrix(y_test, y_pred),index=classes, columns=classes)
sns.set(font_scale=1.0)
fig,ax = plt.subplots(figsize=(16,12))
sns.heatmap(df_cmatrix, annot=True,annot_kws={"size": 15},fmt='2g')
```

