
SPRINT-3


TEAM ID	PNT2022TMID01481
Project Title	Inventory Management System for Retailers
DATE	08-11-2022
MARK	20 Points

Functional Requirement:


- > Employee Dashboard
 - o Adding New Employee
 - Managing the Employees
- > Sell Report Dashboard
 - Adding Materials
 - **o** Maintaining Materials
 - o Alert Message on Stock Out Materials
- > Suppliers Dashboard
 - o Adding New Suppliers
 - o Maintaining Bill on the Supplier's Account


OUTPUT:
















TCE-Inventory_Mananging_system- copyright © 2022





Code:

```
<div class="row">
 <div class="col-2">
 </div>
 <div class="col-10 p-0">
  <div>
    <section class="mt-3">
     <div class="container-fluid">
       <div class="page-header ph-radius clearfix">
        <div class="float-left">
          <h3>Employee dashboard</h3>
        </div>
        <div class="float-right">
         <div class="d-flex">
           <nav aria-label="breadcrumb">
            <a href="dashboard">Dashboard</a>
              <a href="addemployee">New employee </a>
              employee
              </nav>
         </div>
        </div>
       </div>
```

```
<div class="content-wrapper">
         <div class="row mx-0 mt-2">
          <div class="col-lg-12">
            <form class="theme-form">
             <div class="form-colum">
               <div class="container">
                <div class="w3-container w3-content">
                  <div>
                   Name
                      Email
                      Mobile
                      D-0-B
                      Address
                     <td style="cursor: pointer"
(click)="nextPage(items._id)">
                        ✎
                      {{ items.name }}
                      {{ items.email }}
                      {{ items.mobile }}
                      {{ items.dob }}
                      {{ items.address }}
                     </div>
                </div>
               </div>
             </div>
            </form>
          </div>
        </div>
       </div>
     </div>
    </section>
  </div>
 </div>
</div>
<app-header></app-header>
<div class="row">
 <div class="col-2">
 </div>
 <div class="col-10 p-0">
```

```
<!-- PAGE START -->
   <div>
     <section class="mt-3">
       <div class="container-fluid">
         <div class="page-header ph-radius clearfix">
          <div class="float-left">
            <h3>New Employee</h3>
          </div>
          <div class="float-right">
            <div class="d-flex">
              <nav aria-label="breadcrumb">
                <a href="dashboard">Dashboard</a>
                  <a</pre>
href="employee">Employee</a>
                 New Employee
                 </nav>
            </div>
          </div>
         </div>
         <div class="content-wrapper">
          <div class="row mx-0 mt-2">
            <div class="col-lg-12">
              <form class="theme-form">
                <div class="form-row">
                  <div class="container">
                   <form action="action page.php">
                     <div class="row">
                       <div class="col-12">
                         <label for="fname">Name</label>
                       </div>
                       <div class="col-12">
                         <input class="input-field" type="text" id="fname"</pre>
name="name" placeholder="Name"
                          [(ngModel)]="name" />
                       </div>
                     </div>
                     <div class="col-12 mt-2">
                       <label for="fname">Email</label>
                     </div>
                     <div class="col-12">
                       <input class="input-field" type="text" id="fname"</pre>
name="email" placeholder="Email"
```

```
[(ngModel)]="email" />
                         </div>
                         <div class="row mt-2">
                           <div class="col-12">
                             <label for="lname">Mobile</label>
                           </div>
                           <div class="col-12">
                             <input class="input-field" type="text" id="lname"</pre>
name="mobile" placeholder="+91 9965132865"
                               [(ngModel)]="mobile" />
                           </div>
                         </div>
                         <div class="row mt-2">
                           <div class="col-12">
                             <label for="lname">Address</label>
                           </div>
                           <div class="col-12">
                             <textarea class="input-field" type="text"</pre>
id="address" name="address" placeholder="Address"
                               [(ngModel)]="address" style="width:
100%;"></textarea>
                           </div>
                         </div>
                         <div class="row">
                           <div class="col-12">
                             <label for="fname">Date of Birth</label>
                           </div>
                           <div class="col-75">
                             <input class="input-field" type="date" id="fname"</pre>
name="dob" placeholder="05-01-1***"
                               [(ngModel)]="dob" />
                           </div>
                         </div>
                         <div class=" text-center">
                           <button class="btn btn-primary btn-block mt-4"</pre>
(click)="onSubmit()">Save</button>
                         </div>
                       </form>
                    </div>
                  </div>
                </form>
              </div>
            </div>
          </div>
```

```
</div>
    </section>
    <!-- //PAGE END -->
  </div>
 </div>
</div>
<app-header></app-header>
<div class="row">
 <div class="col-2">
  <app-navbar></app-navbar>
 <div class="col-10 p-0">
  <div>
    <section class="mt-3">
     <div class="container-fluid">
       <div class="page-header ph-radius clearfix">
        <div class="float-left">
         <h3>Stocks Detail Report</h3>
        </div>
        <div class="float-right">
         <div class="d-flex">
           <nav aria-label="breadcrumb">
            <a href="dashboard">Dashboard</a>
              <a href="addreport">Add Products</a>
              Products
              </nav>
         </div>
        </div>
       </div>
       <div class="row ">
        <div class="col-lg-12">
         <div class="content-wrapper">
           <!-- Table start -->
           <thead>
```

```
Product code
                 Product Title
                 Product Brand
                 Total Stock
                 Cost Per Item
                 Total cost
                 SUBJECT
                <td style="cursor: pointer"
(click)="nextPage(items.id)">
                   ✎
                 {{ items.pcode }}
                 {{ items.ptitle }}
                 {{ items.pbrand }}
                 {{ items.tstock }}
                 {{ items.cpi }}
                 {{ items.tcost }}
                 {{ items.sub }}
                </thead>
            </div>
         </div>
       </div>
      </div>
    </section>
   </div>
   <app-footer></app-footer>
 </div>
</div>
<app-header></app-header>
<div class="row">
 <div class="col-2">
   <app-navbar></app-navbar>
 </div>
 <div class="col-10 p-0">
  <div>
    <section class="mt-3">
      <div class="container-fluid">
       <div class="page-header ph-radius clearfix">
         <div class="float-left">
           <h3>Product Management</h3>
         </div>
```

```
<div class="float-right">
            <div class="d-flex">
              <nav aria-label="breadcrumb">
               <a href="dashboard">Dashboard</a>
                 <a</pre>
href="report">Products</a>
                 Add Products
                 </nav>
            </div>
          </div>
        </div>
        <div class="content-wrapper mt-0 p-0">
          <div class="row ">
            <div class="col-lg-12">
              <div class="form-row">
               <div class="container">
                 <div class="row mt-2">
                   <div class="col-2">
                     <label for="fname">Product code</label>
                   </div>
                   <div class="col-10">
                     <input type="text" id="fname" name="Product code"</pre>
placeholder="product code"
                      [(ngModel)]="pcode" />
                   </div>
                 </div>
                 <div class="row mt-2">
                   <div class="col-2">
                     <label for="lname">Product Title</label>
                   </div>
                   <div class="col-10">
                     <input type="text" id="lname" name="Product name"</pre>
placeholder="Product name.."
                       [(ngModel)]="ptitle" />
                   </div>
                 </div>
                 <div class="row mt-2">
                   <div class="col-2">
                     <label for="fname">Product Brand</label>
                   </div>
                   <div class="col-10">
```

```
<input type="text" id="fname" name="Product brand"</pre>
placeholder="product brand ... "
                           [(ngModel)]="pbrand" />
                       </div>
                     </div>
                     <div class="row mt-2">
                       <div class="col-2">
                         <label for="fname">Total Stock</label>
                       </div>
                       <div class="col-10">
                         <input type="number" id="fname" name="stock"</pre>
placeholder="enter the total stock"
                           [(ngModel)]="tstock" />
                       </div>
                     </div>
                     <div class="row mt-2">
                       <div class="col-2">
                         <label for="fname">Cost Per Item </label>
                       </div>
                       <div class="col-10">
                         <input type="number" id="fname" name="costperitem"</pre>
placeholder="enter the cost one item"
                           [(ngModel)]="cpi" />
                       </div>
                     </div>
                     <div class="row mt-2">
                       <div class="col-2">
                         <label for="fname">Total Cost </label>
                       </div>
                       <div class="col-10">
                         <input type="number" id="fname" name="costperitem"</pre>
placeholder="Total Cost ...."
                           [(ngModel)]="tcost" />
                       </div>
                     </div>
                     <div class="row mt-2">
                       <div class="col-2">
                         <label for="subject">Subject</label>
                       <div class="col-10">
                        <textarea id="subject" name="subject"</pre>
placeholder="Write something.." style="height: 200px"
                           [(ngModel)]="sub"></textarea>
                       </div>
                     </div>
                     <div class="row mt-2">
                       <input type="submit" value="Submit" (click)="onSubmit()"</pre>
```

```
</div>
              </div>
             </div>
           </div>
         </div>
        </div>
      </div>
    </section>
    <!-- //PAGE END -->
   </div>
   <app-footer></app-footer>
</div>
<app-header></app-header>
<div class="row">
 <div class="col-2">
   <app-navbar></app-navbar>
 </div>
 <div class="col-10 p-0">
   <div>
    <section class="mt-3">
      <div class="container-fluid">
        <div class="page-header ph-radius clearfix">
         <div class="float-left">
           <h3>Suppliers dashboard</h3>
         </div>
         <div class="float-right">
           <div class="d-flex">
             <nav aria-label="breadcrumb">
              <a href="dashboard">Dashboard</a>
                <a href="addsuppliers">New Suppliers </a>
                Suppliers
                </nav>
           </div>
         </div>
        </div>
        <div class="content-wrapper">
         <div class="row mx-0 mt-2">
           <div class="col-lg-12">
            <form class="theme-form">
```

```
<div class="form-colum">
               <div class="container">
                <div class="w3-container w3-content">
                  <div>
                   Name
                      Mobile
                      Material
                      Payment
                      Address
                     <td style="cursor: pointer"
(click)="nextPage(items._id)">
                       ✎
                      {{ items.name }}
                      {{ items.mobile }}
                      {{ items.materials }}
                      {{ items.payment }}
                      {{ items.address }}
                     </div>
                </div>
              </div>
             </div>
           </form>
          </div>
        </div>
     </div>
    </section>
    <!-- //PAGE END -->
   </div>
 </div>
 <app-footer></app-footer>
</div>
<app-header></app-header>
<div class="row">
 <div class="col-2">
  <app-navbar></app-navbar>
 </div>
 <div class="col-10 p-0">
   <div>
    <section class="mt-3">
```

```
<div class="container-fluid">
        <div class="page-header ph-radius clearfix">
          <div class="float-left">
            <h3>New Suppliers</h3>
          </div>
          <div class="float-right">
            <div class="d-flex">
              <nav aria-label="breadcrumb">
                <a href="dashboard">Dashboard</a>
                 <a</pre>
href="suppliers">Suppliers</a>
                 New Suppliers
                 </nav>
            </div>
          </div>
        </div>
         <div class="content-wrapper">
          <div class="row mx-0 mt-2">
            <div class="col-lg-12">
              <div class="form-row">
                <div class="container">
                 <div class="row">
                   <div class="col-12">
                     <label for="fname">Company Name</label>
                   <div class="col-12">
                     <input type="text" class="input-field" id="fname"</pre>
name="name" placeholder="mani tex"
                       [(ngModel)]="name" />
                   </div>
                 </div>
                 <div class="row">
                   <div class="col-12">
                     <label for="lname">Mobile</label>
                   </div>
                   <div class="col-12">
                     <input type="text" class="input-field" id="lname"</pre>
name="mobile" placeholder="+91 9965132865"
                       [(ngModel)]="mobile" />
                   </div>
```

```
</div>
                    <div class="row">
                      <div class="col-12">
                         <label for="fname">materials</label>
                      </div>
                      <div class="col-12">
                         <input type="text" class="input-field" id="materials"</pre>
name="materials" placeholder="item"
                           [(ngModel)]="materials" />
                      </div>
                    </div>
                    <br>
                    <div class="row">
                      <div class="col-12">
                         <label for="trans">Payment Transaction</label><br>
                         <select placeholder="Please Select Payment"</pre>
id="payment" class="input-field"
                           style="width: 100%;" [(ngModel)]="payment">
                           <option value="Paid">Paid</option>
                           <option value="Pending">Pending</option>
                          <option value="Advance">Advance</option>
                         </select>
                      </div>
                    </div>
                    <div class="row mt-2">
                      <div class="col-12">
                        <label for="lname">Address</label>
                      </div>
                      <div class="col-12">
                         <textarea class="input-field" type="text" id="address"
name="address" placeholder="Address"
                           [(ngModel)]="address" style="width:
100%;"></textarea>
                      </div>
                    </div>
                    <!-- <div class="row">
                           <div class="col-25">
                             <label for="fname">Receipt</label>
                           </div>
                           <div class="col-75">
                             <input type="file" id="fname" name="img"</pre>
placeholder="pdf" [(ngModel)]="receipt" />
                           </div>
                    <div class="form-row mt-5 text-center">
```

```
<div class="form-group col-md-4">
                         <button class="btn btn-secondary m-2"</pre>
(click)="navigate()">
                           <i class="ti-close font-weight-bold mr-1"></i>
Cancel
                         </button>
                         <button class="btn btn-primary m-2"</pre>
(click)="onSubmit()">
                           <i class="ti-check font-weight-bold mr-1"></i>
Submit
                         </button>
                       </div>
                     </div>
                   </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </section>
    <app-footer></app-footer>
  </div>
</div>
```

Common.css:

```
.invoice-card {
  padding: 20px;
  border: 1px solid #dbe4f1;
  border-radius: 5px;
  background: #fcfdff;
}
.invoice-card h5 {
  text-align: right;
  font-size: 14px;
  line-height: 22px;
  color: #455055;
}
.invoice-card hr {
  border-top: 1px solid #dbe4f1;
}
.invoice-card .table th {
  padding: 0.5rem 1rem;
  font-weight: 600;
```

```
text-transform: uppercase;
 border-bottom: 2px solid #dee5f1;
.invoice-card .table td {
 border-top: 1px solid #dee5f1;
 vertical-align: middle;
 padding: 0.35rem 1rem;
.invoice-card .form-control-sm {
 height: calc(1.05em + 0.5rem + 2px);
 padding: 0.25rem 0.5rem;
 font-size: 0.875rem;
 line-height: 1.5;
 border-radius: 0.2rem;
.invoice-info {
 background: #e2f4ff;
 padding: 15px;
.invoice-info h6 {
 color: #455055;
 font-size: 13px;
 font-weight: 700;
.invoice-info address {
 margin-bottom: 0px;
 line-height: 24px;
.invoice-info p {
 margin-top: 0;
 margin-bottom: 0.2rem;
.invoice-info .badge {
 padding: 0.35em 0.45em 0.15em;
/*--//Invoice Card Section End--*/
.user-info {
 text-align: center;
 border: 1px solid #dbe4f1;
 border-radius: 5px;
 background: #fcfdff;
 padding: 15px;
.user-info h4 {
 font-size: 18px;
 font-weight: 700;
 margin-bottom: 2px;
```

```
.user-info h6 {
 font-size: 14px;
 color: #455055;
.user-info .user-thumb img {
 width: 130px;
 height: 130px;
 border-radius: 50%;
 -o-object-fit: cover;
 object-fit: cover;
 -o-object-position: center right;
 object-position: center right;
 margin: 0px auto 5px;
 padding: 0.35rem;
 background-color: #fff;
 border: 1px solid #dbe4f1;
.user-info .nav {
 text-align: left;
 margin-top: 20px;
.user-info .nav .nav-item {
 color: #455055;
 border-top: 1px solid #dbe4f1;
.user-info .nav .nav-item a {
 color: #96a2a7;
 padding: 0.75rem 1rem;
.user-info .nav .nav-item a span {
 margin-left: 5px;
.user-info .nav .nav-item a:hover {
 color: #455055;
.user-info .nav .nav-item .active {
 color: #455055;
.user-info .nav .nav-item:last-child a {
 padding-bottom: 0px;
.user-details h2 {
 font-size: 22px;
 font-weight: 500;
 padding-bottom: 7px;
 border-bottom: 1px solid #dbe4f1;
 color: #455055;
```

```
*--F00TER--*/
.footer {
 background: #0276fd;
 padding: 0.9rem 1.3rem;
 font-size: 0.75rem;
 color: #ffffff;
 margin: 0 0 1.25rem 0;
 -webkit-border-radius: 0 0 10px 10px;
 -moz-border-radius: 0 0 10px 10px;
 border-radius: 0 0 10px 10px;
 text-align: center;
.theme-form .custom-control label.mb-0 {
 margin-bottom: 0 !important;
.datepicker-input {
 position: relative;
.datepicker-input .form-control {
 padding-right: 25px;
.datepicker-input .input-group-addon {
 position: absolute;
 right: 15px;
 top: 9px;
 font-size: 20px;
 color: #9bb1d9;
.select2-container--default .select2-selection--multiple {
 background-color: white;
 border: 1px solid #aaa;
 border-radius: 4px;
 cursor: text;
 padding-bottom: 5px;
 padding-right: 5px;
 display: block;
 width: 100%;
 height: calc(1.5em + 0.75rem + 2px);
 padding: 0.375rem 0.75rem;
 font-size: 1rem;
 font-weight: 400;
 line-height: 1.5;
 color: #495057;
 background-color: #fff;
 background-clip: padding-box;
 border: 1px solid #ced4da;
 border-radius: 0.25rem;
```

```
transition: border-color 0.15s ease-in-out, box-shadow 0.15s ease-in-out;
 background: #fcfdff;
 padding: 4px 5px;
 height: auto;
 min-height: 41.3px;
 border-color: #dbe4f1;
.select2-container {
 width: 100% !important;
.select2-container--default.select2-container--focus
 .select2-selection--multiple {
 border: solid #dbe4f1 1px;
 width: 100%;
 float: left;
 padding: 4px 5px;
.select2-container--default
 .select2-selection--multiple
 .select2-selection choice {
 background-color: #e4e4e4;
 border: 1px solid #dbe4f1;
 padding: 0;
 font-size: 12px;
.select2-container--default
 .select2-selection--multiple
 .select2-selection_choice_remove {
 border-right: 1px solid #cecece;
 color: #7c95c5;
 cursor: pointer;
 font-size: 13px;
 padding: 0 4px;
.select2-container--default
 .select2-selection--multiple
 .select2-selection choice display {
 color: #7c95c5;
.add-ticket-modal .close,
.add-ticket-modal .close:hover,
.add-ticket-modal .close:active,
.add-ticket-modal .close:focus {
 margin-right: 15px;
 margin-top: 7px;
 color: #fff;
 border: none;
 outline: none;
```

```
.input-with-add {
 display: flex;
 align-items: center;
/* .input-with-add .form-control {
.input-with-add .add-btn {
 width: 45px;
 height: 45px;
 margin-left: 10px;
 display: flex;
 align-items: center;
 justify-content: center;
 border: solid 1px #dbe4f1;
 border-radius: 4px;
 float: left;
 color: #0978fa;
 cursor: pointer;
.show-labor-code {
 display: none;
.popup-scroll {
 height: 315px;
 overflow-y: scroll !important;
 display: block;
.popup-scroll-450 {
 height: 450px;
 overflow-y: scroll !important;
 display: block;
.popup-scroll-550 {
 height: 550px;
 overflow-y: scroll !important;
 display: block;
/*--Job ID Time Line--*/
.timeline {
 list-style-type: none;
 margin: 0;
 padding: 0;
 position: relative;
.timeline:before {
 content: "";
```

```
position: absolute;
 top: 10px;
 bottom: 5px;
 width: 2px;
 background: #00489b;
 left: 5%;
 margin-left: 0;
.timeline > li {
 position: relative;
 min-height: 50px;
 padding: 10px 0;
.timeline .timeline-time {
 position: absolute;
 left: 0;
 width: 10%;
 text-align: right;
 top: 40px;
.timeline .timeline-time .date,
.timeline .timeline-time {
 display: block;
 font-weight: 600;
.timeline .timeline-time .date {
 line-height: 16px;
 font-size: 13px;
 color: #00489b;
.timeline .timeline-time .time {
 line-height: 24px;
 font-size: 22px;
 color: #455055;
.timeline .timeline-icon {
 left: 0%;
 position: absolute;
 width: 10%;
 text-align: center;
 top: 20px;
.timeline .timeline-icon a {
 text-decoration: none;
 width: 38px;
 height: 38px;
 display: inline-block;
 border-radius: 40px;
```

```
background: #00489b;
 line-height: 10px;
 color: #fff;
 padding: 5px 0;
 font-size: 16px;
 line-height: 28px;
 /* border: 2px solid #aaa; */
 transition: border-color 0.2s linear;
 font-weight: 600;
.timeline .timeline-body {
 margin-left: 9%;
 margin-right: 3%;
 background: #fcfdff;
 position: relative;
 padding: 15px;
 border-radius: 6px;
.timeline .timeline-body:before {
 content: "";
 display: block;
 position: absolute;
 border: 10px solid transparent;
 border-right-color: #fcfcfc;
 left: -20px;
 top: 20px;
/* .timeline .timeline-body>div+div { */
/* margin-top: 15px */
.timeline .timeline-body > div + div:last-child {
 /* margin-bottom: -20px; */
 padding-bottom: 0px;
 border-radius: 0 0 6px 6px;
.timeline-header {
 line-height: 30px;
.timeline-header .job-task {
 font-size: 16px;
 font-weight: 600;
 line-height: 14px;
.timeline-header .job-task,
.timeline-header .job-task a {
 color: #0276fd;
.timeline-content {
```

```
padding-top: 10px;
 border-top: 1px solid #e2e7eb;
 letter-spacing: 0.25px;
 line-height: 18px;
 font-size: 13px;
.timeline-content:after,
.timeline-content:before {
 content: "";
 display: table;
 clear: both;
.timeline-footer {
 background: #fff;
 border-top: 1px solid #e2e7ec;
 padding: 15px 15px 0;
.timeline-content .form-control {
 font-size: 12px !important;
.timeline-notes {
 background: #f2f3f4;
 margin-left: -25px;
 margin-right: -25px;
 padding: 20px 25px;
.job-card {
 border: 1px solid #dee5f1;
 background: #ffffff;
 margin-top: 10px;
.job-card .card-header {
 padding: 0.5rem 1.25rem;
 margin-bottom: 0;
 background-color: #f4f6fc;
 border: none;
 box-shadow: none;
 font-weight: 600;
.job-card .list-item {
 border-bottom: 1px solid #dee5f1;
 margin-top: 10px;
.job-status .form-control {
 font-size: 11px;
 height: calc(1.2em + 0.5rem + 2px);
 padding: 0.15rem 0.15rem;
 background: transparent;
```

```
font-weight: 700;
 width: 110px;
.job-status .btn {
 font-size: 11px !important;
 font-weight: 600;
 padding: 5px 10px !important;
 line-height: 11px;
 min-height: 22px;
 margin: 0px !important;
 vertical-align: top;
/*--//Job ID Time Line--*/
.table-sticky-header .table {
 position: relative;
 width: 100%;
 float: left;
.table-sticky-header .table thead tr th {
 position: sticky;
 top: 0;
 z-index: 2;
 background: #dee5f1;
.labour-header-info {
 margin-bottom: 0;
 list-style: none;
 background-color: transparent;
 border-radius: 0;
 font-size: 13px;
 color: #fff;
 padding: 0.9rem;
.table-container.no-pagination .bottom {
 display: none;
.stockin-stockout-container {
 display: flex;
.page-loading {
 position: absolute;
 width: 100%;
 z-index: 999;
 background: rgb(255 255 255 / 50%);
 height: 100%;
```

```
margin: 0 auto;
 text-align: center;
 padding-top: 15%;
.page-loading h4 {
 font-weight: 600;
 font-size: 24px;
 color: #000000;
/*--Data Table--*/
table.dataTable thead .sorting:before,
table.dataTable thead .sorting:after,
table.dataTable thead .sorting_asc:before,
table.dataTable thead .sorting_asc:after,
table.dataTable thead .sorting_desc:before,
table.dataTable thead .sorting_desc:after,
table.dataTable thead .sorting_asc_disabled:before,
table.dataTable thead .sorting_asc_disabled:after,
table.dataTable thead .sorting_desc_disabled:before,
table.dataTable thead .sorting_desc_disabled:after {
 position: absolute;
 bottom: 0.9em;
 display: block;
 opacity: 1;
```