


Date	1 November 2022
Team ID	PNT2022TMID42447
Project Name	Personal Assistance for Seniors Who Are Self-Reliant.

## NODE-RED DESIGN WITH FORM NODE:



## STEPS TO ADD INPUT FORM TO UI:

- 1) Configure the UI input form
- 2) Add a group with the name user
- 3) Add a tab with the name Home and press add
- 4) Press add
- 5) Give the UI from a name Insert a new User and add the input fields for medicine name, time and date
- 6) Add a function node and insert code and wire the nodes
- 7) Open in a new browser tab [https://\[your-host\]/ui/](https://[your-host]/ui/)
- 8) Insert required details and press submit
- 9) Now wire the function as input for the database as shown in about layout
- 10) Press Deploy.


## RUN AND CLICK URL:

The screenshot shows the 'Home' page of the application. It features a form titled 'User' with a 'Medication' section. The form includes input fields for 'Medicine', 'Time', and 'Date'. Below the form are two buttons: 'SUBMIT' and 'CANCEL'.

## WEB UI INTERFACE FOR USERS:

In the below image, depicts the web UI interface or web application for users to enter their medication details like name, date and time.

### NOTE:



The screenshot shows a web application interface with a blue header bar labeled "Home". Below the header, there is a form titled "User" in a light blue box. The form contains the following fields:

- Medication:** A text input field with the value "Crocin".
- Time:** A text input field with the value "01:25 PM" and a circular icon to its right.
- Date:** A text input field with the value "05-11-2022" and a calendar icon to its right.

At the bottom of the form, there are two buttons: "SUBMIT" and "CANCEL".

On clicking submit the details will be saved in the Cloudant database and will be accessed by function nodes used in the node red design.


Upon comparison with time specified in function node the apt medicine name in the text format is passed on to the Text-To-Speech service (Implementation is available in sprint 1).

### DEBUG IN NODE-RED COMMAND PROMPT:

```
Nov 13:34:35 - [info] Stopped flows
Nov 13:34:35 - [info] Updated flows
Nov 13:34:35 - [info] Starting flows
Nov 13:34:35 - [info] Started flows
Nov 13:35:14 - [info] [debug:msg.payload]
{
  "Medicine": "Crocin",
  "Time": "1970-01-01T08:10:00.000Z",
  "Date": "2022-11-04T18:30:00.000Z"
}
Nov 13:35:14 - [info] [debug:msg.payload]
{
  "_id": "undefined undefined", "name": undefined
}
Nov 13:41:44 - [info] Stopping flows
Nov 13:41:44 - [info] Stopped flows
Nov 13:41:44 - [info] Updated flows
Nov 13:41:44 - [info] Starting flows
Nov 13:41:44 - [info] Started flows
Nov 13:42:40 - [info] [debug:msg.payload]
{
  "Medicine": "Crocin",
  "Time": "1970-01-01T08:10:00.000Z",
  "Date": "2022-11-04T18:30:00.000Z"
}
Nov 13:42:40 - [info] [debug:msg.payload]
{
  "_id": "undefined undefined", "name": undefined
}
Nov 13:43:26 - [info] Stopping flows
Nov 13:43:26 - [info] Stopped flows
Nov 13:43:26 - [info] Updated flows
Nov 13:43:26 - [info] Starting flows
Nov 13:43:26 - [info] Started flows
Nov 13:43:55 - [info] [debug:msg.payload]
{
  "Medicine": "sjsj",
  "Time": "1970-01-01T06:53:00.000Z",
  "Date": "2022-02-11T18:30:00.000Z"
}
Nov 13:43:55 - [info] [debug:msg.payload]
{
  "_id": "undefined undefined", "name": undefined
}
Nov 13:46:16 - [info] Stopping flows
Nov 13:46:16 - [info] Stopped flows
Nov 13:46:16 - [info] Updated flows
Nov 13:46:16 - [info] Starting flows
Nov 13:46:16 - [info] Started flows
Nov 13:46:52 - [info] [debug:msg.payload]
{
  "Medicine": "Crocin",
  "Time": "1970-01-01T08:30:00.000Z",
  "Date": "2023-11-04T18:30:00.000Z"
}
```

**DEBUG IN NODE-RED PLATFORM:**

**NOTE:**



The above image indicates that the details has been saved in the database and readily available for accessibility through the node-red service.